


Fugitive Emission Test Report

ChevronTexaco Test Standard

Performed for

Teadit North America


www.teadit.com



Teadit Style 2236 Braided Graphite Packing

Project Number: 210202

Start Date: November 1, 2010



Performed by

YARMOUTH RESEARCH AND TECHNOLOGY, LLC

434 Walnut Hill Road
North Yarmouth, ME 04097 USA
(207) 829-5359

info@yarmouthresearch.com

www.yarmouthresearch.com

Yarmouth Research and Technology, LLC

PROJECT SUMMARY


Customer: Teadit North America	Start Date: 1-Nov-10
Packing Manufacturer: Teadit	Project #: 210202
Packing Description: Teadit GAX 2236	
5 rings cut from spool	
Test Fixture: 4" CI300 Velan Gate Valve	
Manufacturer's Recommended Packing Torque:	56 ft-lb
Stem Diameter:	1.000 inches
Bore Diameter:	1.510 inches
Number of Handwheel Turns During Cycling:	11.5 (each direction)
Stem Travel During Cycling:	4.1 inches
Cycling Speed:	43 RPM
Cycling Rate:	75 seconds per cycle
Maximum Allowable Leakage:	500 PPMv (stem static)
Maximum Allowable Handwheel Torque:	83 ft-lb (based on 200lb pull force)
Test Pressure:	600 psig
Test Media:	99% Methane

RESULTS

Reason for Test Completion:	5000 cycles completed
Number of Mechanical Cycles Completed:	5000
Number of Thermal Cycles Completed:	10
Number of Packing Adjustments Required:	0

	<i>Stem Seal Leakage Readings (PPMv)</i>				<i>Opening</i>	<i>Closing</i>
	<i>Static</i>		<i>Dynamic</i>		<i>Torque</i>	<i>Torque</i>
	<i>Avg.</i>	<i>Max.</i>	<i>Avg.</i>	<i>Max.</i>	<i>(ft-lb)</i>	<i>(ft-lb)</i>
Average:	4	4	4	6	18	23
Maximum:	19	20	18	23	20	25

Witness



Yarmouth Research and Technology, LLC

Customer: Teadit North America

Start Date: 1-Nov-10

Packing Manufacturer: Teadit

Project #: 210202

Packing Description: Teadit GAX 2236

Test Fixture: 4" CI300 Velan Gate Valve

Test Results: The average and maximum leakage results shown below were
 calculated from 60 readings measured during a minute duration.
 Opening and closing torques are performed against the test pressure.
See data sheets for more detailed information.

Cycle Number	Temp (F)	Stem Seal Leakage Readings (PPMv)				Packing	Opening	Closing
		Static		Dynamic		Retorque	Torque	Torque
		Avg.	Max.	Avg.	Max.	See Note	(ft-lb)	(ft-lb)
0	Ambient	1	1	3	8		20	25
30	145	1	1	2	2	0	20	25
31	145	2	2	2	2		20	25
100	320	3	3	3	3		20	25
200	500	6	6	6	7		20	25
300	500	4	5	5	6		20	25
400	320	3	4	3	4		20	25
500	Ambient	2	2	2	3		20	25
600	320	5	5	5	6		20	25
700	500	3	3	3	3		20	25
800	500	3	3	3	3		20	25
900	320	2	2	2	2		20	25
1000	Ambient	3	4	4	5		20	25
1100	320	2	2	2	2		20	25
1200	500	2	2	2	2		20	25
1300	500	2	2	2	2		20	25
1400	320	3	3	3	3		20	25
1500	Ambient	4	4	4	4		20	25
1600	320	4	4	4	4		20	25
1700	500	3	3	3	3		20	25
1800	500	3	3	3	3		20	25
1900	320	2	2	2	2		20	25
2000	Ambient	6	7	6	7		20	25
2100	320	3	3	4	4		20	25
2200	500	2	2	2	2		20	25
2300	500	2	2	2	2		20	25
2400	320	1	1	1	1		20	25
2500	Ambient	1	2	4	9		20	25
2600	320	2	2	2	3		20	25
2700	500	2	2	2	3		15	20
2800	500	1	2	2	2		15	20

Yarmouth Research and Technology, LLC

2900	320	1	1	1	3		15	20
3000	Ambient	4	5	5	9		15	20
3100	320	2	2	2	3		15	20
3200	500	1	1	1	1		15	20
3300	500	2	2	2	2		15	20
3400	320	2	2	2	3		15	20
3500	Ambient	1	1	1	2		15	20
3600	320	3	3	3	4		15	20
3700	500	1	1	2	3		15	20
3800	500	3	4	3	4		15	20
3900	320	2	2	2	3		15	20
4000	Ambient	1	2	2	4		15	20
4100	320	3	4	6	9		15	20
4200	500	4	5	6	8		15	20
4300	500	9	9	8	11		15	20
4400	320	9	10	8	12		15	20
4500	Ambient	10	11	12	14		15	20
4600	320	11	12	18	23		15	20
4700	500	19	20	16	21		15	20
4800	500	11	13	15	22		15	25
4900	320	7	8	6	12		15	25
5000	Ambient	4	6	8	15		15	25
Averages ->		4	4	4	6		18	23
Maximums ->		19	20	18	23		20	25

Packing Retorque Notes:


	<i>Static Leakage PPMv</i>	<i>Before Adjustment</i>				<i>After Adjustment</i>		
		<i>Nut Torque</i>		<i>Opening</i>	<i>Closing</i>	<i>Nut Torque</i>		<i>Gland Height</i>
		<i>Top</i>	<i>Bottom</i>	<i>Torque</i>	<i>Torque</i>	<i>Top</i>	<i>Bottom</i>	
0	1	55	55	20	25	56	56	0.58
1								
2								

Bonnet Gasket Leakage at Start: (PPMv)	0	<i>Avg.</i>	0	<i>Max.</i>
Packing Nut Torque at End of Test: (ft-lb)	35	<i><-top</i>	40	<i><-bottom</i>

Test Notes:

Yarmouth Research and Technology, LLC

Static Leakage Chart
Maximum Reading



Yarmouth Research and Technology, LLC

DIMENSIONAL INFORMATION

Manufacturer's Information

Packing Description: Teadit GAX 2236		
5 rings cut from spool by Yarmouth		
Valve Manufacturer: 4 inch Class 300 Velan Gate Valve		
Valve Product Code: 133-8		
Test Start Date: 1-Nov-10		
Is the stem rising rotating, or rising?: Rising		
Packing - OEM or Repack: Repack		
Packing Supplier: Teadit		
Initial Packing Torque or Packing Instructions:	56	ft-lb

Photographs - Before Repacking

Valve As Received:	Yes
Bonnet, Stem, Handwheel, Gland:	Yes
Yoke Mechanism:	Yes

Valve Dimensional Information

Gland stud size:	5/8	inches
Gland Stud Threads per inch:	11	
Gland Height as Received:	-	inches
Number of Handwheel Turns to Open:	12.5	
Stem Travel:	4.5	inches
Calculated Pitch of Stem Threads:	0.36	

Re-pack Information

Stem Diameter:	0.999	inches
Gland Follower OD:	1.497	inches
Gland Follower Height:	1.055	inches
Bore Depth:	1.433	inches
Calculated Packing Cross-section:	0.25	inches
Cross-section of Packing Used:	0.250	inches
Number of Packing Rings Installed:	5	
Nominal Uncompressed Packing Height:	1.250	inches
Packing Nut Torque Specified:	56	ft-lb
Gland Follower Height After Compression:	0.580	inches
% Compression Calculated:	23.4%	
Ease of Cutting Packing: OK with blade		

Photographs - During Repacking

Packing Spool Information:	Yes
Packing Rings Cut:	Yes

Yarmouth Research and Technology, LLC

Pre-Test Information

Stem Threads, Yoke and Gland Studs Lubed?:	Yes	
Closing Torque with 0 Pressure After Retorquing:	20	ft-lb
Opening Torque with 0 Pressure After Retorquing:	20	ft-lb
Handwheel Outside Radius:	5	inches
Maximum Allowable Handwheel Pull:	200	pounds
Calculated Maximum Allowable Handwheel Torque:	83.3	ft-lb

Test Parameters

Actuator Speed:	43	RPM
# of Handle Turns During Cycling:	11.5	
Stroke Length:	4.14	
Time to Open Valve:	16.0	
Time to Close Valve:	16.0	
Total Time to Complete One Cycle:	75	seconds

Post Test Measurements

Closing Torque with 0 Pressure:	20	ft-lb
Opening Torque with 0 Pressure:	20	ft-lb
Packing extrusion between shaft and follower:	0.25	inches
Stem Diameter Above Packing:	1.000	inches
Stem Diameter Center of Packing:	1.000	inches
Stem Circularity (min. Diam):	0.0005	inches
Stem Taper (min. Diam):	0.0005	inches
Stem Side to Side Play:	0.020	inches
Stem Straightness:	0.000	inches
Stem Surface Finish:	12	Ra
Follower ID:	1.041	inches
Follower OD:	1.497	inches
Follower Height:	1.055	inches
Stuffing Box Diameter:	1.510	inches
Stuffing Box Depth:	1.433	inches
Stuffing Box Finish (estimated w/comparator):	16	Ra
Bottom Bore Diameter:	1.044	inches

Calculations

Clearance Between Bottom Bore and Stem:	0.044	inches
Clearance Between Follower and Stem:	0.041	inches
Clearance Between Follower and Bore:	0.013	inches
Packing Compression After Retorque:	23%	
After Hot Torque:	23%	
After First Adjustment, (if required):		
At End of Test:	23%	

Yarmouth Research and Technology, LLC



Packing Material – Rings cut and installed by Matt Wasielewski, Yarmouth

Yarmouth Research and Technology, LLC



Test Setup
(date code on photos – DD/MM/YYYY)

Yarmouth Research and Technology, LLC



Packing After Test
Grease on stem from yoke nut grease required for cycling.

(date code on photos – MM/DD/YYYY)

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 0

Date 11/1/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
9:31:14 AM	602.7	82.0	1.0	0.8
9:31:15 AM	602.7	82.0	1.0	0.8
9:31:16 AM	602.7	82.0	1.0	0.8
9:31:16 AM	602.7	82.0	1.0	0.8
9:31:17 AM	602.7	82.0	1.0	0.8
9:31:18 AM	602.7	82.0	1.0	0.8
9:31:19 AM	602.7	82.0	1.0	0.8
9:31:20 AM	602.7	82.0	1.0	0.7
9:31:21 AM	602.7	82.0	1.0	0.7
9:31:22 AM	602.7	82.0	1.0	0.7
9:31:23 AM	602.7	81.0	1.0	0.8
9:31:24 AM	602.7	81.0	1.0	0.8
9:31:25 AM	602.7	81.0	1.0	0.8
9:31:26 AM	602.6	82.0	1.0	0.8
9:31:27 AM	602.6	82.0	1.0	0.8
9:31:28 AM	602.6	82.0	1.0	0.8
9:31:29 AM	602.6	82.0	1.0	0.8
9:31:30 AM	602.7	82.0	1.0	0.8
9:31:31 AM	602.7	82.0	1.0	0.8
9:31:32 AM	602.6	82.0	1.0	0.8
9:31:33 AM	602.6	82.0	1.0	0.8
9:31:34 AM	602.7	82.0	1.0	0.8
9:31:35 AM	602.6	82.0	1.0	0.8
9:31:36 AM	602.6	82.0	1.0	0.8
9:31:37 AM	602.6	82.0	1.0	0.8
9:31:38 AM	602.6	81.0	1.0	0.7
9:31:39 AM	602.6	82.0	1.0	0.8
9:31:40 AM	602.7	82.0	1.0	0.8
9:31:41 AM	602.6	81.0	1.0	0.8
9:31:42 AM	602.7	82.0	1.0	0.8
9:31:43 AM	602.6	82.0	1.0	0.8
9:31:44 AM	602.6	82.0	1.0	0.8
9:31:45 AM	602.6	82.0	1.0	0.8
9:31:46 AM	602.6	81.0	1.0	0.8
9:31:47 AM	602.6	81.0	1.0	0.8
9:31:48 AM	602.6	82.0	1.0	0.8
9:31:49 AM	602.6	82.0	1.0	0.8
9:31:50 AM	602.6	81.0	1.0	0.8
9:31:51 AM	602.6	81.0	1.0	0.8
9:31:52 AM	602.6	82.0	1.0	0.8
9:31:53 AM	602.6	81.0	1.0	0.8
9:31:54 AM	602.6	81.0	1.0	0.8
9:31:55 AM	602.6	82.0	1.0	0.8
9:31:56 AM	602.6	81.0	1.0	0.8
9:31:57 AM	602.6	82.0	1.0	0.8
9:31:58 AM	602.6	81.0	1.0	0.8
9:31:59 AM	602.6	81.0	1.0	0.8
9:32:00 AM	602.6	82.0	1.0	0.8
9:32:01 AM	602.6	82.0	1.0	0.8
9:32:02 AM	602.6	82.0	1.0	0.8
9:32:03 AM	602.6	81.0	1.0	0.9
9:32:04 AM	602.6	82.0	1.0	0.9
9:32:05 AM	602.6	82.0	1.0	0.9
9:32:06 AM	602.5	81.0	1.0	0.9
9:32:07 AM	602.6	81.0	1.0	1.0
9:32:08 AM	602.5	82.0	1.0	1.0
9:32:09 AM	602.5	81.0	1.0	1.1
9:32:10 AM	602.6	82.0	1.0	1.2
9:32:11 AM	602.5	81.0	1.0	1.3
9:32:12 AM	602.6	81.0	1.0	1.3
Averages ->	602.6	81.7	1.0	0.8
			Maximum ->	1.3

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 0

Date 11/1/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
9:32:36 AM	597.7	81.0	1.0	7.7
9:32:37 AM	597.8	81.0	1.0	8.1
9:32:38 AM	597.8	81.0	1.0	7.8
9:32:39 AM	597.8	81.0	1.0	6.9
9:32:40 AM	597.9	81.0	1.0	5.9
9:32:41 AM	597.9	82.0	1.0	5.1
9:32:42 AM	598.0	82.0	1.0	4.4
9:32:43 AM	598.0	82.0	1.0	3.8
9:32:44 AM	598.0	82.0	1.0	3.4
9:32:45 AM	598.0	81.0	1.0	3.0
9:32:46 AM	598.0	82.0	1.0	2.7
9:32:47 AM	598.0	81.0	1.0	2.4
9:32:48 AM	598.0	81.0	1.0	2.4
9:32:49 AM	598.0	81.0	1.0	2.3
9:32:50 AM	598.3	82.0	1.0	2.1
9:32:51 AM	598.7	82.0	1.0	2.0
9:32:52 AM	599.1	82.0	1.0	2.0
9:32:53 AM	599.5	82.0	1.0	1.9
9:32:54 AM	599.9	82.0	1.0	1.9
9:32:55 AM	600.4	81.0	1.0	1.9
9:32:56 AM	600.8	82.0	1.0	2.0
9:32:57 AM	601.2	82.0	1.0	2.0
9:32:58 AM	601.6	82.0	1.0	2.0
9:32:59 AM	602.0	82.0	1.0	2.0
9:33:00 AM	602.4	82.0	1.0	2.0
9:33:01 AM	602.8	82.0	1.0	2.0
9:33:02 AM	603.0	81.0	1.0	1.9
9:33:03 AM	602.9	82.0	1.0	1.9
9:33:04 AM	602.9	82.0	1.0	1.8
9:33:05 AM	602.9	82.0	1.0	1.7
9:33:06 AM	602.6	81.0	1.0	1.6
9:33:07 AM	602.2	82.0	1.0	1.5
9:33:08 AM	601.7	82.0	1.0	1.4
9:33:09 AM	601.3	82.0	1.0	1.4
9:33:10 AM	600.9	82.0	1.0	1.3
9:33:11 AM	600.5	82.0	1.0	1.2
9:33:12 AM	600.1	82.0	1.0	1.1
9:33:13 AM	599.6	82.0	1.0	1.1
9:33:14 AM	599.3	82.0	1.0	1.0
9:33:15 AM	598.8	82.0	1.0	1.0
9:33:16 AM	598.4	82.0	1.0	1.0
9:33:17 AM	598.0	82.0	1.0	1.1
9:33:18 AM	597.9	82.0	1.0	1.2
9:33:19 AM	597.9	82.0	1.0	1.5
9:33:20 AM	597.9	82.0	1.0	2.0
9:33:21 AM	598.0	82.0	1.0	2.7
9:33:22 AM	598.0	82.0	1.0	3.3
9:33:23 AM	598.0	82.0	1.0	3.8
9:33:24 AM	598.0	82.0	1.0	4.0
9:33:25 AM	598.0	82.0	1.0	4.0
9:33:26 AM	598.1	82.0	1.0	4.0
9:33:27 AM	598.1	82.0	1.0	4.0
9:33:28 AM	598.1	82.0	1.0	3.9
9:33:29 AM	598.1	82.0	1.0	3.7
9:33:30 AM	598.1	82.0	1.0	3.3
9:33:31 AM	598.1	82.0	1.0	2.9
9:33:32 AM	598.2	82.0	1.0	2.4
9:33:33 AM	598.1	82.0	1.0	2.1
9:33:34 AM	598.1	82.0	1.0	1.8
9:33:35 AM	598.5	82.0	1.0	1.6
Averages ->	599.3	81.8	1.0	2.7
			Maximum ->	8.1

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 30

Date 11/1/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:10:10 AM	597.2	145.0	1.0	1.4
10:10:11 AM	597.3	146.0	1.0	1.4
10:10:12 AM	597.2	146.0	1.0	1.4
10:10:13 AM	597.3	146.0	1.0	1.4
10:10:14 AM	597.3	146.0	1.0	1.4
10:10:15 AM	597.3	146.0	1.0	1.4
10:10:16 AM	597.3	146.0	1.0	1.4
10:10:17 AM	597.3	146.0	1.0	1.4
10:10:18 AM	597.3	146.0	1.0	1.4
10:10:19 AM	597.4	146.0	1.0	1.4
10:10:20 AM	597.4	146.0	1.0	1.4
10:10:21 AM	597.4	147.0	1.0	1.4
10:10:22 AM	597.4	147.0	1.0	1.4
10:10:23 AM	597.4	146.0	1.0	1.4
10:10:24 AM	597.5	146.0	1.0	1.4
10:10:25 AM	597.5	146.0	1.0	1.4
10:10:26 AM	597.5	147.0	1.0	1.4
10:10:27 AM	597.5	147.0	1.0	1.4
10:10:28 AM	597.5	146.0	1.0	1.4
10:10:29 AM	597.6	146.0	1.0	1.4
10:10:30 AM	597.5	146.0	1.0	1.3
10:10:31 AM	597.6	146.0	1.0	1.3
10:10:32 AM	597.6	146.0	1.0	1.3
10:10:33 AM	597.6	146.0	1.0	1.3
10:10:34 AM	597.6	146.0	1.0	1.3
10:10:35 AM	597.6	146.0	1.0	1.4
10:10:36 AM	597.7	146.0	1.0	1.4
10:10:37 AM	597.7	146.0	1.0	1.4
10:10:38 AM	597.7	146.0	1.0	1.4
10:10:39 AM	597.7	145.0	1.0	1.4
10:10:40 AM	597.7	145.0	1.0	1.4
10:10:41 AM	597.8	145.0	1.0	1.4
10:10:42 AM	597.8	145.0	1.0	1.4
10:10:43 AM	597.8	145.0	1.0	1.4
10:10:44 AM	597.8	145.0	1.0	1.4
10:10:45 AM	597.9	145.0	1.0	1.4
10:10:46 AM	597.8	145.0	1.0	1.4
10:10:47 AM	597.9	145.0	1.0	1.4
10:10:48 AM	597.9	145.0	1.0	1.4
10:10:49 AM	597.9	144.0	1.0	1.3
10:10:50 AM	597.9	144.0	1.0	1.3
10:10:51 AM	597.9	144.0	1.0	1.3
10:10:52 AM	598.0	144.0	1.0	1.4
10:10:53 AM	598.0	144.0	1.0	1.4
10:10:54 AM	598.0	144.0	1.0	1.4
10:10:55 AM	598.0	144.0	1.0	1.4
10:10:56 AM	598.0	144.0	1.0	1.4
10:10:57 AM	598.0	144.0	1.0	1.4
10:10:58 AM	598.0	144.0	1.0	1.4
10:10:59 AM	598.0	145.0	1.0	1.4
10:11:00 AM	598.0	144.0	1.0	1.4
10:11:01 AM	598.1	145.0	1.0	1.4
10:11:02 AM	598.1	145.0	1.0	1.4
10:11:03 AM	598.1	145.0	1.0	1.3
10:11:04 AM	598.1	145.0	1.0	1.3
10:11:05 AM	598.1	145.0	1.0	1.3
10:11:06 AM	598.2	145.0	1.0	1.3
10:11:07 AM	598.2	145.0	1.0	1.3
10:11:07 AM	598.2	145.0	1.0	1.3
10:11:08 AM	598.2	145.0	1.0	1.3
Averages ->	597.7	145.4	1.0	1.4
			Maximum ->	1.4

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 30

Date 11/1/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:11:33 AM	595.7	146.0	1.0	1.5
10:11:34 AM	595.3	146.0	1.0	1.5
10:11:35 AM	594.9	146.0	1.0	1.5
10:11:36 AM	594.5	146.0	1.0	1.5
10:11:37 AM	594.2	146.0	1.0	1.5
10:11:38 AM	593.8	145.0	1.0	1.5
10:11:39 AM	593.7	145.0	1.0	1.5
10:11:40 AM	593.7	145.0	1.0	1.5
10:11:41 AM	593.8	145.0	1.0	1.4
10:11:42 AM	593.9	145.0	1.0	1.4
10:11:43 AM	593.9	145.0	1.0	1.4
10:11:44 AM	594.0	145.0	1.0	1.3
10:11:45 AM	594.0	145.0	1.0	1.3
10:11:46 AM	594.1	145.0	1.0	1.3
10:11:47 AM	594.1	145.0	1.0	1.3
10:11:48 AM	594.2	145.0	1.0	1.3
10:11:49 AM	594.2	145.0	1.0	1.3
10:11:50 AM	594.2	145.0	1.0	1.3
10:11:51 AM	594.3	144.0	1.0	1.3
10:11:52 AM	594.3	144.0	1.0	1.3
10:11:53 AM	594.3	144.0	1.0	1.3
10:11:54 AM	594.4	144.0	1.0	1.3
10:11:55 AM	594.4	144.0	1.0	1.3
10:11:56 AM	594.7	144.0	1.0	1.3
10:11:57 AM	595.1	144.0	1.0	1.4
10:11:58 AM	595.6	144.0	1.0	1.4
10:11:59 AM	596.1	144.0	1.0	1.5
10:12:00 AM	596.5	144.0	1.0	1.5
10:12:01 AM	597.0	144.0	1.0	1.6
10:12:01 AM	597.4	145.0	1.0	1.6
10:12:02 AM	597.8	145.0	1.0	1.6
10:12:03 AM	598.3	145.0	1.0	1.6
10:12:04 AM	598.7	145.0	1.0	1.7
10:12:05 AM	599.2	145.0	1.0	1.7
10:12:06 AM	599.6	145.0	1.0	1.7
10:12:07 AM	599.8	145.0	1.0	1.7
10:12:08 AM	599.8	145.0	1.0	1.7
10:12:09 AM	599.8	146.0	1.0	1.7
10:12:10 AM	599.7	146.0	1.0	1.7
10:12:11 AM	599.7	146.0	1.0	1.7
10:12:12 AM	599.7	146.0	1.0	1.7
10:12:13 AM	599.7	146.0	1.0	1.7
10:12:14 AM	599.7	146.0	1.0	1.7
10:12:15 AM	599.7	146.0	1.0	1.7
10:12:16 AM	599.7	146.0	1.0	1.6
10:12:17 AM	599.7	147.0	1.0	1.6
10:12:18 AM	599.6	147.0	1.0	1.6
10:12:19 AM	599.6	146.0	1.0	1.6
10:12:20 AM	599.6	147.0	1.0	1.6
10:12:21 AM	599.6	147.0	1.0	1.6
10:12:22 AM	599.6	147.0	1.0	1.6
10:12:23 AM	599.7	147.0	1.0	1.6
10:12:24 AM	599.6	147.0	1.0	1.5
10:12:25 AM	599.6	148.0	1.0	1.5
10:12:26 AM	599.6	148.0	1.0	1.6
10:12:27 AM	599.6	148.0	1.0	1.5
10:12:28 AM	599.6	148.0	1.0	1.5
10:12:29 AM	599.7	148.0	1.0	1.5
10:12:30 AM	599.7	148.0	1.0	1.5
10:12:31 AM	599.7	149.0	1.0	1.5
Averages ->	597.1	145.7	1.0	1.5
			Maximum ->	1.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 31

Date 11/1/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:20:14 AM	599.8	148.0	1.0	1.4
10:20:15 AM	599.8	148.0	1.0	1.4
10:20:16 AM	599.7	148.0	1.0	1.4
10:20:17 AM	599.8	148.0	1.0	1.5
10:20:18 AM	599.8	148.0	1.0	1.4
10:20:19 AM	599.7	148.0	1.0	1.4
10:20:19 AM	599.7	149.0	1.0	1.4
10:20:20 AM	599.8	149.0	1.0	1.4
10:20:21 AM	599.8	149.0	1.0	1.4
10:20:22 AM	599.8	149.0	1.0	1.4
10:20:23 AM	599.8	149.0	1.0	1.4
10:20:24 AM	599.8	149.0	1.0	1.4
10:20:25 AM	599.8	149.0	1.0	1.4
10:20:26 AM	599.8	149.0	1.0	1.4
10:20:27 AM	599.8	150.0	1.0	1.4
10:20:28 AM	599.8	150.0	1.0	1.4
10:20:29 AM	599.8	150.0	1.0	1.4
10:20:30 AM	599.9	150.0	1.0	1.4
10:20:31 AM	599.8	150.0	1.0	1.4
10:20:32 AM	599.8	150.0	1.0	1.4
10:20:33 AM	599.9	150.0	1.0	1.4
10:20:34 AM	599.9	150.0	1.0	1.4
10:20:35 AM	599.9	150.0	1.0	1.4
10:20:36 AM	599.9	150.0	1.0	1.4
10:20:37 AM	599.9	150.0	1.0	1.5
10:20:38 AM	599.9	150.0	1.0	1.5
10:20:39 AM	600.0	150.0	1.0	1.5
10:20:40 AM	600.0	151.0	1.0	1.5
10:20:41 AM	600.0	150.0	1.0	1.4
10:20:42 AM	600.0	150.0	1.0	1.4
10:20:43 AM	600.0	150.0	1.0	1.4
10:20:44 AM	600.0	151.0	1.0	1.4
10:20:45 AM	600.0	151.0	1.0	1.4
10:20:46 AM	600.0	150.0	1.0	1.4
10:20:47 AM	600.0	150.0	1.0	1.4
10:20:48 AM	600.0	150.0	1.0	1.4
10:20:49 AM	600.0	150.0	1.0	1.4
10:20:50 AM	600.1	150.0	1.0	1.4
10:20:51 AM	600.0	150.0	1.0	1.4
10:20:52 AM	600.0	150.0	1.0	1.4
10:20:53 AM	600.1	150.0	1.0	1.4
10:20:54 AM	600.0	150.0	1.0	1.4
10:20:55 AM	600.1	150.0	1.0	1.4
10:20:56 AM	600.1	150.0	1.0	1.5
10:20:57 AM	600.1	150.0	1.0	1.5
10:20:58 AM	600.1	150.0	1.0	1.6
10:20:59 AM	600.1	150.0	1.0	1.7
10:21:00 AM	600.1	150.0	1.0	1.7
10:21:01 AM	600.1	150.0	1.0	1.7
10:21:02 AM	600.1	150.0	1.0	1.7
10:21:03 AM	600.1	150.0	1.0	1.7
10:21:04 AM	600.1	150.0	1.0	1.7
10:21:05 AM	600.1	150.0	1.0	1.7
10:21:06 AM	600.1	150.0	1.0	1.8
10:21:07 AM	600.2	150.0	1.0	1.9
10:21:08 AM	600.1	150.0	1.0	1.9
10:21:09 AM	600.1	150.0	1.0	1.9
10:21:10 AM	600.1	150.0	1.0	1.9
10:21:11 AM	600.1	150.0	1.0	1.9
10:21:12 AM	600.2	150.0	1.0	1.8
Averages ->	600.0	149.7	1.0	1.5
			Maximum ->	1.9

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 31

Date 11/1/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:22:08 AM	595.5	148.0	1.0	1.7
10:22:09 AM	595.6	148.0	1.0	1.7
10:22:10 AM	595.6	148.0	1.0	1.6
10:22:11 AM	595.6	148.0	1.0	1.5
10:22:12 AM	595.6	149.0	1.0	1.5
10:22:13 AM	595.7	149.0	1.0	1.4
10:22:14 AM	595.7	149.0	1.0	1.4
10:22:15 AM	595.8	149.0	1.0	1.5
10:22:16 AM	595.8	149.0	1.0	1.5
10:22:17 AM	595.8	149.0	1.0	1.6
10:22:18 AM	595.8	149.0	1.0	1.6
10:22:19 AM	595.8	149.0	1.0	1.6
10:22:20 AM	596.0	149.0	1.0	1.6
10:22:21 AM	596.3	150.0	1.0	1.6
10:22:22 AM	596.8	150.0	1.0	1.6
10:22:23 AM	597.3	150.0	1.0	1.7
10:22:24 AM	597.7	150.0	1.0	1.7
10:22:25 AM	598.2	150.0	1.0	1.7
10:22:26 AM	598.6	150.0	1.0	1.7
10:22:27 AM	599.1	150.0	1.0	1.7
10:22:28 AM	599.5	150.0	1.0	1.7
10:22:29 AM	600.0	150.0	1.0	1.8
10:22:30 AM	600.4	150.0	1.0	1.8
10:22:31 AM	600.8	150.0	1.0	1.7
10:22:32 AM	601.1	150.0	1.0	1.7
10:22:33 AM	601.2	150.0	1.0	1.7
10:22:34 AM	601.2	150.0	1.0	1.7
10:22:35 AM	601.1	150.0	1.0	1.7
10:22:36 AM	601.1	149.0	1.0	1.6
10:22:37 AM	601.1	149.0	1.0	1.6
10:22:38 AM	601.0	149.0	1.0	1.6
10:22:39 AM	601.1	149.0	1.0	1.6
10:22:40 AM	601.1	149.0	1.0	1.5
10:22:41 AM	601.0	150.0	1.0	1.5
10:22:42 AM	600.9	150.0	1.0	1.5
10:22:43 AM	600.9	149.0	1.0	1.5
10:22:44 AM	600.9	149.0	1.0	1.5
10:22:45 AM	600.9	149.0	1.0	1.5
10:22:46 AM	600.9	149.0	1.0	1.5
10:22:47 AM	600.9	149.0	1.0	1.5
10:22:48 AM	600.9	149.0	1.0	1.5
10:22:49 AM	600.9	149.0	1.0	1.5
10:22:50 AM	600.9	149.0	1.0	1.6
10:22:51 AM	600.8	149.0	1.0	1.6
10:22:52 AM	600.8	149.0	1.0	1.6
10:22:53 AM	600.8	149.0	1.0	1.7
10:22:54 AM	600.8	149.0	1.0	1.7
10:22:55 AM	600.8	149.0	1.0	1.7
10:22:56 AM	600.8	149.0	1.0	1.7
10:22:57 AM	600.8	149.0	1.0	1.8
10:22:58 AM	600.8	149.0	1.0	1.8
10:22:59 AM	600.8	149.0	1.0	1.8
10:23:00 AM	600.8	149.0	1.0	1.8
10:23:01 AM	600.8	149.0	1.0	1.8
10:23:02 AM	600.8	149.0	1.0	1.8
10:23:03 AM	600.8	149.0	1.0	1.8
10:23:04 AM	600.8	149.0	1.0	1.8
10:23:05 AM	600.8	148.0	1.0	1.9
10:23:06 AM	600.8	149.0	1.0	1.9
10:23:07 AM	600.3	149.0	1.0	1.9
Averages ->	599.4	149.2	1.0	1.6
			Maximum ->	1.9

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 100

Date 11/1/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
11:48:59 AM	599.4	319.0	1.0	2.7
11:49:00 AM	599.4	319.0	1.0	2.8
11:49:01 AM	599.5	319.0	1.0	2.8
11:49:02 AM	599.4	319.0	1.0	2.8
11:49:03 AM	599.5	319.0	1.0	2.7
11:49:04 AM	599.5	319.0	1.0	2.8
11:49:05 AM	599.5	319.0	1.0	2.7
11:49:06 AM	599.6	319.0	1.0	2.7
11:49:07 AM	599.5	319.0	1.0	2.7
11:49:08 AM	599.6	319.0	1.0	2.8
11:49:09 AM	599.6	319.0	1.0	2.7
11:49:10 AM	599.7	319.0	1.0	2.8
11:49:11 AM	599.6	319.0	1.0	2.8
11:49:12 AM	599.7	319.0	1.0	2.8
11:49:13 AM	599.7	319.0	1.0	2.8
11:49:14 AM	599.7	320.0	1.0	2.8
11:49:15 AM	599.7	319.0	1.0	2.8
11:49:16 AM	599.7	320.0	1.0	2.8
11:49:17 AM	599.8	319.0	1.0	2.8
11:49:18 AM	599.8	319.0	1.0	2.8
11:49:19 AM	599.8	320.0	1.0	2.8
11:49:20 AM	599.8	319.0	1.0	2.8
11:49:21 AM	599.9	320.0	1.0	2.8
11:49:22 AM	599.9	320.0	1.0	2.8
11:49:23 AM	599.9	320.0	1.0	2.8
11:49:24 AM	599.9	320.0	1.0	2.7
11:49:25 AM	600.0	320.0	1.0	2.7
11:49:26 AM	600.0	320.0	1.0	2.7
11:49:27 AM	600.0	320.0	1.0	2.8
11:49:28 AM	600.0	320.0	1.0	2.8
11:49:29 AM	600.0	320.0	1.0	2.8
11:49:30 AM	600.1	320.0	1.0	2.8
11:49:31 AM	600.1	320.0	1.0	2.8
11:49:32 AM	600.1	320.0	1.0	2.8
11:49:33 AM	600.1	320.0	1.0	2.8
11:49:34 AM	600.2	320.0	1.0	2.8
11:49:35 AM	600.2	320.0	1.0	2.8
11:49:36 AM	600.3	320.0	1.0	2.8
11:49:37 AM	600.3	320.0	1.0	2.8
11:49:38 AM	600.3	320.0	1.0	2.8
11:49:39 AM	600.3	320.0	1.0	2.8
11:49:40 AM	600.3	320.0	1.0	2.8
11:49:41 AM	600.3	320.0	1.0	2.8
11:49:41 AM	600.3	320.0	1.0	2.9
11:49:42 AM	600.4	320.0	1.0	2.9
11:49:43 AM	600.4	320.0	1.0	2.9
11:49:44 AM	600.5	321.0	1.0	2.9
11:49:45 AM	600.5	320.0	1.0	2.9
11:49:46 AM	600.5	320.0	1.0	2.9
11:49:47 AM	600.5	320.0	1.0	2.9
11:49:48 AM	600.6	320.0	1.0	3.0
11:49:49 AM	600.5	320.0	1.0	2.9
11:49:50 AM	600.6	320.0	1.0	3.0
11:49:51 AM	600.7	320.0	1.0	3.0
11:49:52 AM	600.7	319.0	1.0	2.9
11:49:53 AM	600.7	319.0	1.0	2.9
11:49:54 AM	600.7	319.0	1.0	2.9
11:49:55 AM	600.7	320.0	1.0	2.9
11:49:56 AM	600.7	319.0	1.0	2.8
11:49:57 AM	600.8	319.0	1.0	2.8
Averages ->	600.1	319.6	1.0	2.8
			Maximum ->	3.0

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 100

Date 11/1/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
11:50:16 AM	598.3	319.0	1.0	2.9
11:50:17 AM	597.8	319.0	1.0	2.9
11:50:18 AM	597.5	319.0	1.0	2.9
11:50:19 AM	597.1	319.0	1.0	2.9
11:50:20 AM	596.7	318.0	1.0	2.9
11:50:21 AM	596.2	319.0	1.0	2.9
11:50:22 AM	595.9	319.0	1.0	2.8
11:50:23 AM	595.9	319.0	1.0	2.9
11:50:23 AM	595.9	319.0	1.0	2.9
11:50:24 AM	595.9	319.0	1.0	2.9
11:50:25 AM	596.0	319.0	1.0	2.9
11:50:26 AM	596.0	319.0	1.0	2.9
11:50:27 AM	596.0	319.0	1.0	2.9
11:50:28 AM	596.1	319.0	1.0	2.9
11:50:29 AM	596.1	319.0	1.0	2.9
11:50:30 AM	596.2	319.0	1.0	2.9
11:50:31 AM	596.2	319.0	1.0	2.9
11:50:32 AM	596.2	319.0	1.0	2.9
11:50:33 AM	596.2	320.0	1.0	2.9
11:50:34 AM	596.3	319.0	1.0	2.8
11:50:35 AM	596.2	319.0	1.0	2.8
11:50:36 AM	596.3	319.0	1.0	2.8
11:50:37 AM	596.3	320.0	1.0	2.8
11:50:38 AM	596.1	319.0	1.0	2.8
11:50:39 AM	596.9	320.0	1.0	2.8
11:50:40 AM	597.4	320.0	1.0	2.8
11:50:41 AM	597.9	320.0	1.0	2.8
11:50:42 AM	598.4	320.0	1.0	2.8
11:50:43 AM	598.9	320.0	1.0	2.8
11:50:44 AM	599.4	320.0	1.0	2.8
11:50:45 AM	599.9	320.0	1.0	2.8
11:50:46 AM	600.4	320.0	1.0	2.8
11:50:47 AM	600.9	320.0	1.0	2.8
11:50:48 AM	601.3	320.0	1.0	2.8
11:50:49 AM	601.8	320.0	1.0	2.8
11:50:50 AM	602.3	320.0	1.0	2.9
11:50:51 AM	602.4	320.0	1.0	2.9
11:50:52 AM	602.3	320.0	1.0	2.9
11:50:53 AM	602.3	320.0	1.0	2.9
11:50:54 AM	602.3	320.0	1.0	2.9
11:50:55 AM	602.3	320.0	1.0	2.9
11:50:56 AM	602.3	320.0	1.0	2.8
11:50:57 AM	602.3	320.0	1.0	2.8
11:50:58 AM	602.3	320.0	1.0	2.8
11:50:59 AM	602.2	321.0	1.0	2.8
11:51:00 AM	602.3	320.0	1.0	2.8
11:51:01 AM	602.3	320.0	1.0	2.9
11:51:02 AM	602.3	320.0	1.0	2.9
11:51:03 AM	597.4	320.0	1.0	2.9
11:51:04 AM	601.8	320.0	1.0	2.9
11:51:05 AM	601.3	320.0	1.0	3.0
11:51:06 AM	600.8	320.0	1.0	3.0
11:51:07 AM	600.8	320.0	1.0	3.0
11:51:08 AM	600.4	320.0	1.0	3.0
11:51:09 AM	600.0	320.0	1.0	3.1
11:51:10 AM	599.6	320.0	1.0	3.1
11:51:11 AM	599.1	319.0	1.0	3.1
11:51:12 AM	598.8	319.0	1.0	3.1
11:51:13 AM	598.4	319.0	1.0	3.2
11:51:14 AM	597.9	319.0	1.0	3.1
Averages ->	598.9	319.6	1.0	2.9
			Maximum ->	3.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 200

Date 11/1/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
2:01:21 PM	602.5	500.0	1.0	6.0
2:01:22 PM	602.5	500.0	1.0	6.1
2:01:23 PM	602.5	501.0	1.0	6.1
2:01:24 PM	602.6	500.0	1.0	6.1
2:01:25 PM	602.5	500.0	1.0	6.1
2:01:26 PM	602.6	501.0	1.0	6.0
2:01:27 PM	602.5	501.0	1.0	6.0
2:01:28 PM	602.5	501.0	1.0	5.9
2:01:29 PM	602.5	501.0	1.0	5.9
2:01:30 PM	602.5	501.0	1.0	5.9
2:01:31 PM	602.5	501.0	1.0	5.8
2:01:32 PM	602.5	501.0	1.0	5.7
2:01:33 PM	602.5	501.0	1.0	5.7
2:01:34 PM	602.5	501.0	1.0	5.6
2:01:35 PM	602.5	501.0	1.0	5.6
2:01:36 PM	602.5	501.0	1.0	5.6
2:01:37 PM	602.5	501.0	1.0	5.6
2:01:38 PM	602.5	501.0	1.0	5.7
2:01:39 PM	602.5	501.0	1.0	5.7
2:01:40 PM	602.5	501.0	1.0	5.8
2:01:41 PM	602.5	501.0	1.0	5.9
2:01:42 PM	602.5	500.0	1.0	5.9
2:01:43 PM	602.5	500.0	1.0	5.9
2:01:44 PM	602.5	500.0	1.0	6.0
2:01:45 PM	602.5	500.0	1.0	6.0
2:01:46 PM	602.5	500.0	1.0	6.1
2:01:47 PM	602.5	500.0	1.0	6.1
2:01:48 PM	602.5	500.0	1.0	6.2
2:01:49 PM	602.5	500.0	1.0	6.2
2:01:50 PM	602.5	499.0	1.0	6.2
2:01:51 PM	602.5	500.0	1.0	6.2
2:01:52 PM	602.5	499.0	1.0	6.1
2:01:53 PM	602.4	499.0	1.0	6.0
2:01:54 PM	602.4	499.0	1.0	5.9
2:01:55 PM	602.4	499.0	1.0	5.9
2:01:56 PM	602.5	499.0	1.0	5.8
2:01:57 PM	602.4	499.0	1.0	5.8
2:01:58 PM	602.5	499.0	1.0	5.8
2:01:59 PM	602.5	499.0	1.0	5.7
2:02:00 PM	602.4	499.0	1.0	5.7
2:02:01 PM	602.4	499.0	1.0	5.7
2:02:02 PM	602.4	499.0	1.0	5.6
2:02:03 PM	602.4	499.0	1.0	5.6
2:02:04 PM	602.4	499.0	1.0	5.6
2:02:05 PM	602.4	499.0	1.0	5.6
2:02:06 PM	602.4	499.0	1.0	5.6
2:02:07 PM	602.4	499.0	1.0	5.6
2:02:08 PM	602.4	499.0	1.0	5.6
2:02:09 PM	602.4	499.0	1.0	5.6
2:02:10 PM	602.4	499.0	1.0	5.6
2:02:11 PM	602.4	499.0	1.0	5.6
2:02:12 PM	602.4	499.0	1.0	5.6
2:02:13 PM	602.4	499.0	1.0	5.6
2:02:14 PM	602.4	499.0	1.0	5.6
2:02:15 PM	602.4	500.0	1.0	5.6
2:02:16 PM	602.4	499.0	1.0	5.6
2:02:17 PM	602.4	499.0	1.0	5.6
2:02:18 PM	602.4	500.0	1.0	5.6
2:02:19 PM	602.4	500.0	1.0	5.6
2:02:20 PM	602.4	500.0	1.0	5.6
Averages ->	602.5	499.9	1.0	5.8
			Maximum ->	6.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 200

Date 11/1/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
2:02:35 PM	600.3	501.0	1.0	5.7
2:02:36 PM	600.3	501.0	1.0	5.7
2:02:37 PM	600.3	501.0	1.0	5.7
2:02:38 PM	600.3	501.0	1.0	5.7
2:02:39 PM	600.3	501.0	1.0	5.7
2:02:40 PM	600.4	501.0	1.0	5.7
2:02:41 PM	600.4	501.0	1.0	5.7
2:02:42 PM	600.3	501.0	1.0	5.7
2:02:43 PM	600.4	500.0	1.0	5.7
2:02:44 PM	600.4	501.0	1.0	5.8
2:02:45 PM	600.3	501.0	1.0	5.8
2:02:46 PM	600.4	500.0	1.0	5.9
2:02:47 PM	600.4	500.0	1.0	5.9
2:02:48 PM	600.4	500.0	1.0	5.9
2:02:49 PM	600.4	500.0	1.0	5.9
2:02:50 PM	600.3	500.0	1.0	6.0
2:02:51 PM	600.4	500.0	1.0	6.0
2:02:52 PM	600.3	500.0	1.0	6.0
2:02:53 PM	600.3	500.0	1.0	6.0
2:02:54 PM	600.3	499.0	1.0	6.0
2:02:55 PM	600.4	499.0	1.0	6.0
2:02:56 PM	600.9	499.0	1.0	6.0
2:02:57 PM	601.3	499.0	1.0	5.9
2:02:58 PM	601.8	499.0	1.0	5.9
2:02:59 PM	602.3	499.0	1.0	5.9
2:03:00 PM	602.7	499.0	1.0	5.9
2:03:01 PM	603.2	499.0	1.0	6.0
2:03:02 PM	603.6	499.0	1.0	5.9
2:03:03 PM	604.1	499.0	1.0	5.9
2:03:04 PM	604.6	499.0	1.0	5.9
2:03:05 PM	605.0	499.0	1.0	5.8
2:03:06 PM	605.4	499.0	1.0	5.9
2:03:07 PM	605.8	499.0	1.0	5.8
2:03:08 PM	605.9	499.0	1.0	5.8
2:03:09 PM	605.9	499.0	1.0	5.8
2:03:10 PM	605.8	499.0	1.0	5.8
2:03:11 PM	605.8	499.0	1.0	5.8
2:03:12 PM	605.7	499.0	1.0	5.8
2:03:13 PM	605.7	499.0	1.0	5.8
2:03:14 PM	605.6	499.0	1.0	6.1
2:03:15 PM	605.6	499.0	1.0	6.5
2:03:16 PM	605.6	499.0	1.0	6.9
2:03:17 PM	605.6	499.0	1.0	7.2
2:03:18 PM	605.6	499.0	1.0	7.3
2:03:19 PM	605.5	499.0	1.0	7.4
2:03:20 PM	605.5	500.0	1.0	7.3
2:03:21 PM	605.5	500.0	1.0	7.1
2:03:22 PM	605.5	500.0	1.0	6.9
2:03:23 PM	605.5	500.0	1.0	6.8
2:03:23 PM	605.5	500.0	1.0	6.6
2:03:24 PM	605.5	500.0	1.0	6.5
2:03:25 PM	605.5	500.0	1.0	6.3
2:03:26 PM	605.4	500.0	1.0	6.2
2:03:27 PM	605.4	500.0	1.0	6.1
2:03:28 PM	605.4	500.0	1.0	6.0
2:03:29 PM	605.4	500.0	1.0	5.9
2:03:30 PM	605.4	500.0	1.0	5.9
2:03:31 PM	605.4	500.0	1.0	5.8
2:03:32 PM	605.4	501.0	1.0	5.7
2:03:33 PM	605.4	500.0	1.0	5.7
Averages ->	603.3	499.8	1.0	6.1
			Maximum ->	7.4

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 300

Date 11/1/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
4:14:12 PM	605.4	499.0	1.0	4.6
4:14:13 PM	605.3	500.0	1.0	4.6
4:14:14 PM	605.3	500.0	1.0	4.6
4:14:15 PM	605.3	500.0	1.0	4.6
4:14:16 PM	605.3	500.0	1.0	4.7
4:14:17 PM	605.3	500.0	1.0	4.6
4:14:17 PM	605.3	500.0	1.0	4.6
4:14:18 PM	605.3	500.0	1.0	4.5
4:14:19 PM	605.3	500.0	1.0	4.5
4:14:20 PM	605.3	500.0	1.0	4.5
4:14:21 PM	605.3	500.0	1.0	4.5
4:14:22 PM	605.3	500.0	1.0	4.5
4:14:23 PM	605.3	500.0	1.0	4.4
4:14:24 PM	605.3	500.0	1.0	4.4
4:14:25 PM	605.3	501.0	1.0	4.5
4:14:26 PM	605.3	501.0	1.0	4.5
4:14:27 PM	605.3	501.0	1.0	4.5
4:14:28 PM	605.3	500.0	1.0	4.5
4:14:29 PM	605.3	501.0	1.0	4.5
4:14:30 PM	605.3	501.0	1.0	4.5
4:14:31 PM	605.3	501.0	1.0	4.5
4:14:32 PM	605.3	501.0	1.0	4.5
4:14:33 PM	605.3	501.0	1.0	4.5
4:14:34 PM	605.3	500.0	1.0	4.4
4:14:35 PM	605.4	500.0	1.0	4.4
4:14:36 PM	605.3	500.0	1.0	4.4
4:14:37 PM	605.3	500.0	1.0	4.4
4:14:38 PM	605.3	500.0	1.0	4.3
4:14:39 PM	605.3	500.0	1.0	4.3
4:14:40 PM	605.3	500.0	1.0	4.4
4:14:41 PM	605.3	500.0	1.0	4.4
4:14:42 PM	605.3	499.0	1.0	4.4
4:14:43 PM	605.3	500.0	1.0	4.4
4:14:44 PM	605.3	499.0	1.0	4.4
4:14:45 PM	605.3	499.0	1.0	4.4
4:14:46 PM	605.3	499.0	1.0	4.4
4:14:47 PM	605.3	498.0	1.0	4.4
4:14:48 PM	605.3	499.0	1.0	4.4
4:14:49 PM	605.3	498.0	1.0	4.4
4:14:50 PM	605.3	499.0	1.0	4.5
4:14:51 PM	605.3	498.0	1.0	4.5
4:14:52 PM	605.3	498.0	1.0	4.5
4:14:53 PM	605.3	498.0	1.0	4.5
4:14:54 PM	605.3	498.0	1.0	4.5
4:14:55 PM	605.3	498.0	1.0	4.5
4:14:56 PM	605.3	498.0	1.0	4.5
4:14:57 PM	605.3	498.0	1.0	4.5
4:14:58 PM	605.3	498.0	1.0	4.5
4:14:59 PM	605.3	498.0	1.0	4.5
4:15:00 PM	605.3	498.0	1.0	4.4
4:15:01 PM	605.3	498.0	1.0	4.4
4:15:02 PM	605.3	498.0	1.0	4.4
4:15:03 PM	605.3	498.0	1.0	4.4
4:15:04 PM	605.3	499.0	1.0	4.4
4:15:05 PM	605.3	499.0	1.0	4.4
4:15:06 PM	605.3	499.0	1.0	4.4
4:15:07 PM	605.3	499.0	1.0	4.3
4:15:08 PM	605.3	499.0	1.0	4.3
4:15:09 PM	605.3	499.0	1.0	4.3
4:15:10 PM	605.3	499.0	1.0	4.3
Averages ->	605.3	499.4	1.0	4.5
			Maximum ->	4.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 300

Date 11/1/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
4:15:19 PM	604.0	500.0	1.0	4.5
4:15:20 PM	603.5	500.0	1.0	4.5
4:15:21 PM	603.1	500.0	1.0	4.5
4:15:22 PM	602.6	500.0	1.0	4.5
4:15:23 PM	602.2	500.0	1.0	4.5
4:15:24 PM	601.8	500.0	1.0	4.5
4:15:25 PM	601.3	500.0	1.0	4.5
4:15:26 PM	601.0	500.0	1.0	4.5
4:15:27 PM	600.5	500.0	1.0	4.5
4:15:28 PM	600.1	500.0	1.0	4.5
4:15:29 PM	599.9	501.0	1.0	4.5
4:15:30 PM	600.0	501.0	1.0	4.5
4:15:31 PM	600.0	501.0	1.0	4.5
4:15:32 PM	600.1	501.0	1.0	4.5
4:15:33 PM	600.0	501.0	1.0	4.6
4:15:34 PM	600.1	501.0	1.0	4.6
4:15:35 PM	600.1	501.0	1.0	4.6
4:15:36 PM	600.1	501.0	1.0	4.7
4:15:37 PM	600.1	501.0	1.0	4.7
4:15:38 PM	600.1	501.0	1.0	4.8
4:15:39 PM	600.2	501.0	1.0	4.9
4:15:40 PM	600.2	501.0	1.0	4.9
4:15:41 PM	600.2	500.0	1.0	5.0
4:15:42 PM	600.2	501.0	1.0	4.9
4:15:43 PM	600.2	501.0	1.0	4.9
4:15:44 PM	600.2	501.0	1.0	5.0
4:15:45 PM	600.1	500.0	1.0	5.1
4:15:46 PM	600.5	500.0	1.0	5.2
4:15:47 PM	601.0	500.0	1.0	5.3
4:15:48 PM	601.5	500.0	1.0	5.4
4:15:49 PM	602.0	500.0	1.0	5.5
4:15:50 PM	602.4	500.0	1.0	5.5
4:15:51 PM	602.9	500.0	1.0	5.6
4:15:52 PM	603.3	500.0	1.0	5.6
4:15:53 PM	603.8	499.0	1.0	5.5
4:15:54 PM	604.3	499.0	1.0	5.5
4:15:55 PM	604.7	499.0	1.0	5.4
4:15:56 PM	605.2	499.0	1.0	5.4
4:15:57 PM	605.6	499.0	1.0	5.3
4:15:58 PM	605.8	499.0	1.0	5.3
4:15:59 PM	605.8	499.0	1.0	5.3
4:16:00 PM	605.7	499.0	1.0	5.3
4:16:01 PM	605.7	499.0	1.0	5.3
4:16:02 PM	605.7	499.0	1.0	5.3
4:16:03 PM	605.6	499.0	1.0	5.4
4:16:04 PM	605.6	499.0	1.0	5.4
4:16:05 PM	605.6	499.0	1.0	5.5
4:16:06 PM	605.5	499.0	1.0	5.6
4:16:07 PM	605.5	499.0	1.0	5.6
4:16:08 PM	605.5	499.0	1.0	5.7
4:16:09 PM	605.5	499.0	1.0	5.6
4:16:10 PM	605.5	498.0	1.0	5.5
4:16:11 PM	605.3	499.0	1.0	5.4
4:16:12 PM	605.0	499.0	1.0	5.3
4:16:13 PM	604.6	499.0	1.0	5.2
4:16:13 PM	604.1	499.0	1.0	5.1
4:16:14 PM	603.7	499.0	1.0	5.1
4:16:15 PM	603.2	499.0	1.0	5.0
4:16:16 PM	602.7	499.0	1.0	4.9
4:16:17 PM	602.3	499.0	1.0	4.9
Averages ->	602.7	499.8	1.0	5.0
			Maximum ->	5.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 400

Date 11/1/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
6:29:55 PM	601.9	324.0	1.0	3.7
6:29:56 PM	601.9	324.0	1.0	3.6
6:29:57 PM	601.9	324.0	1.0	3.6
6:29:58 PM	601.9	324.0	1.0	3.5
6:29:59 PM	601.9	324.0	1.0	3.4
6:30:00 PM	601.8	324.0	1.0	3.4
6:30:01 PM	601.8	324.0	1.0	3.3
6:30:02 PM	601.9	324.0	1.0	3.3
6:30:03 PM	601.8	323.0	1.0	3.3
6:30:04 PM	601.9	323.0	1.0	3.2
6:30:05 PM	601.8	323.0	1.0	3.2
6:30:06 PM	601.8	323.0	1.0	3.2
6:30:07 PM	601.8	323.0	1.0	3.2
6:30:08 PM	601.8	323.0	1.0	3.1
6:30:09 PM	601.8	323.0	1.0	3.1
6:30:10 PM	601.8	323.0	1.0	3.1
6:30:11 PM	601.8	322.0	1.0	3.1
6:30:12 PM	601.7	323.0	1.0	3.1
6:30:13 PM	601.8	322.0	1.0	3.1
6:30:14 PM	601.8	322.0	1.0	3.1
6:30:15 PM	601.8	322.0	1.0	3.1
6:30:16 PM	601.8	322.0	1.0	3.1
6:30:17 PM	601.7	322.0	1.0	3.1
6:30:18 PM	601.8	322.0	1.0	3.0
6:30:19 PM	601.8	322.0	1.0	3.0
6:30:19 PM	601.8	321.0	1.0	3.0
6:30:20 PM	601.8	321.0	1.0	3.0
6:30:21 PM	601.8	321.0	1.0	3.0
6:30:22 PM	601.7	321.0	1.0	3.0
6:30:23 PM	601.7	321.0	1.0	3.0
6:30:24 PM	601.7	321.0	1.0	3.0
6:30:25 PM	601.7	321.0	1.0	3.0
6:30:26 PM	601.7	321.0	1.0	3.0
6:30:27 PM	601.7	321.0	1.0	3.0
6:30:28 PM	601.7	321.0	1.0	3.0
6:30:29 PM	601.6	321.0	1.0	2.9
6:30:30 PM	601.7	321.0	1.0	2.9
6:30:31 PM	601.6	320.0	1.0	3.0
6:30:32 PM	601.6	320.0	1.0	3.0
6:30:33 PM	601.6	320.0	1.0	3.0
6:30:34 PM	601.6	320.0	1.0	3.0
6:30:35 PM	601.6	320.0	1.0	3.0
6:30:36 PM	601.6	320.0	1.0	3.0
6:30:37 PM	601.6	320.0	1.0	3.0
6:30:38 PM	601.6	320.0	1.0	3.0
6:30:39 PM	601.6	320.0	1.0	3.0
6:30:40 PM	601.6	319.0	1.0	3.0
6:30:41 PM	601.6	319.0	1.0	3.1
6:30:42 PM	601.6	319.0	1.0	3.1
6:30:43 PM	601.6	319.0	1.0	3.1
6:30:44 PM	601.5	319.0	1.0	3.2
6:30:45 PM	601.6	319.0	1.0	3.3
6:30:46 PM	601.6	319.0	1.0	3.4
6:30:47 PM	601.6	319.0	1.0	3.4
6:30:48 PM	601.5	319.0	1.0	3.4
6:30:49 PM	601.5	319.0	1.0	3.4
6:30:50 PM	601.5	319.0	1.0	3.4
6:30:51 PM	601.5	319.0	1.0	3.4
6:30:52 PM	601.5	319.0	1.0	3.4
6:30:53 PM	601.4	319.0	1.0	3.4
Averages ->	601.7	321.2	1.0	3.2
			Maximum ->	3.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 400

Date 11/1/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
6:31:53 PM	599.5	320.0	1.0	3.3
6:31:54 PM	600.1	319.0	1.0	3.3
6:31:55 PM	600.5	319.0	1.0	3.3
6:31:56 PM	601.0	319.0	1.0	3.4
6:31:57 PM	601.4	319.0	1.0	3.4
6:31:58 PM	601.9	319.0	1.0	3.3
6:31:59 PM	602.3	319.0	1.0	3.3
6:32:00 PM	602.8	320.0	1.0	3.3
6:32:01 PM	603.2	319.0	1.0	3.3
6:32:02 PM	603.6	320.0	1.0	3.3
6:32:03 PM	604.1	320.0	1.0	3.2
6:32:04 PM	604.5	320.0	1.0	3.2
6:32:05 PM	604.8	320.0	1.0	3.2
6:32:06 PM	604.8	320.0	1.0	3.2
6:32:07 PM	604.7	320.0	1.0	3.1
6:32:08 PM	604.7	320.0	1.0	3.1
6:32:09 PM	604.7	320.0	1.0	3.1
6:32:10 PM	604.6	320.0	1.0	3.1
6:32:11 PM	604.6	321.0	1.0	3.0
6:32:12 PM	604.5	321.0	1.0	3.0
6:32:13 PM	604.5	321.0	1.0	3.0
6:32:14 PM	604.5	321.0	1.0	3.0
6:32:15 PM	604.4	321.0	1.0	3.0
6:32:16 PM	604.4	321.0	1.0	3.1
6:32:17 PM	604.4	321.0	1.0	3.2
6:32:18 PM	604.3	321.0	1.0	3.3
6:32:19 PM	604.1	321.0	1.0	3.3
6:32:20 PM	603.6	321.0	1.0	3.4
6:32:21 PM	603.1	321.0	1.0	3.4
6:32:22 PM	602.6	321.0	1.0	3.6
6:32:23 PM	602.2	321.0	1.0	3.6
6:32:24 PM	601.8	321.0	1.0	3.6
6:32:25 PM	601.3	321.0	1.0	3.6
6:32:26 PM	600.9	321.0	1.0	3.5
6:32:27 PM	600.4	321.0	1.0	3.5
6:32:28 PM	600.0	321.0	1.0	3.4
6:32:29 PM	599.6	320.0	1.0	3.2
6:32:30 PM	599.2	320.0	1.0	3.1
6:32:31 PM	598.9	320.0	1.0	3.0
6:32:32 PM	598.9	320.0	1.0	3.0
6:32:32 PM	598.9	320.0	1.0	3.0
6:32:33 PM	598.9	320.0	1.0	3.0
6:32:34 PM	598.9	320.0	1.0	3.0
6:32:35 PM	599.0	320.0	1.0	3.0
6:32:36 PM	599.0	320.0	1.0	3.0
6:32:37 PM	599.0	320.0	1.0	3.0
6:32:38 PM	599.0	320.0	1.0	3.0
6:32:39 PM	599.0	320.0	1.0	3.0
6:32:40 PM	599.0	319.0	1.0	3.0
6:32:41 PM	599.0	319.0	1.0	2.9
6:32:42 PM	599.0	319.0	1.0	2.9
6:32:43 PM	599.0	319.0	1.0	2.9
6:32:44 PM	599.0	319.0	1.0	2.8
6:32:45 PM	599.0	319.0	1.0	2.8
6:32:46 PM	599.0	319.0	1.0	2.8
6:32:47 PM	599.2	319.0	1.0	2.8
6:32:48 PM	599.7	318.0	1.0	2.8
6:32:49 PM	600.2	319.0	1.0	2.9
6:32:50 PM	600.6	319.0	1.0	2.9
6:32:51 PM	601.1	318.0	1.0	2.9
Averages ->	601.5	320.0	1.0	3.1
			Maximum ->	3.6

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 500

Date 11/2/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
7:50:13 AM	601.2	89.0	1.0	1.8
7:50:14 AM	601.2	89.0	1.0	1.8
7:50:15 AM	601.2	89.0	1.0	1.8
7:50:16 AM	601.2	89.0	1.0	1.8
7:50:17 AM	601.2	88.0	1.0	1.8
7:50:18 AM	601.3	89.0	1.0	1.8
7:50:19 AM	601.3	89.0	1.0	1.8
7:50:20 AM	601.2	89.0	1.0	1.8
7:50:21 AM	601.2	89.0	1.0	1.7
7:50:22 AM	601.2	89.0	1.0	1.7
7:50:23 AM	601.3	88.0	1.0	1.7
7:50:24 AM	601.2	88.0	1.0	1.8
7:50:25 AM	601.2	89.0	1.0	1.8
7:50:26 AM	601.2	89.0	1.0	1.8
7:50:27 AM	601.3	89.0	1.0	1.7
7:50:28 AM	601.2	89.0	1.0	1.7
7:50:29 AM	601.2	89.0	1.0	1.8
7:50:29 AM	601.2	89.0	1.0	1.8
7:50:30 AM	601.2	89.0	1.0	1.7
7:50:31 AM	601.2	89.0	1.0	1.7
7:50:32 AM	601.2	89.0	1.0	1.8
7:50:33 AM	601.2	89.0	1.0	1.7
7:50:34 AM	601.2	89.0	1.0	1.7
7:50:35 AM	601.2	89.0	1.0	1.7
7:50:36 AM	601.2	89.0	1.0	1.7
7:50:37 AM	601.2	88.0	1.0	1.7
7:50:38 AM	601.2	89.0	1.0	1.7
7:50:39 AM	601.2	89.0	1.0	1.7
7:50:40 AM	601.3	89.0	1.0	1.7
7:50:41 AM	601.2	88.0	1.0	1.7
7:50:42 AM	601.2	89.0	1.0	1.7
7:50:43 AM	601.2	89.0	1.0	1.7
7:50:44 AM	601.2	89.0	1.0	1.7
7:50:45 AM	601.2	88.0	1.0	1.7
7:50:46 AM	601.2	89.0	1.0	1.7
7:50:47 AM	601.2	89.0	1.0	1.7
7:50:48 AM	601.2	89.0	1.0	1.7
7:50:49 AM	601.2	88.0	1.0	1.7
7:50:50 AM	601.2	89.0	1.0	1.7
7:50:51 AM	601.2	89.0	1.0	1.7
7:50:52 AM	601.2	89.0	1.0	1.7
7:50:53 AM	601.2	89.0	1.0	1.7
7:50:54 AM	601.3	89.0	1.0	1.7
7:50:55 AM	601.2	88.0	1.0	1.7
7:50:56 AM	601.2	89.0	1.0	1.7
7:50:57 AM	601.2	89.0	1.0	1.7
7:50:58 AM	601.2	89.0	1.0	1.7
7:50:59 AM	601.2	89.0	1.0	1.7
7:51:00 AM	601.2	88.0	1.0	1.7
7:51:01 AM	601.2	88.0	1.0	1.7
7:51:02 AM	601.2	88.0	1.0	1.7
7:51:03 AM	601.2	89.0	1.0	1.7
7:51:04 AM	601.2	88.0	1.0	1.7
7:51:05 AM	601.2	89.0	1.0	1.7
7:51:06 AM	601.2	89.0	1.0	1.7
7:51:07 AM	601.2	89.0	1.0	1.7
7:51:08 AM	601.2	89.0	1.0	1.7
7:51:09 AM	601.2	89.0	1.0	1.7
7:51:10 AM	601.2	88.0	1.0	1.8
7:51:11 AM	601.2	88.0	1.0	1.8
Averages ->	601.2	88.8	1.0	1.7
			Maximum ->	1.8

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 500

Date 11/2/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
7:51:22 AM	599.9	89.0	1.0	1.8
7:51:23 AM	599.6	89.0	1.0	1.7
7:51:24 AM	599.3	89.0	1.0	1.7
7:51:25 AM	599.0	89.0	1.0	1.8
7:51:26 AM	598.7	88.0	1.0	1.8
7:51:27 AM	598.4	89.0	1.0	1.8
7:51:28 AM	598.1	88.0	1.0	1.8
7:51:29 AM	598.1	89.0	1.0	1.8
7:51:30 AM	598.1	89.0	1.0	1.8
7:51:31 AM	598.2	89.0	1.0	1.8
7:51:32 AM	598.2	89.0	1.0	1.8
7:51:33 AM	598.2	88.0	1.0	1.8
7:51:34 AM	598.2	88.0	1.0	1.8
7:51:35 AM	598.3	89.0	1.0	1.8
7:51:36 AM	598.3	88.0	1.0	1.8
7:51:37 AM	598.3	89.0	1.0	1.8
7:51:38 AM	598.3	89.0	1.0	1.8
7:51:39 AM	598.3	89.0	1.0	1.8
7:51:40 AM	598.3	88.0	1.0	1.8
7:51:41 AM	598.3	89.0	1.0	1.8
7:51:42 AM	598.4	89.0	1.0	1.9
7:51:43 AM	598.4	89.0	1.0	1.9
7:51:44 AM	598.4	89.0	1.0	1.9
7:51:45 AM	598.4	89.0	1.0	2.0
7:51:45 AM	598.4	89.0	1.0	2.0
7:51:46 AM	598.3	89.0	1.0	2.0
7:51:47 AM	598.8	89.0	1.0	2.0
7:51:48 AM	599.1	89.0	1.0	2.0
7:51:49 AM	599.4	89.0	1.0	2.0
7:51:50 AM	599.7	89.0	1.0	2.0
7:51:51 AM	600.0	89.0	1.0	2.0
7:51:52 AM	600.4	89.0	1.0	2.1
7:51:53 AM	600.6	89.0	1.0	2.1
7:51:54 AM	600.9	89.0	1.0	2.1
7:51:55 AM	601.2	89.0	1.0	2.1
7:51:56 AM	601.5	89.0	1.0	2.1
7:51:57 AM	601.8	89.0	1.0	2.2
7:51:58 AM	602.0	89.0	1.0	2.1
7:51:59 AM	602.0	89.0	1.0	2.2
7:52:00 AM	602.0	89.0	1.0	2.2
7:52:01 AM	601.9	89.0	1.0	2.2
7:52:02 AM	601.9	89.0	1.0	2.1
7:52:03 AM	601.9	89.0	1.0	2.1
7:52:04 AM	601.9	89.0	1.0	2.1
7:52:05 AM	601.8	89.0	1.0	2.1
7:52:06 AM	601.8	89.0	1.0	2.1
7:52:07 AM	601.8	89.0	1.0	2.1
7:52:08 AM	601.8	89.0	1.0	2.1
7:52:09 AM	601.8	89.0	1.0	2.2
7:52:10 AM	601.7	89.0	1.0	2.3
7:52:11 AM	601.7	89.0	1.0	2.4
7:52:12 AM	602.3	89.0	1.0	2.6
7:52:13 AM	602.4	89.0	1.0	2.8
7:52:14 AM	602.9	89.0	1.0	3.0
7:52:15 AM	603.1	89.0	1.0	3.1
7:52:16 AM	603.1	89.0	1.0	3.3
7:52:17 AM	603.1	89.0	1.0	3.3
7:52:18 AM	603.1	89.0	1.0	3.4
7:52:19 AM	603.1	89.0	1.0	3.4
7:52:20 AM	603.1	89.0	1.0	3.5
Averages ->	600.3	88.9	1.0	2.2
			Maximum ->	3.5

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 600

Date 11/2/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:01:19 AM	600.1	321.0	1.0	5.4
10:01:20 AM	600.1	321.0	1.0	5.4
10:01:21 AM	600.0	321.0	1.0	5.4
10:01:22 AM	600.1	321.0	1.0	5.4
10:01:23 AM	600.1	321.0	1.0	5.4
10:01:24 AM	600.1	321.0	1.0	5.4
10:01:25 AM	600.2	321.0	1.0	5.4
10:01:26 AM	600.1	321.0	1.0	5.4
10:01:27 AM	600.1	321.0	1.0	5.4
10:01:27 AM	600.0	321.0	1.0	5.4
10:01:28 AM	600.1	321.0	1.0	5.4
10:01:29 AM	600.1	320.0	1.0	5.4
10:01:30 AM	600.1	320.0	1.0	5.4
10:01:31 AM	599.9	320.0	1.0	5.3
10:01:32 AM	600.0	320.0	1.0	5.3
10:01:33 AM	600.1	320.0	1.0	5.3
10:01:34 AM	600.0	320.0	1.0	5.3
10:01:35 AM	600.0	320.0	1.0	5.3
10:01:36 AM	600.0	320.0	1.0	5.3
10:01:37 AM	600.0	320.0	1.0	5.3
10:01:38 AM	600.0	320.0	1.0	5.3
10:01:39 AM	600.1	319.0	1.0	5.3
10:01:40 AM	600.1	319.0	1.0	5.3
10:01:41 AM	600.0	319.0	1.0	5.3
10:01:42 AM	600.0	319.0	1.0	5.3
10:01:43 AM	600.0	319.0	1.0	5.3
10:01:44 AM	600.0	319.0	1.0	5.3
10:01:45 AM	599.9	319.0	1.0	5.3
10:01:46 AM	599.9	319.0	1.0	5.3
10:01:47 AM	600.0	319.0	1.0	5.3
10:01:48 AM	600.0	319.0	1.0	5.3
10:01:49 AM	600.0	319.0	1.0	5.3
10:01:50 AM	599.9	319.0	1.0	5.3
10:01:51 AM	600.0	319.0	1.0	5.3
10:01:52 AM	599.9	319.0	1.0	5.4
10:01:53 AM	600.0	319.0	1.0	5.4
10:01:54 AM	600.0	319.0	1.0	5.4
10:01:55 AM	599.9	319.0	1.0	5.4
10:01:56 AM	599.9	319.0	1.0	5.4
10:01:57 AM	600.0	319.0	1.0	5.4
10:01:58 AM	599.9	319.0	1.0	5.4
10:01:59 AM	599.8	319.0	1.0	5.4
10:02:00 AM	599.8	319.0	1.0	5.4
10:02:01 AM	599.9	319.0	1.0	5.4
10:02:02 AM	600.0	320.0	1.0	5.4
10:02:03 AM	599.8	320.0	1.0	5.4
10:02:04 AM	599.8	320.0	1.0	5.4
10:02:05 AM	599.8	320.0	1.0	5.4
10:02:06 AM	599.8	320.0	1.0	5.4
10:02:07 AM	599.8	320.0	1.0	5.4
10:02:08 AM	599.8	320.0	1.0	5.4
10:02:09 AM	599.9	320.0	1.0	5.3
10:02:10 AM	599.9	320.0	1.0	5.4
10:02:11 AM	599.7	321.0	1.0	5.4
10:02:12 AM	598.8	321.0	1.0	5.4
10:02:13 AM	599.5	321.0	1.0	5.4
10:02:14 AM	599.0	321.0	1.0	5.4
10:02:15 AM	598.4	321.0	1.0	5.5
10:02:16 AM	598.0	321.0	1.0	5.5
10:02:17 AM	597.5	321.0	1.0	5.5
Averages ->	599.8	319.9	1.0	5.4
			Maximum ->	5.5

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 600

Date 11/2/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:02:24 AM	595.8	322.0	1.0	5.4
10:02:25 AM	595.9	322.0	1.0	5.4
10:02:26 AM	595.8	321.0	1.0	5.4
10:02:27 AM	595.8	321.0	1.0	5.5
10:02:28 AM	595.9	321.0	1.0	5.5
10:02:29 AM	595.8	321.0	1.0	5.5
10:02:30 AM	595.8	321.0	1.0	5.5
10:02:31 AM	596.0	321.0	1.0	5.5
10:02:32 AM	595.9	321.0	1.0	5.5
10:02:33 AM	595.8	321.0	1.0	5.5
10:02:34 AM	595.9	321.0	1.0	5.5
10:02:35 AM	595.9	321.0	1.0	5.5
10:02:36 AM	595.9	321.0	1.0	5.5
10:02:37 AM	595.9	320.0	1.0	5.4
10:02:38 AM	595.9	320.0	1.0	5.4
10:02:39 AM	595.9	320.0	1.0	5.4
10:02:40 AM	595.9	320.0	1.0	5.4
10:02:41 AM	595.9	320.0	1.0	5.4
10:02:42 AM	596.1	320.0	1.0	5.4
10:02:43 AM	596.7	320.0	1.0	5.4
10:02:44 AM	597.2	320.0	1.0	5.4
10:02:45 AM	597.6	320.0	1.0	5.5
10:02:45 AM	598.0	320.0	1.0	5.5
10:02:46 AM	598.4	320.0	1.0	5.5
10:02:47 AM	599.0	319.0	1.0	5.5
10:02:48 AM	599.4	319.0	1.0	5.5
10:02:49 AM	599.8	319.0	1.0	5.5
10:02:50 AM	600.2	319.0	1.0	5.5
10:02:51 AM	600.7	319.0	1.0	5.5
10:02:52 AM	601.1	319.0	1.0	5.5
10:02:53 AM	601.4	319.0	1.0	5.5
10:02:54 AM	601.3	319.0	1.0	5.5
10:02:55 AM	601.2	319.0	1.0	5.5
10:02:56 AM	601.2	319.0	1.0	5.5
10:02:57 AM	601.2	319.0	1.0	5.5
10:02:58 AM	601.2	319.0	1.0	5.5
10:02:59 AM	601.2	319.0	1.0	5.5
10:03:00 AM	601.0	319.0	1.0	5.5
10:03:01 AM	601.0	319.0	1.0	5.5
10:03:02 AM	601.1	319.0	1.0	5.5
10:03:03 AM	600.9	319.0	1.0	5.5
10:03:04 AM	600.9	319.0	1.0	5.5
10:03:05 AM	601.0	319.0	1.0	5.5
10:03:06 AM	601.0	319.0	1.0	5.5
10:03:07 AM	600.8	319.0	1.0	5.5
10:03:08 AM	600.9	319.0	1.0	5.5
10:03:09 AM	600.8	320.0	1.0	5.5
10:03:10 AM	600.9	320.0	1.0	5.5
10:03:11 AM	600.8	320.0	1.0	5.5
10:03:12 AM	600.8	320.0	1.0	5.5
10:03:13 AM	600.7	320.0	1.0	5.5
10:03:14 AM	600.8	320.0	1.0	5.5
10:03:15 AM	600.8	320.0	1.0	5.5
10:03:16 AM	600.7	320.0	1.0	5.4
10:03:17 AM	600.8	320.0	1.0	5.4
10:03:18 AM	600.6	320.0	1.0	5.4
10:03:19 AM	600.8	320.0	1.0	5.4
10:03:20 AM	600.8	321.0	1.0	5.4
10:03:21 AM	600.7	320.0	1.0	5.4
10:03:22 AM	600.7	321.0	1.0	5.4
Averages ->	599.0	319.9	1.0	5.5
			Maximum ->	5.5

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 700

Date 11/2/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:14:07 PM	597.9	501.0	1.0	3.2
12:14:08 PM	597.9	501.0	1.0	3.2
12:14:09 PM	597.8	501.0	1.0	3.2
12:14:10 PM	597.9	501.0	1.0	3.2
12:14:11 PM	597.9	501.0	1.0	3.1
12:14:12 PM	597.9	501.0	1.0	3.1
12:14:13 PM	597.9	501.0	1.0	3.1
12:14:14 PM	597.9	501.0	1.0	3.1
12:14:15 PM	597.9	501.0	1.0	3.0
12:14:16 PM	597.9	501.0	1.0	3.0
12:14:17 PM	597.9	501.0	1.0	3.0
12:14:18 PM	597.8	501.0	1.0	3.0
12:14:19 PM	598.0	501.0	1.0	3.1
12:14:20 PM	597.8	501.0	1.0	3.1
12:14:21 PM	597.9	501.0	1.0	3.1
12:14:22 PM	597.9	501.0	1.0	3.1
12:14:23 PM	597.8	501.0	1.0	3.1
12:14:24 PM	597.8	501.0	1.0	3.1
12:14:25 PM	597.9	500.0	1.0	3.1
12:14:26 PM	597.9	500.0	1.0	3.1
12:14:27 PM	597.9	501.0	1.0	3.1
12:14:28 PM	597.8	501.0	1.0	3.1
12:14:29 PM	597.8	500.0	1.0	3.1
12:14:30 PM	597.8	500.0	1.0	3.1
12:14:31 PM	597.8	500.0	1.0	3.1
12:14:32 PM	597.8	500.0	1.0	3.1
12:14:33 PM	597.9	500.0	1.0	3.1
12:14:34 PM	597.8	500.0	1.0	3.1
12:14:35 PM	597.9	500.0	1.0	3.1
12:14:36 PM	597.8	500.0	1.0	3.1
12:14:37 PM	597.9	499.0	1.0	3.1
12:14:38 PM	597.8	499.0	1.0	3.1
12:14:39 PM	597.7	499.0	1.0	3.1
12:14:40 PM	597.9	499.0	1.0	3.1
12:14:41 PM	597.8	499.0	1.0	3.1
12:14:41 PM	597.8	499.0	1.0	3.1
12:14:42 PM	597.8	499.0	1.0	3.1
12:14:43 PM	597.8	499.0	1.0	3.1
12:14:44 PM	597.8	498.0	1.0	3.1
12:14:45 PM	597.8	499.0	1.0	3.0
12:14:46 PM	597.9	499.0	1.0	3.0
12:14:47 PM	597.8	499.0	1.0	3.0
12:14:48 PM	597.7	499.0	1.0	3.0
12:14:49 PM	597.8	499.0	1.0	3.0
12:14:50 PM	597.8	499.0	1.0	3.0
12:14:51 PM	597.7	499.0	1.0	3.0
12:14:52 PM	597.8	499.0	1.0	3.0
12:14:53 PM	597.8	499.0	1.0	3.0
12:14:54 PM	597.7	499.0	1.0	3.0
12:14:55 PM	597.7	499.0	1.0	3.0
12:14:56 PM	597.7	499.0	1.0	3.0
12:14:57 PM	597.8	499.0	1.0	3.0
12:14:58 PM	597.8	499.0	1.0	3.0
12:14:59 PM	597.7	500.0	1.0	3.0
12:15:00 PM	597.8	500.0	1.0	3.0
12:15:01 PM	597.7	499.0	1.0	3.0
12:15:02 PM	597.8	500.0	1.0	3.0
12:15:03 PM	597.7	500.0	1.0	3.0
12:15:04 PM	597.7	500.0	1.0	3.0
12:15:05 PM	597.7	500.0	1.0	3.0
Averages ->	597.8	499.9	1.0	3.1
			Maximum ->	3.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 700

Date 11/2/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:15:19 PM	595.5	501.0	1.0	3.0
12:15:20 PM	595.4	501.0	1.0	3.0
12:15:21 PM	595.4	501.0	1.0	3.0
12:15:22 PM	595.4	501.0	1.0	3.0
12:15:23 PM	595.4	501.0	1.0	3.0
12:15:24 PM	595.4	501.0	1.0	2.9
12:15:25 PM	595.5	501.0	1.0	2.9
12:15:26 PM	595.5	501.0	1.0	2.9
12:15:27 PM	595.5	501.0	1.0	2.9
12:15:28 PM	595.5	500.0	1.0	2.9
12:15:29 PM	595.4	500.0	1.0	2.9
12:15:30 PM	595.4	500.0	1.0	2.9
12:15:31 PM	595.5	500.0	1.0	2.9
12:15:32 PM	595.4	500.0	1.0	2.9
12:15:33 PM	595.5	500.0	1.0	2.9
12:15:34 PM	595.5	500.0	1.0	2.9
12:15:35 PM	595.5	500.0	1.0	2.8
12:15:36 PM	595.5	500.0	1.0	2.8
12:15:37 PM	595.4	499.0	1.0	2.8
12:15:38 PM	595.4	500.0	1.0	2.8
12:15:39 PM	595.5	499.0	1.0	2.8
12:15:40 PM	595.5	499.0	1.0	2.8
12:15:41 PM	595.4	499.0	1.0	2.9
12:15:42 PM	594.0	499.0	1.0	2.9
12:15:43 PM	596.1	499.0	1.0	2.9
12:15:44 PM	596.5	499.0	1.0	2.9
12:15:45 PM	597.1	499.0	1.0	2.9
12:15:46 PM	597.5	499.0	1.0	2.9
12:15:47 PM	597.9	499.0	1.0	2.9
12:15:48 PM	598.4	499.0	1.0	2.9
12:15:49 PM	598.8	499.0	1.0	2.9
12:15:50 PM	599.2	499.0	1.0	2.9
12:15:51 PM	599.7	499.0	1.0	2.9
12:15:52 PM	600.1	499.0	1.0	2.9
12:15:53 PM	600.5	499.0	1.0	2.8
12:15:54 PM	600.9	499.0	1.0	2.8
12:15:55 PM	600.7	499.0	1.0	2.8
12:15:56 PM	600.8	499.0	1.0	2.8
12:15:57 PM	600.7	499.0	1.0	2.8
12:15:58 PM	600.4	500.0	1.0	2.8
12:15:58 PM	600.3	500.0	1.0	2.8
12:15:59 PM	600.0	500.0	1.0	2.9
12:16:00 PM	600.1	500.0	1.0	2.9
12:16:01 PM	600.1	500.0	1.0	2.9
12:16:02 PM	600.0	500.0	1.0	2.8
12:16:03 PM	600.0	500.0	1.0	2.8
12:16:04 PM	600.1	500.0	1.0	2.8
12:16:05 PM	600.0	500.0	1.0	2.8
12:16:06 PM	600.0	500.0	1.0	2.8
12:16:07 PM	600.0	500.0	1.0	2.8
12:16:08 PM	600.0	500.0	1.0	2.8
12:16:09 PM	600.0	501.0	1.0	2.8
12:16:10 PM	600.0	501.0	1.0	2.8
12:16:11 PM	600.0	501.0	1.0	2.8
12:16:12 PM	600.0	501.0	1.0	2.8
12:16:13 PM	599.9	501.0	1.0	2.8
12:16:14 PM	599.9	501.0	1.0	2.8
12:16:15 PM	599.9	501.0	1.0	2.8
12:16:16 PM	599.9	501.0	1.0	2.8
12:16:17 PM	599.8	501.0	1.0	2.8
Averages ->	597.9	500.0	1.0	2.9
			Maximum ->	3.0

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 800

Date 11/2/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
2:26:11 PM	599.9	501.0	1.0	3.3
2:26:12 PM	599.8	501.0	1.0	3.3
2:26:13 PM	599.7	501.0	1.0	3.3
2:26:14 PM	599.7	501.0	1.0	3.3
2:26:15 PM	599.7	501.0	1.0	3.3
2:26:16 PM	599.8	500.0	1.0	3.3
2:26:17 PM	599.7	500.0	1.0	3.3
2:26:18 PM	599.7	500.0	1.0	3.3
2:26:19 PM	599.8	500.0	1.0	3.3
2:26:20 PM	599.8	500.0	1.0	3.3
2:26:21 PM	599.8	500.0	1.0	3.2
2:26:22 PM	599.7	500.0	1.0	3.2
2:26:23 PM	599.8	500.0	1.0	3.2
2:26:24 PM	599.7	499.0	1.0	3.2
2:26:25 PM	599.8	499.0	1.0	3.2
2:26:26 PM	599.8	499.0	1.0	3.2
2:26:27 PM	599.7	499.0	1.0	3.3
2:26:28 PM	599.7	499.0	1.0	3.3
2:26:29 PM	599.7	499.0	1.0	3.3
2:26:30 PM	599.7	499.0	1.0	3.3
2:26:31 PM	599.8	499.0	1.0	3.3
2:26:32 PM	599.7	498.0	1.0	3.3
2:26:33 PM	599.7	499.0	1.0	3.3
2:26:34 PM	599.7	498.0	1.0	3.3
2:26:35 PM	599.8	498.0	1.0	3.4
2:26:36 PM	599.7	498.0	1.0	3.4
2:26:37 PM	599.8	498.0	1.0	3.4
2:26:38 PM	599.7	499.0	1.0	3.4
2:26:39 PM	599.8	499.0	1.0	3.4
2:26:40 PM	599.7	498.0	1.0	3.4
2:26:41 PM	599.7	499.0	1.0	3.3
2:26:42 PM	599.7	499.0	1.0	3.4
2:26:43 PM	599.7	499.0	1.0	3.3
2:26:44 PM	599.7	498.0	1.0	3.3
2:26:45 PM	599.6	499.0	1.0	3.3
2:26:46 PM	599.8	499.0	1.0	3.3
2:26:47 PM	599.7	499.0	1.0	3.3
2:26:48 PM	599.7	499.0	1.0	3.3
2:26:49 PM	599.5	499.0	1.0	3.3
2:26:50 PM	599.7	499.0	1.0	3.3
2:26:51 PM	599.7	499.0	1.0	3.3
2:26:52 PM	599.5	499.0	1.0	3.2
2:26:53 PM	599.6	499.0	1.0	3.2
2:26:54 PM	599.7	499.0	1.0	3.2
2:26:55 PM	599.6	500.0	1.0	3.2
2:26:56 PM	599.7	500.0	1.0	3.2
2:26:57 PM	599.6	500.0	1.0	3.2
2:26:58 PM	599.6	500.0	1.0	3.2
2:26:59 PM	599.6	500.0	1.0	3.2
2:27:00 PM	599.6	500.0	1.0	3.2
2:27:01 PM	599.7	500.0	1.0	3.2
2:27:02 PM	599.7	500.0	1.0	3.2
2:27:03 PM	599.7	500.0	1.0	3.2
2:27:04 PM	599.6	501.0	1.0	3.3
2:27:05 PM	599.7	501.0	1.0	3.3
2:27:06 PM	599.6	501.0	1.0	3.3
2:27:07 PM	599.6	501.0	1.0	3.3
2:27:08 PM	599.7	501.0	1.0	3.2
2:27:09 PM	599.6	501.0	1.0	3.2
2:27:10 PM	599.7	501.0	1.0	3.2
Averages ->	599.7	499.6	1.0	3.3
			Maximum ->	3.4

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 800

Date 11/2/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
2:27:25 PM	597.0	500.0	1.0	3.2
2:27:26 PM	596.6	500.0	1.0	3.2
2:27:27 PM	596.2	499.0	1.0	3.2
2:27:28 PM	595.8	499.0	1.0	3.2
2:27:29 PM	595.4	499.0	1.0	3.2
2:27:29 PM	595.0	499.0	1.0	3.2
2:27:30 PM	594.8	499.0	1.0	3.2
2:27:31 PM	594.8	499.0	1.0	3.2
2:27:32 PM	594.9	499.0	1.0	3.2
2:27:33 PM	594.9	499.0	1.0	3.2
2:27:34 PM	594.9	499.0	1.0	3.1
2:27:35 PM	595.0	499.0	1.0	3.1
2:27:36 PM	595.0	499.0	1.0	3.1
2:27:37 PM	594.9	499.0	1.0	3.1
2:27:38 PM	595.0	499.0	1.0	3.1
2:27:39 PM	595.0	499.0	1.0	3.1
2:27:40 PM	595.0	499.0	1.0	3.2
2:27:41 PM	594.9	499.0	1.0	3.2
2:27:42 PM	595.0	499.0	1.0	3.2
2:27:43 PM	595.0	499.0	1.0	3.3
2:27:44 PM	595.0	499.0	1.0	3.3
2:27:45 PM	595.0	499.0	1.0	3.3
2:27:46 PM	595.0	499.0	1.0	3.3
2:27:47 PM	595.0	499.0	1.0	3.3
2:27:48 PM	595.0	499.0	1.0	3.3
2:27:49 PM	595.3	499.0	1.0	3.3
2:27:50 PM	595.8	499.0	1.0	3.3
2:27:51 PM	596.3	499.0	1.0	3.3
2:27:52 PM	596.8	499.0	1.0	3.3
2:27:53 PM	597.2	499.0	1.0	3.3
2:27:54 PM	597.6	500.0	1.0	3.2
2:27:55 PM	598.1	500.0	1.0	3.2
2:27:56 PM	598.5	500.0	1.0	3.3
2:27:57 PM	599.0	500.0	1.0	3.3
2:27:58 PM	599.5	500.0	1.0	3.3
2:27:59 PM	599.8	500.0	1.0	3.3
2:28:00 PM	600.3	500.0	1.0	3.3
2:28:01 PM	600.5	500.0	1.0	3.3
2:28:02 PM	600.5	501.0	1.0	3.3
2:28:03 PM	600.4	501.0	1.0	3.3
2:28:04 PM	600.0	501.0	1.0	3.3
2:28:05 PM	599.5	501.0	1.0	3.3
2:28:06 PM	599.2	501.0	1.0	3.3
2:28:07 PM	598.6	501.0	1.0	3.3
2:28:08 PM	598.1	501.0	1.0	3.4
2:28:09 PM	597.6	501.0	1.0	3.4
2:28:10 PM	597.1	501.0	1.0	3.4
2:28:11 PM	596.8	501.0	1.0	3.4
2:28:12 PM	596.3	501.0	1.0	3.4
2:28:13 PM	596.0	501.0	1.0	3.4
2:28:14 PM	595.4	500.0	1.0	3.4
2:28:15 PM	595.0	500.0	1.0	3.4
2:28:16 PM	594.8	500.0	1.0	3.4
2:28:17 PM	594.9	500.0	1.0	3.4
2:28:18 PM	594.8	500.0	1.0	3.4
2:28:19 PM	594.8	500.0	1.0	3.4
2:28:20 PM	594.9	500.0	1.0	3.4
2:28:21 PM	594.9	500.0	1.0	3.4
2:28:22 PM	595.0	500.0	1.0	3.4
2:28:23 PM	595.0	500.0	1.0	3.4
Averages ->	596.4	499.7	1.0	3.3
			Maximum ->	3.4

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 900

Date 11/2/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
4:38:59 PM	594.9	321.0	1.0	2.4
4:39:00 PM	595.0	321.0	1.0	2.4
4:39:01 PM	594.9	321.0	1.0	2.4
4:39:02 PM	594.9	321.0	1.0	2.5
4:39:03 PM	595.0	321.0	1.0	2.4
4:39:04 PM	594.8	320.0	1.0	2.4
4:39:05 PM	595.0	321.0	1.0	2.4
4:39:06 PM	594.9	320.0	1.0	2.4
4:39:07 PM	595.0	320.0	1.0	2.4
4:39:08 PM	595.0	320.0	1.0	2.4
4:39:09 PM	595.0	320.0	1.0	2.4
4:39:10 PM	594.8	320.0	1.0	2.4
4:39:11 PM	595.0	320.0	1.0	2.4
4:39:12 PM	594.9	320.0	1.0	2.4
4:39:13 PM	594.9	320.0	1.0	2.4
4:39:14 PM	594.8	319.0	1.0	2.4
4:39:15 PM	594.8	320.0	1.0	2.4
4:39:16 PM	594.8	319.0	1.0	2.4
4:39:17 PM	594.8	319.0	1.0	2.4
4:39:18 PM	594.7	319.0	1.0	2.4
4:39:19 PM	594.8	319.0	1.0	2.4
4:39:20 PM	594.8	319.0	1.0	2.4
4:39:21 PM	594.7	319.0	1.0	2.4
4:39:22 PM	594.7	319.0	1.0	2.4
4:39:22 PM	594.8	319.0	1.0	2.5
4:39:23 PM	594.8	319.0	1.0	2.5
4:39:24 PM	594.8	319.0	1.0	2.5
4:39:25 PM	594.8	319.0	1.0	2.4
4:39:26 PM	594.7	319.0	1.0	2.4
4:39:27 PM	594.7	319.0	1.0	2.4
4:39:28 PM	594.8	319.0	1.0	2.4
4:39:29 PM	594.8	320.0	1.0	2.4
4:39:30 PM	594.7	319.0	1.0	2.4
4:39:31 PM	594.7	320.0	1.0	2.4
4:39:32 PM	594.7	320.0	1.0	2.4
4:39:33 PM	594.7	320.0	1.0	2.4
4:39:34 PM	594.7	320.0	1.0	2.3
4:39:35 PM	594.7	320.0	1.0	2.3
4:39:36 PM	594.7	320.0	1.0	2.3
4:39:37 PM	594.7	320.0	1.0	2.3
4:39:38 PM	594.6	320.0	1.0	2.3
4:39:39 PM	594.7	320.0	1.0	2.4
4:39:40 PM	594.7	321.0	1.0	2.4
4:39:41 PM	594.6	321.0	1.0	2.4
4:39:42 PM	594.6	321.0	1.0	2.4
4:39:43 PM	594.6	321.0	1.0	2.4
4:39:44 PM	594.8	321.0	1.0	2.4
4:39:45 PM	594.7	321.0	1.0	2.4
4:39:46 PM	594.8	321.0	1.0	2.4
4:39:47 PM	594.7	321.0	1.0	2.4
4:39:48 PM	594.7	321.0	1.0	2.4
4:39:49 PM	594.6	321.0	1.0	2.4
4:39:50 PM	594.7	321.0	1.0	2.4
4:39:51 PM	594.6	321.0	1.0	2.4
4:39:52 PM	594.5	321.0	1.0	2.4
4:39:53 PM	594.7	321.0	1.0	2.4
4:39:54 PM	594.7	321.0	1.0	2.4
4:39:55 PM	594.7	321.0	1.0	2.4
4:39:56 PM	594.7	321.0	1.0	2.4
4:39:57 PM	594.7	321.0	1.0	2.4
Averages ->	594.8	320.1	1.0	2.4
			Maximum ->	2.5

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 900

Date 11/2/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
4:40:37 PM	596.0	320.0	1.0	2.0
4:40:38 PM	596.6	320.0	1.0	2.0
4:40:39 PM	596.9	321.0	1.0	2.0
4:40:40 PM	597.3	321.0	1.0	1.9
4:40:41 PM	597.9	321.0	1.0	2.0
4:40:42 PM	598.2	321.0	1.0	2.0
4:40:43 PM	598.7	321.0	1.0	2.0
4:40:44 PM	598.7	321.0	1.0	2.0
4:40:45 PM	599.1	321.0	1.0	2.0
4:40:46 PM	599.5	321.0	1.0	2.1
4:40:47 PM	599.7	321.0	1.0	2.1
4:40:48 PM	599.7	321.0	1.0	2.1
4:40:49 PM	599.7	321.0	1.0	2.1
4:40:50 PM	599.4	321.0	1.0	2.0
4:40:51 PM	599.2	321.0	1.0	2.0
4:40:52 PM	598.7	321.0	1.0	2.0
4:40:53 PM	598.2	321.0	1.0	2.1
4:40:54 PM	597.7	321.0	1.0	2.1
4:40:55 PM	597.3	321.0	1.0	2.1
4:40:56 PM	596.8	321.0	1.0	2.1
4:40:57 PM	596.3	321.0	1.0	2.1
4:40:58 PM	595.9	321.0	1.0	2.2
4:40:59 PM	595.5	321.0	1.0	2.1
4:41:00 PM	595.0	321.0	1.0	2.1
4:41:01 PM	594.6	322.0	1.0	2.1
4:41:02 PM	594.2	321.0	1.0	2.1
4:41:03 PM	594.0	322.0	1.0	2.1
4:41:04 PM	594.0	322.0	1.0	2.1
4:41:05 PM	594.0	322.0	1.0	2.0
4:41:06 PM	594.0	322.0	1.0	2.0
4:41:07 PM	594.1	322.0	1.0	2.0
4:41:08 PM	594.1	322.0	1.0	1.9
4:41:09 PM	594.0	322.0	1.0	1.9
4:41:10 PM	594.1	322.0	1.0	1.9
4:41:11 PM	594.1	322.0	1.0	1.9
4:41:12 PM	594.2	322.0	1.0	1.9
4:41:13 PM	594.1	322.0	1.0	1.9
4:41:14 PM	594.2	322.0	1.0	1.9
4:41:15 PM	594.1	322.0	1.0	1.9
4:41:16 PM	594.2	322.0	1.0	1.9
4:41:17 PM	594.1	321.0	1.0	1.8
4:41:18 PM	594.2	321.0	1.0	1.8
4:41:19 PM	594.1	321.0	1.0	1.9
4:41:20 PM	594.5	321.0	1.0	1.9
4:41:21 PM	595.0	321.0	1.0	1.8
4:41:22 PM	595.4	321.0	1.0	1.8
4:41:23 PM	595.8	321.0	1.0	1.8
4:41:24 PM	596.3	321.0	1.0	1.9
4:41:25 PM	596.7	321.0	1.0	1.9
4:41:26 PM	597.2	321.0	1.0	2.0
4:41:27 PM	597.7	321.0	1.0	2.0
4:41:28 PM	598.1	320.0	1.0	2.0
4:41:29 PM	598.4	320.0	1.0	2.1
4:41:30 PM	598.9	320.0	1.0	2.1
4:41:31 PM	599.3	320.0	1.0	2.1
4:41:32 PM	599.6	320.0	1.0	2.0
4:41:33 PM	599.4	320.0	1.0	2.0
4:41:34 PM	599.5	320.0	1.0	2.1
4:41:34 PM	599.0	320.0	1.0	2.1
4:41:35 PM	598.6	319.0	1.0	2.1
Averages ->	596.6	321.1	1.0	2.0
			Maximum ->	2.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1000

Date 11/3/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
8:19:09 AM	598.3	83.0	1.0	2.9
8:19:10 AM	598.3	83.0	1.0	2.9
8:19:11 AM	598.3	83.0	1.0	2.9
8:19:12 AM	598.3	83.0	1.0	2.9
8:19:13 AM	598.4	83.0	1.0	3.0
8:19:14 AM	598.4	83.0	1.0	3.0
8:19:15 AM	598.3	82.0	1.0	3.0
8:19:16 AM	598.3	83.0	1.0	3.0
8:19:17 AM	598.3	83.0	1.0	3.0
8:19:18 AM	598.3	83.0	1.0	3.0
8:19:19 AM	598.3	83.0	1.0	3.0
8:19:20 AM	598.3	83.0	1.0	3.1
8:19:21 AM	598.1	82.0	1.0	3.1
8:19:22 AM	598.3	82.0	1.0	3.2
8:19:23 AM	598.3	83.0	1.0	3.2
8:19:24 AM	598.3	83.0	1.0	3.2
8:19:25 AM	598.3	83.0	1.0	3.2
8:19:26 AM	598.3	83.0	1.0	3.2
8:19:27 AM	598.3	83.0	1.0	3.2
8:19:28 AM	598.2	83.0	1.0	3.1
8:19:29 AM	598.2	83.0	1.0	3.1
8:19:30 AM	598.3	83.0	1.0	3.1
8:19:31 AM	598.3	82.0	1.0	3.0
8:19:32 AM	598.3	83.0	1.0	3.1
8:19:33 AM	598.3	82.0	1.0	3.1
8:19:34 AM	598.3	82.0	1.0	3.2
8:19:35 AM	598.3	83.0	1.0	3.3
8:19:36 AM	598.3	83.0	1.0	3.3
8:19:37 AM	598.3	82.0	1.0	3.4
8:19:38 AM	598.3	83.0	1.0	3.4
8:19:39 AM	598.2	83.0	1.0	3.5
8:19:40 AM	598.3	83.0	1.0	3.5
8:19:41 AM	598.3	83.0	1.0	3.5
8:19:42 AM	598.2	82.0	1.0	3.5
8:19:43 AM	598.2	83.0	1.0	3.5
8:19:44 AM	598.3	83.0	1.0	3.4
8:19:45 AM	598.3	83.0	1.0	3.3
8:19:46 AM	598.3	83.0	1.0	3.2
8:19:47 AM	598.2	83.0	1.0	3.1
8:19:48 AM	598.3	83.0	1.0	3.0
8:19:49 AM	598.3	83.0	1.0	2.9
8:19:50 AM	598.3	83.0	1.0	2.9
8:19:51 AM	598.4	83.0	1.0	2.8
8:19:52 AM	598.3	83.0	1.0	2.7
8:19:53 AM	598.3	82.0	1.0	2.5
8:19:54 AM	598.3	82.0	1.0	2.5
8:19:55 AM	598.3	82.0	1.0	2.4
8:19:56 AM	598.3	83.0	1.0	2.5
8:19:57 AM	598.2	83.0	1.0	2.5
8:19:58 AM	598.3	83.0	1.0	2.5
8:19:59 AM	598.2	82.0	1.0	2.6
8:20:00 AM	598.2	83.0	1.0	2.6
8:20:01 AM	598.3	82.0	1.0	2.7
8:20:02 AM	598.4	83.0	1.0	2.8
8:20:03 AM	598.3	83.0	1.0	2.8
8:20:04 AM	598.3	83.0	1.0	2.9
8:20:05 AM	598.3	83.0	1.0	2.9
8:20:06 AM	598.3	83.0	1.0	2.9
8:20:07 AM	598.4	83.0	1.0	3.0
8:20:08 AM	598.3	82.0	1.0	3.0
Averages ->	598.3	82.8	1.0	3.0
			Maximum ->	3.5

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1000

Date 11/3/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
8:26:39 AM	594.9	83.0	1.0	3.1
8:26:40 AM	594.9	83.0	1.0	3.2
8:26:41 AM	594.8	83.0	1.0	3.3
8:26:42 AM	595.0	83.0	1.0	3.4
8:26:43 AM	594.9	83.0	1.0	3.5
8:26:44 AM	594.9	83.0	1.0	3.5
8:26:45 AM	594.9	83.0	1.0	3.5
8:26:46 AM	595.0	83.0	1.0	3.5
8:26:47 AM	595.1	83.0	1.0	3.5
8:26:48 AM	595.1	83.0	1.0	3.4
8:26:48 AM	595.1	83.0	1.0	3.4
8:26:49 AM	595.0	83.0	1.0	3.4
8:26:50 AM	595.1	83.0	1.0	3.4
8:26:51 AM	595.0	83.0	1.0	3.4
8:26:52 AM	595.1	83.0	1.0	3.5
8:26:53 AM	595.2	83.0	1.0	3.5
8:26:54 AM	595.3	83.0	1.0	3.6
8:26:55 AM	595.6	83.0	1.0	3.6
8:26:56 AM	595.9	83.0	1.0	3.6
8:26:57 AM	596.2	83.0	1.0	3.6
8:26:58 AM	596.5	83.0	1.0	3.6
8:26:59 AM	596.7	83.0	1.0	3.7
8:27:00 AM	597.0	83.0	1.0	3.7
8:27:01 AM	597.4	83.0	1.0	3.8
8:27:02 AM	597.7	83.0	1.0	3.8
8:27:03 AM	598.0	83.0	1.0	3.9
8:27:04 AM	598.2	83.0	1.0	3.9
8:27:05 AM	598.2	83.0	1.0	3.9
8:27:06 AM	598.5	83.0	1.0	4.0
8:27:07 AM	598.6	83.0	1.0	4.1
8:27:08 AM	598.6	83.0	1.0	4.2
8:27:09 AM	598.5	83.0	1.0	4.3
8:27:10 AM	598.6	83.0	1.0	4.4
8:27:11 AM	598.5	83.0	1.0	4.4
8:27:12 AM	598.5	83.0	1.0	4.4
8:27:13 AM	598.5	83.0	1.0	4.4
8:27:14 AM	598.5	83.0	1.0	4.5
8:27:15 AM	598.5	83.0	1.0	4.6
8:27:16 AM	598.4	83.0	1.0	4.6
8:27:17 AM	598.5	83.0	1.0	4.7
8:27:18 AM	598.5	83.0	1.0	4.7
8:27:19 AM	598.5	83.0	1.0	4.7
8:27:20 AM	598.5	83.0	1.0	4.7
8:27:21 AM	598.5	83.0	1.0	4.8
8:27:22 AM	598.4	83.0	1.0	4.8
8:27:23 AM	598.4	83.0	1.0	4.8
8:27:24 AM	598.5	83.0	1.0	4.9
8:27:25 AM	598.4	83.0	1.0	4.9
8:27:26 AM	598.4	83.0	1.0	4.9
8:27:27 AM	598.3	83.0	1.0	4.9
8:27:28 AM	598.3	83.0	1.0	4.8
8:27:29 AM	598.2	83.0	1.0	4.8
8:27:30 AM	598.3	83.0	1.0	4.8
8:27:31 AM	598.3	83.0	1.0	4.8
8:27:32 AM	598.3	83.0	1.0	4.8
8:27:33 AM	598.4	83.0	1.0	4.8
8:27:34 AM	598.3	83.0	1.0	4.8
8:27:35 AM	598.3	83.0	1.0	4.8
8:27:36 AM	598.4	83.0	1.0	4.8
8:27:37 AM	598.3	83.0	1.0	4.8
Averages ->	597.2	83.0	1.0	4.1
			Maximum ->	4.9

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1100

Date 11/3/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:31:45 AM	595.0	320.0	1.0	2.0
10:31:46 AM	595.0	320.0	1.0	2.0
10:31:47 AM	594.9	320.0	1.0	2.0
10:31:48 AM	594.8	320.0	1.0	2.0
10:31:49 AM	594.9	320.0	1.0	2.0
10:31:50 AM	594.8	320.0	1.0	2.0
10:31:51 AM	594.8	320.0	1.0	2.0
10:31:52 AM	594.9	321.0	1.0	2.0
10:31:53 AM	594.8	321.0	1.0	2.0
10:31:54 AM	594.9	321.0	1.0	2.0
10:31:55 AM	594.9	321.0	1.0	2.1
10:31:56 AM	594.9	321.0	1.0	2.0
10:31:57 AM	594.8	322.0	1.0	2.0
10:31:58 AM	594.9	322.0	1.0	2.0
10:31:59 AM	594.8	322.0	1.0	2.0
10:32:00 AM	594.8	322.0	1.0	2.0
10:32:01 AM	594.7	322.0	1.0	2.0
10:32:02 AM	594.7	322.0	1.0	2.0
10:32:03 AM	594.8	322.0	1.0	2.0
10:32:04 AM	594.8	322.0	1.0	2.0
10:32:05 AM	594.9	322.0	1.0	2.0
10:32:06 AM	594.8	322.0	1.0	2.1
10:32:07 AM	594.7	322.0	1.0	2.1
10:32:08 AM	594.8	322.0	1.0	2.1
10:32:09 AM	594.8	322.0	1.0	2.1
10:32:10 AM	594.8	322.0	1.0	2.1
10:32:11 AM	594.7	322.0	1.0	2.1
10:32:12 AM	594.8	322.0	1.0	2.1
10:32:13 AM	594.8	323.0	1.0	2.1
10:32:14 AM	594.7	323.0	1.0	2.1
10:32:15 AM	594.7	322.0	1.0	2.1
10:32:16 AM	594.8	323.0	1.0	2.1
10:32:17 AM	594.8	322.0	1.0	2.1
10:32:18 AM	594.7	323.0	1.0	2.1
10:32:18 AM	594.8	323.0	1.0	2.1
10:32:19 AM	594.7	323.0	1.0	2.1
10:32:20 AM	594.8	322.0	1.0	2.1
10:32:21 AM	594.7	322.0	1.0	2.2
10:32:22 AM	594.7	323.0	1.0	2.2
10:32:23 AM	594.7	323.0	1.0	2.2
10:32:24 AM	594.6	322.0	1.0	2.2
10:32:25 AM	594.8	322.0	1.0	2.2
10:32:26 AM	594.7	322.0	1.0	2.2
10:32:27 AM	594.7	322.0	1.0	2.2
10:32:28 AM	594.7	322.0	1.0	2.2
10:32:29 AM	594.7	322.0	1.0	2.2
10:32:30 AM	594.8	322.0	1.0	2.2
10:32:31 AM	594.7	322.0	1.0	2.2
10:32:32 AM	594.8	322.0	1.0	2.1
10:32:33 AM	594.7	322.0	1.0	2.1
10:32:34 AM	594.7	322.0	1.0	2.1
10:32:35 AM	594.8	322.0	1.0	2.1
10:32:36 AM	594.7	322.0	1.0	2.1
10:32:37 AM	594.8	322.0	1.0	2.0
10:32:38 AM	594.7	322.0	1.0	2.1
10:32:39 AM	594.7	322.0	1.0	2.0
10:32:40 AM	594.6	322.0	1.0	2.0
10:32:41 AM	594.7	322.0	1.0	2.1
10:32:42 AM	594.6	322.0	1.0	2.1
10:32:43 AM	594.6	322.0	1.0	2.0
Averages ->	594.8	321.8	1.0	2.1
			Maximum ->	2.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1100

Date 11/3/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:33:21 AM	595.5	320.0	1.0	2.0
10:33:22 AM	595.9	320.0	1.0	2.0
10:33:23 AM	596.3	320.0	1.0	2.0
10:33:24 AM	596.6	320.0	1.0	2.0
10:33:25 AM	597.2	320.0	1.0	2.0
10:33:26 AM	597.4	320.0	1.0	2.0
10:33:27 AM	597.9	320.0	1.0	2.0
10:33:28 AM	598.2	320.0	1.0	2.0
10:33:29 AM	598.5	320.0	1.0	2.0
10:33:30 AM	598.8	320.0	1.0	2.0
10:33:31 AM	599.0	320.0	1.0	2.0
10:33:32 AM	598.8	320.0	1.0	2.0
10:33:33 AM	598.8	320.0	1.0	2.0
10:33:34 AM	598.8	320.0	1.0	2.0
10:33:35 AM	598.6	320.0	1.0	2.0
10:33:36 AM	598.7	320.0	1.0	2.0
10:33:37 AM	598.7	320.0	1.0	2.0
10:33:38 AM	598.6	320.0	1.0	2.0
10:33:39 AM	598.5	320.0	1.0	2.0
10:33:40 AM	598.5	320.0	1.0	2.1
10:33:41 AM	598.5	319.0	1.0	2.1
10:33:42 AM	598.4	320.0	1.0	2.1
10:33:43 AM	598.3	320.0	1.0	2.1
10:33:44 AM	598.4	320.0	1.0	2.1
10:33:45 AM	598.4	320.0	1.0	2.1
10:33:46 AM	598.4	320.0	1.0	2.1
10:33:47 AM	598.2	320.0	1.0	2.2
10:33:48 AM	598.2	320.0	1.0	2.2
10:33:48 AM	598.2	320.0	1.0	2.2
10:33:49 AM	598.2	320.0	1.0	2.2
10:33:50 AM	598.2	320.0	1.0	2.2
10:33:51 AM	598.2	320.0	1.0	2.2
10:33:52 AM	598.1	320.0	1.0	2.2
10:33:53 AM	598.1	320.0	1.0	2.2
10:33:54 AM	597.8	321.0	1.0	2.2
10:33:55 AM	597.3	321.0	1.0	2.2
10:33:56 AM	597.0	321.0	1.0	2.2
10:33:57 AM	596.6	321.0	1.0	2.2
10:33:58 AM	596.1	321.0	1.0	2.2
10:33:59 AM	595.8	321.0	1.0	2.2
10:34:00 AM	595.4	321.0	1.0	2.2
10:34:01 AM	595.1	321.0	1.0	2.2
10:34:02 AM	594.7	321.0	1.0	2.2
10:34:03 AM	594.2	322.0	1.0	2.2
10:34:04 AM	593.9	322.0	1.0	2.2
10:34:05 AM	593.7	322.0	1.0	2.2
10:34:06 AM	593.7	322.0	1.0	2.2
10:34:07 AM	593.7	322.0	1.0	2.2
10:34:08 AM	593.6	322.0	1.0	2.2
10:34:09 AM	593.7	322.0	1.0	2.2
10:34:10 AM	593.7	323.0	1.0	2.2
10:34:11 AM	593.7	323.0	1.0	2.2
10:34:12 AM	593.9	323.0	1.0	2.2
10:34:13 AM	593.8	323.0	1.0	2.2
10:34:14 AM	593.8	323.0	1.0	2.2
10:34:15 AM	593.9	323.0	1.0	2.2
10:34:16 AM	593.9	323.0	1.0	2.2
10:34:17 AM	593.9	324.0	1.0	2.2
10:34:18 AM	593.9	323.0	1.0	2.3
10:34:19 AM	593.8	324.0	1.0	2.3
Averages ->	596.6	320.9	1.0	2.1
			Maximum ->	2.3

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1200

Date 11/3/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:44:21 PM	599.3	497.0	1.0	2.2
12:44:22 PM	599.3	497.0	1.0	2.2
12:44:23 PM	599.3	497.0	1.0	2.2
12:44:24 PM	599.4	497.0	1.0	2.2
12:44:25 PM	599.3	497.0	1.0	2.1
12:44:26 PM	599.3	497.0	1.0	2.1
12:44:27 PM	599.3	497.0	1.0	2.1
12:44:28 PM	599.3	498.0	1.0	2.2
12:44:29 PM	599.3	498.0	1.0	2.2
12:44:30 PM	599.3	498.0	1.0	2.2
12:44:31 PM	599.4	498.0	1.0	2.2
12:44:32 PM	599.4	498.0	1.0	2.2
12:44:33 PM	599.3	499.0	1.0	2.2
12:44:34 PM	599.4	498.0	1.0	2.2
12:44:35 PM	599.3	499.0	1.0	2.2
12:44:36 PM	599.4	499.0	1.0	2.2
12:44:37 PM	599.3	499.0	1.0	2.2
12:44:38 PM	599.3	499.0	1.0	2.2
12:44:39 PM	599.3	499.0	1.0	2.2
12:44:40 PM	599.3	499.0	1.0	2.1
12:44:41 PM	599.2	500.0	1.0	2.2
12:44:42 PM	599.3	500.0	1.0	2.2
12:44:43 PM	599.5	500.0	1.0	2.2
12:44:44 PM	599.4	500.0	1.0	2.2
12:44:45 PM	599.3	500.0	1.0	2.2
12:44:46 PM	599.3	500.0	1.0	2.2
12:44:47 PM	599.3	501.0	1.0	2.2
12:44:48 PM	599.4	501.0	1.0	2.2
12:44:49 PM	599.3	501.0	1.0	2.2
12:44:50 PM	599.3	501.0	1.0	2.2
12:44:51 PM	599.3	501.0	1.0	2.2
12:44:52 PM	599.4	501.0	1.0	2.2
12:44:53 PM	599.3	501.0	1.0	2.1
12:44:54 PM	599.3	501.0	1.0	2.1
12:44:55 PM	599.4	501.0	1.0	2.1
12:44:55 PM	599.4	501.0	1.0	2.1
12:44:56 PM	599.4	502.0	1.0	2.1
12:44:57 PM	599.4	502.0	1.0	2.1
12:44:58 PM	599.4	502.0	1.0	2.1
12:44:59 PM	599.5	502.0	1.0	2.1
12:45:00 PM	599.4	502.0	1.0	2.1
12:45:01 PM	599.3	502.0	1.0	2.1
12:45:02 PM	599.3	501.0	1.0	2.1
12:45:03 PM	599.5	502.0	1.0	2.1
12:45:04 PM	599.3	501.0	1.0	2.1
12:45:05 PM	599.4	501.0	1.0	2.1
12:45:06 PM	599.4	501.0	1.0	2.1
12:45:07 PM	599.3	501.0	1.0	2.1
12:45:08 PM	599.4	501.0	1.0	2.1
12:45:09 PM	599.5	501.0	1.0	2.2
12:45:10 PM	599.5	501.0	1.0	2.2
12:45:11 PM	599.4	501.0	1.0	2.2
12:45:12 PM	599.5	501.0	1.0	2.2
12:45:13 PM	599.4	501.0	1.0	2.2
12:45:14 PM	599.5	501.0	1.0	2.2
12:45:15 PM	599.5	501.0	1.0	2.2
12:45:16 PM	599.5	501.0	1.0	2.2
12:45:17 PM	599.5	501.0	1.0	2.2
12:45:18 PM	599.5	500.0	1.0	2.2
12:45:19 PM	599.5	500.0	1.0	2.2
Averages ->	599.4	500.0	1.0	2.2
			Maximum ->	2.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1200

Date 11/3/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:46:42 PM	603.6	499.0	1.0	2.0
12:46:43 PM	603.5	499.0	1.0	2.0
12:46:44 PM	603.5	499.0	1.0	2.0
12:46:45 PM	603.3	499.0	1.0	2.0
12:46:46 PM	603.3	499.0	1.0	2.0
12:46:47 PM	603.4	499.0	1.0	2.1
12:46:48 PM	603.2	499.0	1.0	2.1
12:46:49 PM	603.2	500.0	1.0	2.1
12:46:50 PM	603.2	500.0	1.0	2.1
12:46:51 PM	603.2	500.0	1.0	2.1
12:46:52 PM	603.2	500.0	1.0	2.1
12:46:53 PM	603.1	500.0	1.0	2.1
12:46:54 PM	603.2	500.0	1.0	2.1
12:46:54 PM	603.2	500.0	1.0	2.1
12:46:55 PM	603.2	500.0	1.0	2.2
12:46:56 PM	603.2	500.0	1.0	2.2
12:46:57 PM	603.1	500.0	1.0	2.2
12:46:58 PM	603.1	501.0	1.0	2.2
12:46:59 PM	603.0	501.0	1.0	2.2
12:47:00 PM	603.0	501.0	1.0	2.2
12:47:01 PM	603.0	501.0	1.0	2.2
12:47:02 PM	602.9	501.0	1.0	2.2
12:47:03 PM	602.9	501.0	1.0	2.2
12:47:04 PM	602.6	501.0	1.0	2.2
12:47:05 PM	602.2	501.0	1.0	2.2
12:47:06 PM	601.8	501.0	1.0	2.3
12:47:07 PM	601.5	501.0	1.0	2.3
12:47:08 PM	601.0	501.0	1.0	2.3
12:47:09 PM	600.6	501.0	1.0	2.3
12:47:10 PM	600.3	501.0	1.0	2.2
12:47:11 PM	600.0	501.0	1.0	2.2
12:47:12 PM	599.5	501.0	1.0	2.2
12:47:13 PM	599.2	501.0	1.0	2.2
12:47:14 PM	598.9	501.0	1.0	2.2
12:47:15 PM	598.4	501.0	1.0	2.2
12:47:16 PM	598.4	500.0	1.0	2.3
12:47:17 PM	598.3	500.0	1.0	2.2
12:47:18 PM	598.5	500.0	1.0	2.2
12:47:19 PM	598.5	500.0	1.0	2.2
12:47:20 PM	598.6	500.0	1.0	2.2
12:47:21 PM	598.6	500.0	1.0	2.2
12:47:22 PM	598.5	500.0	1.0	2.3
12:47:23 PM	598.7	500.0	1.0	2.3
12:47:24 PM	598.7	500.0	1.0	2.3
12:47:25 PM	598.7	500.0	1.0	2.2
12:47:26 PM	598.7	500.0	1.0	2.2
12:47:27 PM	598.8	499.0	1.0	2.2
12:47:28 PM	598.7	500.0	1.0	2.2
12:47:29 PM	598.7	499.0	1.0	2.2
12:47:30 PM	598.7	500.0	1.0	2.2
12:47:31 PM	598.8	499.0	1.0	2.2
12:47:32 PM	598.4	499.0	1.0	2.2
12:47:33 PM	599.2	500.0	1.0	2.2
12:47:34 PM	599.5	500.0	1.0	2.2
12:47:35 PM	600.0	499.0	1.0	2.2
12:47:36 PM	600.3	500.0	1.0	2.2
12:47:37 PM	600.8	500.0	1.0	2.1
12:47:38 PM	601.2	500.0	1.0	2.2
12:47:39 PM	601.6	500.0	1.0	2.2
12:47:40 PM	602.0	500.0	1.0	2.2
Averages ->	601.0	500.1	1.0	2.2
			Maximum ->	2.3

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1300

Date 11/3/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
3:00:06 PM	598.0	500.0	1.0	1.7
3:00:07 PM	597.8	500.0	1.0	1.7
3:00:08 PM	597.9	500.0	1.0	1.8
3:00:09 PM	597.8	500.0	1.0	1.8
3:00:10 PM	598.0	500.0	1.0	1.8
3:00:11 PM	597.9	500.0	1.0	1.8
3:00:12 PM	597.9	500.0	1.0	1.8
3:00:13 PM	597.9	500.0	1.0	1.8
3:00:14 PM	597.9	500.0	1.0	1.8
3:00:15 PM	597.8	500.0	1.0	1.8
3:00:16 PM	597.9	500.0	1.0	1.8
3:00:17 PM	597.9	499.0	1.0	1.8
3:00:18 PM	597.9	499.0	1.0	1.8
3:00:19 PM	597.9	500.0	1.0	1.8
3:00:20 PM	597.8	499.0	1.0	1.8
3:00:21 PM	598.0	499.0	1.0	1.8
3:00:22 PM	598.0	500.0	1.0	1.8
3:00:23 PM	597.8	499.0	1.0	1.8
3:00:24 PM	597.9	500.0	1.0	1.8
3:00:25 PM	597.9	500.0	1.0	1.8
3:00:26 PM	597.9	499.0	1.0	1.8
3:00:27 PM	597.9	499.0	1.0	1.8
3:00:28 PM	597.9	500.0	1.0	1.8
3:00:29 PM	597.7	500.0	1.0	1.8
3:00:30 PM	597.9	500.0	1.0	1.8
3:00:31 PM	598.0	500.0	1.0	1.8
3:00:32 PM	597.8	500.0	1.0	1.8
3:00:33 PM	597.8	500.0	1.0	1.8
3:00:34 PM	597.9	500.0	1.0	1.8
3:00:35 PM	597.9	500.0	1.0	1.8
3:00:36 PM	597.9	501.0	1.0	1.8
3:00:37 PM	597.9	501.0	1.0	1.7
3:00:38 PM	597.9	501.0	1.0	1.7
3:00:39 PM	597.9	501.0	1.0	1.7
3:00:40 PM	597.9	501.0	1.0	1.7
3:00:41 PM	597.8	501.0	1.0	1.7
3:00:42 PM	597.9	501.0	1.0	1.7
3:00:42 PM	597.9	501.0	1.0	1.7
3:00:43 PM	597.9	501.0	1.0	1.7
3:00:44 PM	597.9	501.0	1.0	1.8
3:00:45 PM	597.9	501.0	1.0	1.8
3:00:46 PM	597.9	501.0	1.0	1.8
3:00:47 PM	597.9	501.0	1.0	1.8
3:00:48 PM	597.8	501.0	1.0	1.8
3:00:49 PM	597.9	501.0	1.0	1.8
3:00:50 PM	598.0	501.0	1.0	1.8
3:00:51 PM	597.9	501.0	1.0	1.8
3:00:52 PM	597.9	501.0	1.0	1.8
3:00:53 PM	597.9	501.0	1.0	1.8
3:00:54 PM	597.9	501.0	1.0	1.8
3:00:55 PM	597.9	501.0	1.0	1.7
3:00:56 PM	597.9	501.0	1.0	1.8
3:00:57 PM	597.9	501.0	1.0	1.8
3:00:58 PM	597.9	501.0	1.0	1.8
3:00:59 PM	597.9	501.0	1.0	1.8
3:01:00 PM	597.9	501.0	1.0	1.8
3:01:01 PM	598.0	501.0	1.0	1.8
3:01:02 PM	597.9	501.0	1.0	1.8
3:01:03 PM	598.0	500.0	1.0	1.8
3:01:04 PM	597.9	500.0	1.0	1.7
Averages ->	597.9	500.4	1.0	1.8
			Maximum ->	1.8

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1300

Date 11/3/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
3:01:50 PM	596.3	502.0	1.0	1.8
3:01:51 PM	595.9	501.0	1.0	1.8
3:01:52 PM	595.5	502.0	1.0	1.8
3:01:53 PM	595.2	501.0	1.0	1.8
3:01:54 PM	594.9	502.0	1.0	1.8
3:01:55 PM	594.5	501.0	1.0	1.8
3:01:56 PM	594.1	501.0	1.0	1.8
3:01:57 PM	593.7	501.0	1.0	1.8
3:01:58 PM	593.5	501.0	1.0	1.8
3:01:59 PM	593.4	501.0	1.0	1.8
3:02:00 PM	593.4	501.0	1.0	1.8
3:02:01 PM	593.5	501.0	1.0	1.8
3:02:02 PM	593.4	501.0	1.0	1.8
3:02:03 PM	593.6	501.0	1.0	1.8
3:02:04 PM	593.5	501.0	1.0	1.8
3:02:05 PM	593.6	501.0	1.0	1.8
3:02:06 PM	593.7	501.0	1.0	1.8
3:02:07 PM	593.6	501.0	1.0	1.8
3:02:08 PM	593.7	501.0	1.0	1.8
3:02:09 PM	593.7	501.0	1.0	1.8
3:02:10 PM	593.8	501.0	1.0	1.8
3:02:11 PM	593.8	500.0	1.0	1.7
3:02:12 PM	593.7	500.0	1.0	1.7
3:02:13 PM	593.7	501.0	1.0	1.6
3:02:14 PM	593.8	500.0	1.0	1.7
3:02:15 PM	593.6	500.0	1.0	1.7
3:02:16 PM	594.2	500.0	1.0	1.6
3:02:17 PM	594.6	500.0	1.0	1.6
3:02:18 PM	594.9	500.0	1.0	1.6
3:02:19 PM	595.4	500.0	1.0	1.6
3:02:20 PM	595.7	500.0	1.0	1.6
3:02:21 PM	596.1	500.0	1.0	1.6
3:02:22 PM	596.6	500.0	1.0	1.7
3:02:23 PM	596.9	500.0	1.0	1.7
3:02:24 PM	597.4	500.0	1.0	1.7
3:02:25 PM	597.7	500.0	1.0	1.6
3:02:26 PM	598.1	500.0	1.0	1.6
3:02:27 PM	598.5	499.0	1.0	1.6
3:02:28 PM	598.5	500.0	1.0	1.6
3:02:29 PM	598.5	500.0	1.0	1.6
3:02:30 PM	598.3	500.0	1.0	1.6
3:02:30 PM	598.4	500.0	1.0	1.6
3:02:31 PM	598.4	500.0	1.0	1.6
3:02:32 PM	598.3	499.0	1.0	1.6
3:02:33 PM	598.3	500.0	1.0	1.6
3:02:34 PM	598.3	500.0	1.0	1.6
3:02:35 PM	598.2	499.0	1.0	1.5
3:02:36 PM	598.1	499.0	1.0	1.5
3:02:37 PM	598.2	500.0	1.0	1.5
3:02:38 PM	598.2	500.0	1.0	1.5
3:02:39 PM	598.1	500.0	1.0	1.6
3:02:40 PM	598.1	500.0	1.0	1.5
3:02:41 PM	598.0	500.0	1.0	1.6
3:02:42 PM	598.0	501.0	1.0	1.6
3:02:43 PM	598.1	500.0	1.0	1.6
3:02:44 PM	598.0	500.0	1.0	1.6
3:02:45 PM	598.0	500.0	1.0	1.7
3:02:46 PM	598.0	501.0	1.0	1.7
3:02:47 PM	598.0	501.0	1.0	1.7
3:02:48 PM	598.0	501.0	1.0	1.7
Averages ->	596.0	500.4	1.0	1.7
			Maximum ->	1.8

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1400

Date 11/3/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
5:11:28 PM	590.8	316.0	1.0	2.6
5:11:29 PM	590.7	316.0	1.0	2.6
5:11:30 PM	590.7	316.0	1.0	2.6
5:11:31 PM	590.7	316.0	1.0	2.5
5:11:32 PM	590.7	316.0	1.0	2.5
5:11:33 PM	590.7	316.0	1.0	2.5
5:11:34 PM	590.6	316.0	1.0	2.5
5:11:35 PM	590.6	316.0	1.0	2.5
5:11:36 PM	590.6	316.0	1.0	2.6
5:11:36 PM	590.6	316.0	1.0	2.6
5:11:37 PM	590.7	317.0	1.0	2.6
5:11:38 PM	590.6	317.0	1.0	2.6
5:11:39 PM	590.7	317.0	1.0	2.6
5:11:40 PM	590.6	317.0	1.0	2.5
5:11:41 PM	590.6	317.0	1.0	2.6
5:11:42 PM	590.6	317.0	1.0	2.6
5:11:43 PM	590.7	318.0	1.0	2.6
5:11:44 PM	590.6	318.0	1.0	2.6
5:11:45 PM	590.6	318.0	1.0	2.6
5:11:46 PM	590.5	318.0	1.0	2.6
5:11:47 PM	590.5	318.0	1.0	2.6
5:11:48 PM	590.5	318.0	1.0	2.6
5:11:49 PM	590.6	319.0	1.0	2.6
5:11:50 PM	590.5	319.0	1.0	2.6
5:11:51 PM	590.6	319.0	1.0	2.6
5:11:52 PM	590.6	319.0	1.0	2.6
5:11:53 PM	590.5	320.0	1.0	2.6
5:11:54 PM	590.5	319.0	1.0	2.6
5:11:55 PM	590.5	320.0	1.0	2.6
5:11:56 PM	590.5	320.0	1.0	2.6
5:11:57 PM	590.6	320.0	1.0	2.6
5:11:58 PM	590.4	321.0	1.0	2.6
5:11:59 PM	590.5	321.0	1.0	2.6
5:12:00 PM	590.5	321.0	1.0	2.6
5:12:01 PM	590.5	321.0	1.0	2.7
5:12:02 PM	590.5	321.0	1.0	2.6
5:12:03 PM	590.5	321.0	1.0	2.7
5:12:04 PM	590.5	322.0	1.0	2.7
5:12:05 PM	590.5	322.0	1.0	2.7
5:12:06 PM	590.4	322.0	1.0	2.7
5:12:07 PM	590.5	322.0	1.0	2.7
5:12:08 PM	590.5	322.0	1.0	2.7
5:12:09 PM	590.5	322.0	1.0	2.7
5:12:10 PM	590.5	322.0	1.0	2.7
5:12:11 PM	590.5	323.0	1.0	2.7
5:12:12 PM	590.5	322.0	1.0	2.7
5:12:13 PM	590.4	323.0	1.0	2.7
5:12:14 PM	590.5	322.0	1.0	2.7
5:12:15 PM	590.5	322.0	1.0	2.7
5:12:16 PM	590.4	323.0	1.0	2.6
5:12:17 PM	590.5	323.0	1.0	2.7
5:12:18 PM	590.5	323.0	1.0	2.7
5:12:19 PM	590.4	323.0	1.0	2.6
5:12:20 PM	590.4	323.0	1.0	2.6
5:12:21 PM	590.4	322.0	1.0	2.6
5:12:22 PM	590.6	323.0	1.0	2.6
5:12:23 PM	590.4	323.0	1.0	2.6
5:12:24 PM	590.5	323.0	1.0	2.6
5:12:25 PM	590.4	323.0	1.0	2.6
5:12:26 PM	590.4	322.0	1.0	2.6
Averages ->	590.5	319.8	1.0	2.6
			Maximum ->	2.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1400

Date 11/3/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
5:13:13 PM	594.7	320.0	1.0	2.7
5:13:14 PM	594.9	320.0	1.0	2.7
5:13:15 PM	594.9	319.0	1.0	2.7
5:13:16 PM	594.8	319.0	1.0	2.6
5:13:17 PM	594.7	320.0	1.0	2.6
5:13:18 PM	594.8	320.0	1.0	2.6
5:13:19 PM	594.7	319.0	1.0	2.6
5:13:20 PM	594.6	320.0	1.0	2.6
5:13:21 PM	594.7	320.0	1.0	2.6
5:13:22 PM	594.5	320.0	1.0	2.7
5:13:23 PM	594.4	320.0	1.0	2.6
5:13:24 PM	594.5	320.0	1.0	2.7
5:13:25 PM	594.5	320.0	1.0	2.7
5:13:26 PM	594.5	320.0	1.0	2.7
5:13:27 PM	594.4	320.0	1.0	2.7
5:13:28 PM	594.5	320.0	1.0	2.7
5:13:29 PM	594.4	320.0	1.0	2.7
5:13:30 PM	594.3	320.0	1.0	2.7
5:13:31 PM	594.3	320.0	1.0	2.7
5:13:32 PM	594.3	320.0	1.0	2.7
5:13:33 PM	594.3	321.0	1.0	2.7
5:13:34 PM	594.3	321.0	1.0	2.7
5:13:35 PM	594.3	321.0	1.0	2.7
5:13:36 PM	594.2	321.0	1.0	2.7
5:13:37 PM	594.3	321.0	1.0	2.7
5:13:38 PM	594.3	321.0	1.0	2.7
5:13:39 PM	594.2	321.0	1.0	2.8
5:13:40 PM	593.6	321.0	1.0	2.8
5:13:41 PM	593.3	321.0	1.0	2.7
5:13:42 PM	592.9	322.0	1.0	2.8
5:13:43 PM	592.5	322.0	1.0	2.8
5:13:44 PM	592.1	322.0	1.0	2.8
5:13:45 PM	591.8	322.0	1.0	2.8
5:13:46 PM	591.4	322.0	1.0	2.8
5:13:47 PM	591.0	322.0	1.0	2.8
5:13:48 PM	590.6	322.0	1.0	2.8
5:13:49 PM	590.2	323.0	1.0	2.8
5:13:50 PM	589.9	323.0	1.0	2.8
5:13:51 PM	589.7	323.0	1.0	2.8
5:13:52 PM	589.6	323.0	1.0	2.8
5:13:53 PM	589.7	323.0	1.0	2.8
5:13:54 PM	589.7	323.0	1.0	2.8
5:13:55 PM	589.8	323.0	1.0	2.8
5:13:56 PM	589.8	324.0	1.0	2.8
5:13:56 PM	589.8	324.0	1.0	2.8
5:13:57 PM	589.9	324.0	1.0	2.8
5:13:58 PM	589.9	324.0	1.0	2.8
5:13:59 PM	589.9	324.0	1.0	2.8
5:14:00 PM	590.0	324.0	1.0	2.8
5:14:01 PM	590.0	324.0	1.0	2.8
5:14:02 PM	590.0	324.0	1.0	2.8
5:14:03 PM	590.0	324.0	1.0	2.8
5:14:04 PM	590.0	324.0	1.0	2.8
5:14:05 PM	590.0	324.0	1.0	2.8
5:14:06 PM	590.1	324.0	1.0	2.8
5:14:07 PM	590.1	324.0	1.0	2.8
5:14:08 PM	590.5	324.0	1.0	2.8
5:14:09 PM	591.0	324.0	1.0	2.7
5:14:10 PM	591.4	324.0	1.0	2.7
5:14:11 PM	591.8	324.0	1.0	2.7
Averages ->	592.4	321.8	1.0	2.7
			Maximum ->	2.8

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1500

Date 11/4/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
8:18:53 AM	607.7	71.0	1.0	3.5
8:18:54 AM	607.7	71.0	1.0	3.5
8:18:55 AM	607.6	71.0	1.0	3.5
8:18:56 AM	607.7	71.0	1.0	3.5
8:18:57 AM	607.5	71.0	1.0	3.5
8:18:58 AM	607.6	71.0	1.0	3.4
8:18:59 AM	607.6	71.0	1.0	3.5
8:19:00 AM	607.5	71.0	1.0	3.5
8:19:01 AM	607.6	71.0	1.0	3.5
8:19:02 AM	607.6	71.0	1.0	3.6
8:19:03 AM	607.6	71.0	1.0	3.5
8:19:04 AM	607.6	71.0	1.0	3.5
8:19:05 AM	607.5	71.0	1.0	3.5
8:19:06 AM	607.5	71.0	1.0	3.5
8:19:07 AM	607.6	71.0	1.0	3.6
8:19:08 AM	607.6	71.0	1.0	3.5
8:19:09 AM	607.5	71.0	1.0	3.5
8:19:10 AM	607.5	71.0	1.0	3.5
8:19:11 AM	607.5	71.0	1.0	3.5
8:19:12 AM	607.5	71.0	1.0	3.5
8:19:13 AM	607.5	71.0	1.0	3.6
8:19:14 AM	607.5	71.0	1.0	3.6
8:19:15 AM	607.5	71.0	1.0	3.6
8:19:16 AM	607.5	71.0	1.0	3.5
8:19:17 AM	607.5	71.0	1.0	3.5
8:19:18 AM	607.5	71.0	1.0	3.6
8:19:19 AM	607.4	71.0	1.0	3.6
8:19:20 AM	607.5	71.0	1.0	3.6
8:19:21 AM	607.5	71.0	1.0	3.5
8:19:22 AM	607.5	71.0	1.0	3.5
8:19:23 AM	607.5	71.0	1.0	3.6
8:19:23 AM	607.5	71.0	1.0	3.6
8:19:24 AM	607.5	71.0	1.0	3.5
8:19:25 AM	607.5	71.0	1.0	3.6
8:19:26 AM	607.5	71.0	1.0	3.5
8:19:27 AM	607.5	71.0	1.0	3.5
8:19:28 AM	607.4	71.0	1.0	3.6
8:19:29 AM	607.5	71.0	1.0	3.6
8:19:30 AM	607.5	71.0	1.0	3.6
8:19:31 AM	607.4	71.0	1.0	3.6
8:19:32 AM	607.5	71.0	1.0	3.6
8:19:33 AM	607.5	71.0	1.0	3.6
8:19:34 AM	607.5	71.0	1.0	3.7
8:19:35 AM	607.5	71.0	1.0	3.7
8:19:36 AM	607.4	71.0	1.0	3.6
8:19:37 AM	607.5	71.0	1.0	3.7
8:19:38 AM	607.4	71.0	1.0	3.6
8:19:39 AM	607.4	71.0	1.0	3.7
8:19:40 AM	607.4	71.0	1.0	3.8
8:19:41 AM	607.5	71.0	1.0	3.7
8:19:42 AM	607.5	71.0	1.0	3.8
8:19:43 AM	607.5	71.0	1.0	3.9
8:19:44 AM	607.5	71.0	1.0	3.8
8:19:45 AM	607.5	71.0	1.0	3.8
8:19:46 AM	607.3	71.0	1.0	3.8
8:19:47 AM	607.5	71.0	1.0	3.8
8:19:48 AM	607.4	71.0	1.0	3.7
8:19:49 AM	607.4	71.0	1.0	3.8
8:19:50 AM	607.3	71.0	1.0	3.8
8:19:51 AM	607.4	71.0	1.0	3.8
Averages ->	607.5	71.0	1.0	3.6
			Maximum ->	3.9

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1500

Date 11/4/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
8:20:04 AM	607.0	71.0	1.0	3.8
8:20:04 AM	606.7	71.0	1.0	3.8
8:20:05 AM	606.4	71.0	1.0	3.9
8:20:06 AM	606.2	71.0	1.0	3.9
8:20:07 AM	605.9	71.0	1.0	3.9
8:20:08 AM	605.6	71.0	1.0	3.9
8:20:09 AM	605.3	71.0	1.0	3.8
8:20:10 AM	605.1	71.0	1.0	3.9
8:20:11 AM	604.7	71.0	1.0	3.8
8:20:12 AM	604.4	71.0	1.0	3.9
8:20:13 AM	604.2	71.0	1.0	3.8
8:20:14 AM	604.0	71.0	1.0	3.8
8:20:15 AM	604.1	71.0	1.0	3.7
8:20:16 AM	604.1	71.0	1.0	3.8
8:20:17 AM	604.1	71.0	1.0	3.9
8:20:18 AM	604.1	71.0	1.0	3.9
8:20:19 AM	604.1	71.0	1.0	4.0
8:20:20 AM	604.2	71.0	1.0	3.9
8:20:21 AM	604.3	71.0	1.0	3.8
8:20:22 AM	604.3	71.0	1.0	3.8
8:20:23 AM	604.2	71.0	1.0	3.9
8:20:24 AM	604.3	71.0	1.0	3.8
8:20:25 AM	604.3	71.0	1.0	3.9
8:20:26 AM	604.3	71.0	1.0	3.8
8:20:27 AM	604.3	71.0	1.0	3.9
8:20:28 AM	604.3	71.0	1.0	3.9
8:20:29 AM	604.3	71.0	1.0	3.9
8:20:30 AM	604.3	71.0	1.0	4.0
8:20:31 AM	604.4	71.0	1.0	3.9
8:20:32 AM	604.8	71.0	1.0	4.0
8:20:33 AM	605.0	71.0	1.0	4.1
8:20:34 AM	605.3	71.0	1.0	4.0
8:20:35 AM	605.6	71.0	1.0	4.0
8:20:36 AM	605.9	71.0	1.0	3.9
8:20:37 AM	605.9	71.0	1.0	3.9
8:20:38 AM	606.2	71.0	1.0	3.9
8:20:39 AM	606.5	71.0	1.0	4.0
8:20:40 AM	606.8	71.0	1.0	4.1
8:20:41 AM	607.0	71.0	1.0	4.0
8:20:42 AM	607.3	71.0	1.0	3.9
8:20:43 AM	607.6	71.0	1.0	4.0
8:20:44 AM	607.8	71.0	1.0	4.0
8:20:45 AM	607.8	71.0	1.0	4.1
8:20:46 AM	607.8	71.0	1.0	4.1
8:20:47 AM	607.8	71.0	1.0	4.1
8:20:48 AM	607.8	71.0	1.0	4.0
8:20:49 AM	607.7	71.0	1.0	3.9
8:20:50 AM	607.8	71.0	1.0	4.0
8:20:51 AM	607.7	71.0	1.0	4.0
8:20:52 AM	607.6	71.0	1.0	4.0
8:20:53 AM	607.7	71.0	1.0	4.0
8:20:54 AM	607.7	71.0	1.0	4.1
8:20:55 AM	607.6	71.0	1.0	4.0
8:20:56 AM	607.7	71.0	1.0	3.9
8:20:57 AM	607.7	71.0	1.0	3.9
8:20:58 AM	607.6	71.0	1.0	3.9
8:20:59 AM	607.6	71.0	1.0	3.9
8:21:00 AM	607.5	71.0	1.0	3.9
8:21:01 AM	607.5	71.0	1.0	3.9
8:21:02 AM	607.5	71.0	1.0	3.9
Averages ->	606.0	71.0	1.0	3.9
			Maximum ->	4.1

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1600

Date 11/4/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:43:43 AM	601.1	321.0	1.0	3.3
10:43:44 AM	601.0	321.0	1.0	3.3
10:43:45 AM	601.0	321.0	1.0	3.4
10:43:46 AM	601.1	321.0	1.0	3.3
10:43:47 AM	601.2	321.0	1.0	3.3
10:43:48 AM	601.0	321.0	1.0	3.3
10:43:49 AM	601.0	321.0	1.0	3.4
10:43:50 AM	601.0	321.0	1.0	3.4
10:43:50 AM	601.0	321.0	1.0	3.4
10:43:51 AM	601.0	321.0	1.0	3.5
10:43:52 AM	601.0	321.0	1.0	3.5
10:43:53 AM	601.0	321.0	1.0	3.5
10:43:54 AM	601.0	321.0	1.0	3.5
10:43:55 AM	601.0	321.0	1.0	3.5
10:43:56 AM	601.0	321.0	1.0	3.5
10:43:57 AM	600.9	321.0	1.0	3.5
10:43:58 AM	601.0	321.0	1.0	3.6
10:43:59 AM	601.0	321.0	1.0	3.6
10:44:00 AM	601.0	321.0	1.0	3.6
10:44:01 AM	601.0	321.0	1.0	3.6
10:44:02 AM	601.1	321.0	1.0	3.7
10:44:03 AM	601.1	321.0	1.0	3.7
10:44:04 AM	601.0	320.0	1.0	3.7
10:44:05 AM	601.0	320.0	1.0	3.7
10:44:06 AM	601.0	320.0	1.0	3.7
10:44:07 AM	601.0	320.0	1.0	3.7
10:44:08 AM	601.0	320.0	1.0	3.7
10:44:09 AM	601.1	320.0	1.0	3.7
10:44:10 AM	601.0	320.0	1.0	3.7
10:44:11 AM	600.9	320.0	1.0	3.6
10:44:12 AM	601.0	320.0	1.0	3.6
10:44:13 AM	601.0	320.0	1.0	3.6
10:44:14 AM	600.9	320.0	1.0	3.5
10:44:15 AM	601.0	320.0	1.0	3.5
10:44:16 AM	600.9	320.0	1.0	3.5
10:44:17 AM	601.0	320.0	1.0	3.5
10:44:18 AM	600.9	320.0	1.0	3.5
10:44:19 AM	601.0	320.0	1.0	3.5
10:44:20 AM	601.0	320.0	1.0	3.5
10:44:21 AM	600.9	320.0	1.0	3.6
10:44:22 AM	601.0	320.0	1.0	3.7
10:44:23 AM	600.8	320.0	1.0	3.7
10:44:24 AM	600.9	320.0	1.0	3.7
10:44:25 AM	600.9	320.0	1.0	3.8
10:44:26 AM	601.0	320.0	1.0	3.8
10:44:27 AM	600.9	320.0	1.0	3.8
10:44:28 AM	600.9	320.0	1.0	3.9
10:44:29 AM	600.9	320.0	1.0	3.9
10:44:30 AM	600.9	320.0	1.0	4.0
10:44:31 AM	600.9	320.0	1.0	4.0
10:44:32 AM	600.9	320.0	1.0	4.1
10:44:33 AM	600.8	321.0	1.0	4.2
10:44:34 AM	600.9	321.0	1.0	4.2
10:44:35 AM	600.9	321.0	1.0	4.2
10:44:36 AM	600.9	321.0	1.0	4.2
10:44:37 AM	600.9	321.0	1.0	4.2
10:44:38 AM	601.0	321.0	1.0	4.2
10:44:39 AM	600.9	321.0	1.0	4.2
10:44:40 AM	600.9	321.0	1.0	4.2
10:44:41 AM	600.9	321.0	1.0	4.2
Averages ->	601.0	320.5	1.0	3.7
			Maximum ->	4.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1600

Date 11/4/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:44:49 AM	600.5	322.0	1.0	4.1
10:44:50 AM	600.2	322.0	1.0	4.0
10:44:51 AM	599.8	322.0	1.0	4.0
10:44:52 AM	599.4	322.0	1.0	4.0
10:44:53 AM	599.1	322.0	1.0	4.0
10:44:54 AM	598.7	322.0	1.0	4.0
10:44:55 AM	598.5	322.0	1.0	4.0
10:44:56 AM	598.0	322.0	1.0	4.1
10:44:57 AM	597.7	322.0	1.0	4.1
10:44:58 AM	597.3	322.0	1.0	4.1
10:44:59 AM	597.0	322.0	1.0	4.0
10:45:00 AM	596.8	322.0	1.0	4.0
10:45:01 AM	596.7	322.0	1.0	3.9
10:45:02 AM	596.7	322.0	1.0	3.9
10:45:03 AM	596.8	322.0	1.0	3.8
10:45:04 AM	597.0	322.0	1.0	3.8
10:45:05 AM	596.9	322.0	1.0	3.7
10:45:06 AM	596.9	322.0	1.0	3.7
10:45:07 AM	597.0	322.0	1.0	3.7
10:45:08 AM	596.9	322.0	1.0	3.8
10:45:09 AM	597.1	322.0	1.0	3.8
10:45:10 AM	597.0	322.0	1.0	3.9
10:45:11 AM	597.0	322.0	1.0	4.0
10:45:12 AM	597.1	322.0	1.0	4.0
10:45:13 AM	597.2	322.0	1.0	4.1
10:45:14 AM	597.0	322.0	1.0	4.1
10:45:15 AM	597.1	321.0	1.0	4.2
10:45:16 AM	597.0	321.0	1.0	4.2
10:45:17 AM	597.1	322.0	1.0	4.3
10:45:18 AM	597.3	322.0	1.0	4.3
10:45:19 AM	597.8	321.0	1.0	4.3
10:45:20 AM	598.1	322.0	1.0	4.3
10:45:21 AM	598.5	321.0	1.0	4.3
10:45:22 AM	598.9	321.0	1.0	4.3
10:45:23 AM	599.3	321.0	1.0	4.3
10:45:24 AM	599.6	321.0	1.0	4.3
10:45:25 AM	599.8	321.0	1.0	4.3
10:45:25 AM	600.4	321.0	1.0	4.3
10:45:26 AM	600.7	321.0	1.0	4.3
10:45:27 AM	601.0	321.0	1.0	4.2
10:45:28 AM	601.0	321.0	1.0	4.2
10:45:29 AM	601.4	321.0	1.0	4.2
10:45:30 AM	601.4	321.0	1.0	4.2
10:45:31 AM	601.3	321.0	1.0	4.2
10:45:32 AM	601.2	321.0	1.0	4.2
10:45:33 AM	601.2	321.0	1.0	4.2
10:45:34 AM	601.2	321.0	1.0	4.2
10:45:35 AM	601.1	321.0	1.0	4.2
10:45:36 AM	601.0	321.0	1.0	4.2
10:45:37 AM	601.0	321.0	1.0	4.2
10:45:38 AM	601.1	321.0	1.0	4.2
10:45:39 AM	601.0	321.0	1.0	4.2
10:45:40 AM	601.0	321.0	1.0	4.2
10:45:41 AM	601.0	321.0	1.0	4.2
10:45:42 AM	601.0	321.0	1.0	4.1
10:45:43 AM	601.0	321.0	1.0	4.2
10:45:44 AM	600.9	321.0	1.0	4.2
10:45:45 AM	600.9	321.0	1.0	4.2
10:45:46 AM	600.9	321.0	1.0	4.2
10:45:47 AM	600.9	321.0	1.0	4.3
Averages ->	599.1	321.5	1.0	4.1
			Maximum ->	4.3

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1700

Date 11/4/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:56:04 PM	600.6	502.0	1.0	3.2
12:56:05 PM	600.6	502.0	1.0	3.2
12:56:06 PM	600.6	503.0	1.0	3.2
12:56:07 PM	600.7	503.0	1.0	3.2
12:56:08 PM	600.6	502.0	1.0	3.2
12:56:09 PM	600.6	503.0	1.0	3.1
12:56:10 PM	600.7	503.0	1.0	3.1
12:56:11 PM	600.7	503.0	1.0	3.1
12:56:12 PM	600.7	503.0	1.0	3.0
12:56:13 PM	600.6	503.0	1.0	3.0
12:56:14 PM	600.7	502.0	1.0	2.9
12:56:15 PM	600.7	502.0	1.0	2.9
12:56:16 PM	600.7	502.0	1.0	2.8
12:56:16 PM	600.7	502.0	1.0	2.8
12:56:17 PM	600.7	502.0	1.0	2.8
12:56:18 PM	600.6	502.0	1.0	2.8
12:56:19 PM	600.6	502.0	1.0	2.8
12:56:20 PM	600.7	502.0	1.0	2.8
12:56:21 PM	600.6	502.0	1.0	2.8
12:56:22 PM	600.7	502.0	1.0	2.8
12:56:23 PM	600.8	502.0	1.0	2.9
12:56:24 PM	600.7	502.0	1.0	2.9
12:56:25 PM	600.6	502.0	1.0	2.9
12:56:26 PM	600.6	502.0	1.0	2.9
12:56:27 PM	600.6	502.0	1.0	3.0
12:56:28 PM	600.6	502.0	1.0	3.0
12:56:29 PM	600.6	502.0	1.0	3.1
12:56:30 PM	600.6	502.0	1.0	3.1
12:56:31 PM	600.7	502.0	1.0	3.1
12:56:32 PM	600.6	501.0	1.0	3.0
12:56:33 PM	600.5	501.0	1.0	3.0
12:56:34 PM	600.6	501.0	1.0	3.0
12:56:35 PM	600.6	502.0	1.0	3.0
12:56:36 PM	600.7	501.0	1.0	2.9
12:56:37 PM	600.6	501.0	1.0	2.9
12:56:38 PM	600.5	501.0	1.0	2.9
12:56:39 PM	600.6	501.0	1.0	2.9
12:56:40 PM	600.6	501.0	1.0	2.9
12:56:41 PM	600.6	501.0	1.0	2.9
12:56:42 PM	600.6	501.0	1.0	2.9
12:56:43 PM	600.5	501.0	1.0	2.9
12:56:44 PM	600.6	501.0	1.0	2.9
12:56:45 PM	600.6	501.0	1.0	2.9
12:56:46 PM	600.6	501.0	1.0	2.9
12:56:47 PM	600.6	501.0	1.0	2.9
12:56:48 PM	600.6	501.0	1.0	3.0
12:56:49 PM	600.6	501.0	1.0	3.0
12:56:50 PM	600.6	501.0	1.0	3.1
12:56:51 PM	600.6	501.0	1.0	3.1
12:56:52 PM	600.6	501.0	1.0	3.2
12:56:53 PM	600.6	501.0	1.0	3.2
12:56:54 PM	600.6	501.0	1.0	3.2
12:56:55 PM	600.5	500.0	1.0	3.2
12:56:56 PM	600.6	501.0	1.0	3.2
12:56:57 PM	600.5	500.0	1.0	3.2
12:56:58 PM	600.5	500.0	1.0	3.2
12:56:59 PM	600.5	501.0	1.0	3.2
12:57:00 PM	600.6	500.0	1.0	3.2
12:57:01 PM	600.6	500.0	1.0	3.2
12:57:02 PM	600.6	500.0	1.0	3.2
Averages ->	600.6	501.5	1.0	3.0
			Maximum ->	3.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1700

Date 11/4/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:59:46 PM	599.3	500.0	1.0	3.1
12:59:47 PM	599.0	500.0	1.0	3.2
12:59:48 PM	598.7	500.0	1.0	3.2
12:59:49 PM	598.3	500.0	1.0	3.2
12:59:50 PM	597.9	500.0	1.0	3.2
12:59:51 PM	597.7	500.0	1.0	3.2
12:59:52 PM	597.4	500.0	1.0	3.2
12:59:53 PM	596.9	500.0	1.0	3.2
12:59:54 PM	596.5	500.0	1.0	3.2
12:59:55 PM	596.1	500.0	1.0	3.2
12:59:56 PM	595.9	500.0	1.0	3.2
12:59:57 PM	595.9	500.0	1.0	3.2
12:59:58 PM	596.0	500.0	1.0	3.3
12:59:59 PM	596.1	501.0	1.0	3.3
1:00:00 PM	596.0	501.0	1.0	3.3
1:00:01 PM	596.1	501.0	1.0	3.3
1:00:02 PM	596.1	501.0	1.0	3.3
1:00:03 PM	596.1	501.0	1.0	3.3
1:00:04 PM	596.3	501.0	1.0	3.3
1:00:05 PM	596.2	501.0	1.0	3.3
1:00:06 PM	596.2	501.0	1.0	3.3
1:00:06 PM	596.2	501.0	1.0	3.2
1:00:07 PM	596.2	501.0	1.0	3.2
1:00:08 PM	596.2	502.0	1.0	3.2
1:00:09 PM	596.2	502.0	1.0	3.2
1:00:10 PM	596.2	501.0	1.0	3.2
1:00:11 PM	596.3	501.0	1.0	3.1
1:00:12 PM	596.3	502.0	1.0	3.1
1:00:13 PM	595.7	502.0	1.0	3.2
1:00:14 PM	596.6	502.0	1.0	3.2
1:00:15 PM	597.0	502.0	1.0	3.1
1:00:16 PM	597.3	502.0	1.0	3.1
1:00:17 PM	597.8	502.0	1.0	3.1
1:00:18 PM	598.0	502.0	1.0	3.1
1:00:19 PM	598.3	502.0	1.0	3.1
1:00:20 PM	598.7	502.0	1.0	3.0
1:00:21 PM	599.2	502.0	1.0	3.0
1:00:22 PM	599.6	502.0	1.0	2.9
1:00:23 PM	599.9	502.0	1.0	2.8
1:00:24 PM	600.1	502.0	1.0	2.8
1:00:25 PM	600.5	502.0	1.0	2.8
1:00:26 PM	600.6	502.0	1.0	2.8
1:00:27 PM	600.5	502.0	1.0	2.8
1:00:28 PM	600.4	501.0	1.0	2.8
1:00:29 PM	600.5	502.0	1.0	2.9
1:00:30 PM	600.4	502.0	1.0	2.9
1:00:31 PM	600.4	502.0	1.0	3.0
1:00:32 PM	600.4	502.0	1.0	3.0
1:00:33 PM	600.2	502.0	1.0	3.0
1:00:34 PM	600.4	502.0	1.0	3.0
1:00:35 PM	600.3	501.0	1.0	3.0
1:00:36 PM	600.2	502.0	1.0	3.0
1:00:37 PM	600.2	502.0	1.0	3.0
1:00:38 PM	600.2	501.0	1.0	2.9
1:00:39 PM	600.2	501.0	1.0	2.9
1:00:40 PM	600.1	501.0	1.0	2.9
1:00:41 PM	600.1	501.0	1.0	2.9
1:00:42 PM	600.1	501.0	1.0	2.9
1:00:43 PM	600.1	501.0	1.0	3.0
1:00:44 PM	600.1	501.0	1.0	3.0
Averages ->	598.2	501.2	1.0	3.1
			Maximum ->	3.3

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1800

Date 11/4/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
3:11:19 PM	596.2	500.0	1.0	3.2
3:11:20 PM	596.2	500.0	1.0	3.2
3:11:21 PM	596.1	501.0	1.0	3.2
3:11:22 PM	596.2	501.0	1.0	3.2
3:11:23 PM	596.1	501.0	1.0	3.2
3:11:24 PM	596.2	501.0	1.0	3.2
3:11:25 PM	596.2	501.0	1.0	3.2
3:11:26 PM	596.2	501.0	1.0	3.2
3:11:27 PM	596.2	501.0	1.0	3.2
3:11:28 PM	596.2	501.0	1.0	3.2
3:11:29 PM	596.3	502.0	1.0	3.3
3:11:30 PM	596.2	502.0	1.0	3.3
3:11:31 PM	596.2	502.0	1.0	3.3
3:11:32 PM	596.2	502.0	1.0	3.3
3:11:33 PM	596.3	502.0	1.0	3.3
3:11:34 PM	596.2	502.0	1.0	3.3
3:11:35 PM	596.1	502.0	1.0	3.3
3:11:36 PM	596.2	502.0	1.0	3.3
3:11:37 PM	596.2	502.0	1.0	3.3
3:11:38 PM	596.3	502.0	1.0	3.3
3:11:39 PM	596.3	502.0	1.0	3.3
3:11:40 PM	596.2	502.0	1.0	3.3
3:11:41 PM	596.2	502.0	1.0	3.3
3:11:42 PM	596.2	502.0	1.0	3.3
3:11:43 PM	596.2	502.0	1.0	3.3
3:11:44 PM	596.3	502.0	1.0	3.3
3:11:45 PM	596.3	502.0	1.0	3.4
3:11:46 PM	596.3	502.0	1.0	3.4
3:11:47 PM	596.3	502.0	1.0	3.4
3:11:48 PM	596.2	502.0	1.0	3.4
3:11:49 PM	596.3	502.0	1.0	3.4
3:11:50 PM	596.2	502.0	1.0	3.4
3:11:51 PM	596.1	502.0	1.0	3.4
3:11:52 PM	596.2	502.0	1.0	3.4
3:11:53 PM	596.2	501.0	1.0	3.4
3:11:54 PM	596.2	502.0	1.0	3.3
3:11:55 PM	596.2	501.0	1.0	3.3
3:11:56 PM	596.2	502.0	1.0	3.3
3:11:57 PM	596.2	501.0	1.0	3.3
3:11:58 PM	596.3	501.0	1.0	3.2
3:11:59 PM	596.2	502.0	1.0	3.2
3:12:00 PM	596.2	501.0	1.0	3.2
3:12:01 PM	596.2	501.0	1.0	3.2
3:12:02 PM	596.2	502.0	1.0	3.2
3:12:02 PM	596.2	501.0	1.0	3.1
3:12:03 PM	596.2	501.0	1.0	3.1
3:12:04 PM	596.2	501.0	1.0	3.1
3:12:05 PM	596.2	501.0	1.0	3.1
3:12:06 PM	596.1	501.0	1.0	3.1
3:12:07 PM	596.2	501.0	1.0	3.1
3:12:08 PM	596.2	501.0	1.0	3.1
3:12:09 PM	596.2	501.0	1.0	3.0
3:12:10 PM	596.2	501.0	1.0	3.0
3:12:11 PM	596.2	501.0	1.0	3.0
3:12:12 PM	596.2	501.0	1.0	3.0
3:12:13 PM	596.2	501.0	1.0	3.0
3:12:14 PM	596.2	501.0	1.0	3.0
3:12:15 PM	596.2	501.0	1.0	3.0
3:12:16 PM	596.3	501.0	1.0	3.0
3:12:17 PM	596.2	501.0	1.0	3.0
Averages ->	596.2	501.4	1.0	3.2
			Maximum ->	3.4

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1800

Date 11/4/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
3:13:23 PM	596.7	501.0	1.0	3.2
3:13:24 PM	597.1	501.0	1.0	3.2
3:13:25 PM	597.4	501.0	1.0	3.2
3:13:26 PM	597.8	501.0	1.0	3.2
3:13:27 PM	598.1	501.0	1.0	3.1
3:13:28 PM	598.5	501.0	1.0	3.1
3:13:29 PM	598.9	501.0	1.0	3.1
3:13:30 PM	599.2	501.0	1.0	3.1
3:13:31 PM	599.5	501.0	1.0	3.0
3:13:32 PM	599.8	501.0	1.0	3.0
3:13:33 PM	600.2	501.0	1.0	3.0
3:13:34 PM	600.1	501.0	1.0	3.0
3:13:35 PM	600.1	501.0	1.0	2.9
3:13:36 PM	600.0	501.0	1.0	2.9
3:13:37 PM	600.0	501.0	1.0	2.8
3:13:37 PM	600.0	501.0	1.0	2.8
3:13:38 PM	599.8	501.0	1.0	2.8
3:13:39 PM	599.7	501.0	1.0	2.8
3:13:40 PM	599.8	501.0	1.0	2.8
3:13:41 PM	599.5	501.0	1.0	2.8
3:13:42 PM	599.7	501.0	1.0	2.8
3:13:43 PM	599.5	501.0	1.0	2.8
3:13:44 PM	599.6	500.0	1.0	2.8
3:13:45 PM	599.7	500.0	1.0	2.8
3:13:46 PM	599.6	500.0	1.0	2.8
3:13:47 PM	599.6	501.0	1.0	2.9
3:13:48 PM	599.5	500.0	1.0	2.9
3:13:49 PM	599.6	500.0	1.0	2.9
3:13:50 PM	599.4	500.0	1.0	2.9
3:13:51 PM	599.6	500.0	1.0	2.9
3:13:52 PM	599.5	500.0	1.0	2.9
3:13:53 PM	599.5	500.0	1.0	2.9
3:13:54 PM	599.5	500.0	1.0	2.9
3:13:55 PM	599.3	500.0	1.0	2.9
3:13:56 PM	599.1	500.0	1.0	2.9
3:13:57 PM	598.6	500.0	1.0	3.0
3:13:58 PM	598.3	500.0	1.0	3.0
3:13:59 PM	597.9	499.0	1.0	3.0
3:14:00 PM	597.5	500.0	1.0	3.0
3:14:01 PM	597.3	500.0	1.0	3.0
3:14:02 PM	596.9	499.0	1.0	3.1
3:14:03 PM	596.5	499.0	1.0	3.1
3:14:04 PM	596.2	499.0	1.0	3.1
3:14:05 PM	595.9	500.0	1.0	3.1
3:14:06 PM	595.5	500.0	1.0	3.1
3:14:07 PM	595.3	499.0	1.0	3.1
3:14:08 PM	595.2	499.0	1.0	3.1
3:14:09 PM	595.4	500.0	1.0	3.1
3:14:10 PM	595.3	499.0	1.0	3.1
3:14:11 PM	595.3	499.0	1.0	3.1
3:14:12 PM	595.4	500.0	1.0	3.1
3:14:13 PM	595.4	499.0	1.0	3.1
3:14:14 PM	595.5	499.0	1.0	3.2
3:14:15 PM	595.4	499.0	1.0	3.3
3:14:16 PM	595.6	499.0	1.0	3.3
3:14:17 PM	595.6	499.0	1.0	3.3
3:14:18 PM	595.5	499.0	1.0	3.4
3:14:19 PM	595.6	499.0	1.0	3.4
3:14:20 PM	595.5	499.0	1.0	3.4
3:14:21 PM	595.6	499.0	1.0	3.5
Averages ->	598.0	500.1	1.0	3.0
			Maximum ->	3.5

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1900

Date 11/4/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
5:25:08 PM	600.6	318.0	1.0	1.9
5:25:09 PM	600.6	319.0	1.0	2.0
5:25:10 PM	600.5	318.0	1.0	2.0
5:25:11 PM	600.5	319.0	1.0	2.0
5:25:12 PM	600.5	319.0	1.0	2.0
5:25:13 PM	600.6	319.0	1.0	2.0
5:25:14 PM	600.6	319.0	1.0	2.1
5:25:15 PM	600.5	319.0	1.0	2.1
5:25:16 PM	600.5	319.0	1.0	2.1
5:25:17 PM	600.5	319.0	1.0	2.1
5:25:18 PM	600.5	319.0	1.0	2.1
5:25:19 PM	600.6	320.0	1.0	2.1
5:25:20 PM	600.5	320.0	1.0	2.1
5:25:21 PM	600.6	320.0	1.0	2.1
5:25:22 PM	600.6	320.0	1.0	2.1
5:25:23 PM	600.4	320.0	1.0	2.1
5:25:24 PM	600.4	321.0	1.0	2.1
5:25:25 PM	600.5	321.0	1.0	2.1
5:25:26 PM	600.4	321.0	1.0	2.0
5:25:27 PM	600.5	321.0	1.0	2.0
5:25:28 PM	600.4	321.0	1.0	2.0
5:25:29 PM	600.5	322.0	1.0	2.0
5:25:29 PM	600.5	322.0	1.0	2.0
5:25:30 PM	600.6	322.0	1.0	2.0
5:25:31 PM	600.4	322.0	1.0	2.0
5:25:32 PM	600.5	322.0	1.0	2.0
5:25:33 PM	600.4	322.0	1.0	2.0
5:25:34 PM	600.6	322.0	1.0	2.0
5:25:35 PM	600.5	322.0	1.0	2.0
5:25:36 PM	600.4	322.0	1.0	2.0
5:25:37 PM	600.5	323.0	1.0	2.0
5:25:38 PM	600.5	322.0	1.0	2.0
5:25:39 PM	600.4	322.0	1.0	2.0
5:25:40 PM	600.5	322.0	1.0	2.1
5:25:41 PM	600.6	323.0	1.0	2.1
5:25:42 PM	600.5	322.0	1.0	2.1
5:25:43 PM	600.6	323.0	1.0	2.1
5:25:44 PM	600.5	323.0	1.0	2.1
5:25:45 PM	600.5	323.0	1.0	2.1
5:25:46 PM	600.5	323.0	1.0	2.1
5:25:47 PM	600.5	323.0	1.0	2.1
5:25:48 PM	600.5	323.0	1.0	2.1
5:25:49 PM	600.3	322.0	1.0	2.1
5:25:50 PM	600.4	323.0	1.0	2.1
5:25:51 PM	600.5	323.0	1.0	2.1
5:25:52 PM	600.5	323.0	1.0	2.1
5:25:53 PM	600.5	323.0	1.0	2.1
5:25:54 PM	600.5	322.0	1.0	2.1
5:25:55 PM	600.5	322.0	1.0	2.1
5:25:56 PM	600.4	322.0	1.0	2.1
5:25:57 PM	600.4	322.0	1.0	2.1
5:25:58 PM	600.4	322.0	1.0	2.1
5:25:59 PM	600.4	322.0	1.0	2.1
5:26:00 PM	600.4	322.0	1.0	2.0
5:26:01 PM	600.6	322.0	1.0	2.0
5:26:02 PM	600.5	322.0	1.0	2.0
5:26:03 PM	600.4	322.0	1.0	2.0
5:26:04 PM	600.5	322.0	1.0	2.1
5:26:05 PM	600.4	322.0	1.0	2.1
5:26:06 PM	600.5	322.0	1.0	2.1
Averages ->	600.5	321.4	1.0	2.1
			Maximum ->	2.1

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 1900

Date 11/4/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
5:26:55 PM	600.8	320.0	1.0	2.1
5:26:56 PM	601.2	320.0	1.0	2.1
5:26:57 PM	601.7	320.0	1.0	2.1
5:26:58 PM	601.9	320.0	1.0	2.1
5:26:59 PM	602.3	320.0	1.0	2.1
5:27:00 PM	602.6	320.0	1.0	2.1
5:27:01 PM	603.0	320.0	1.0	2.1
5:27:02 PM	603.3	320.0	1.0	2.1
5:27:03 PM	603.6	320.0	1.0	2.1
5:27:04 PM	604.0	321.0	1.0	2.0
5:27:05 PM	604.4	321.0	1.0	2.0
5:27:06 PM	604.6	321.0	1.0	2.0
5:27:07 PM	604.5	321.0	1.0	2.0
5:27:08 PM	604.5	321.0	1.0	2.0
5:27:09 PM	604.3	321.0	1.0	2.0
5:27:10 PM	604.3	321.0	1.0	2.0
5:27:11 PM	604.3	321.0	1.0	2.0
5:27:12 PM	604.2	321.0	1.0	2.1
5:27:13 PM	604.3	321.0	1.0	2.1
5:27:14 PM	604.3	321.0	1.0	2.1
5:27:15 PM	604.1	321.0	1.0	2.1
5:27:16 PM	604.1	321.0	1.0	2.1
5:27:17 PM	604.1	322.0	1.0	2.1
5:27:18 PM	604.1	322.0	1.0	2.1
5:27:19 PM	604.1	322.0	1.0	2.1
5:27:20 PM	604.0	321.0	1.0	2.1
5:27:21 PM	604.0	321.0	1.0	2.1
5:27:22 PM	603.9	321.0	1.0	2.1
5:27:23 PM	603.9	321.0	1.0	2.1
5:27:24 PM	603.9	321.0	1.0	2.1
5:27:25 PM	603.9	321.0	1.0	2.1
5:27:26 PM	604.0	321.0	1.0	2.1
5:27:27 PM	604.0	321.0	1.0	2.1
5:27:28 PM	603.9	321.0	1.0	2.1
5:27:29 PM	603.7	321.0	1.0	2.1
5:27:29 PM	603.4	321.0	1.0	2.1
5:27:30 PM	603.0	321.0	1.0	2.1
5:27:31 PM	602.6	321.0	1.0	2.1
5:27:32 PM	602.2	321.0	1.0	2.1
5:27:33 PM	601.9	321.0	1.0	2.1
5:27:34 PM	601.5	321.0	1.0	2.2
5:27:35 PM	601.2	321.0	1.0	2.2
5:27:36 PM	600.9	321.0	1.0	2.2
5:27:37 PM	600.5	321.0	1.0	2.2
5:27:38 PM	600.1	321.0	1.0	2.2
5:27:39 PM	599.9	320.0	1.0	2.2
5:27:40 PM	599.6	320.0	1.0	2.2
5:27:41 PM	599.7	320.0	1.0	2.3
5:27:42 PM	599.7	321.0	1.0	2.3
5:27:43 PM	599.8	320.0	1.0	2.2
5:27:44 PM	599.8	320.0	1.0	2.2
5:27:45 PM	599.9	320.0	1.0	2.3
5:27:46 PM	599.9	320.0	1.0	2.3
5:27:47 PM	599.9	320.0	1.0	2.3
5:27:48 PM	599.9	320.0	1.0	2.4
5:27:49 PM	600.0	320.0	1.0	2.4
5:27:50 PM	600.0	320.0	1.0	2.4
5:27:51 PM	600.0	320.0	1.0	2.4
5:27:52 PM	600.0	320.0	1.0	2.4
5:27:53 PM	599.9	320.0	1.0	2.5
Averages ->	602.4	320.7	1.0	2.1
			Maximum ->	2.5

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2000

Date 11/5/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
8:14:08 AM	601.6	75.0	1.0	6.6
8:14:09 AM	601.4	76.0	1.0	6.6
8:14:10 AM	601.5	76.0	1.0	6.6
8:14:11 AM	601.6	76.0	1.0	6.7
8:14:12 AM	601.6	75.0	1.0	6.7
8:14:13 AM	601.6	75.0	1.0	6.7
8:14:14 AM	601.6	75.0	1.0	6.6
8:14:15 AM	601.6	75.0	1.0	6.6
8:14:16 AM	601.5	76.0	1.0	6.6
8:14:17 AM	601.5	76.0	1.0	6.5
8:14:18 AM	601.6	75.0	1.0	6.5
8:14:18 AM	601.6	76.0	1.0	6.4
8:14:19 AM	601.6	76.0	1.0	6.4
8:14:20 AM	601.6	76.0	1.0	6.4
8:14:21 AM	601.6	76.0	1.0	6.4
8:14:22 AM	601.6	76.0	1.0	6.4
8:14:23 AM	601.5	75.0	1.0	6.4
8:14:24 AM	601.6	75.0	1.0	6.4
8:14:25 AM	601.4	76.0	1.0	6.4
8:14:26 AM	601.5	76.0	1.0	6.4
8:14:27 AM	601.6	75.0	1.0	6.4
8:14:28 AM	601.5	76.0	1.0	6.4
8:14:29 AM	601.4	76.0	1.0	6.5
8:14:30 AM	601.6	76.0	1.0	6.4
8:14:31 AM	601.5	75.0	1.0	6.4
8:14:32 AM	601.6	76.0	1.0	6.4
8:14:33 AM	601.5	76.0	1.0	6.4
8:14:34 AM	601.5	76.0	1.0	6.4
8:14:35 AM	601.6	76.0	1.0	6.4
8:14:36 AM	601.5	76.0	1.0	6.5
8:14:37 AM	601.6	76.0	1.0	6.4
8:14:38 AM	601.6	76.0	1.0	6.4
8:14:39 AM	601.5	75.0	1.0	6.4
8:14:40 AM	601.6	76.0	1.0	6.4
8:14:41 AM	601.5	76.0	1.0	6.4
8:14:42 AM	601.5	76.0	1.0	6.4
8:14:43 AM	601.5	76.0	1.0	6.3
8:14:44 AM	601.5	76.0	1.0	6.3
8:14:45 AM	601.5	76.0	1.0	6.3
8:14:46 AM	601.5	76.0	1.0	6.3
8:14:47 AM	601.5	76.0	1.0	6.3
8:14:48 AM	601.5	76.0	1.0	6.3
8:14:49 AM	601.6	75.0	1.0	6.2
8:14:50 AM	601.5	76.0	1.0	6.2
8:14:51 AM	601.5	75.0	1.0	6.2
8:14:52 AM	601.6	76.0	1.0	6.2
8:14:53 AM	601.6	76.0	1.0	6.2
8:14:54 AM	601.4	76.0	1.0	6.2
8:14:55 AM	601.6	75.0	1.0	6.2
8:14:56 AM	601.5	76.0	1.0	6.2
8:14:57 AM	601.6	75.0	1.0	6.1
8:14:58 AM	601.5	76.0	1.0	6.1
8:14:59 AM	601.6	75.0	1.0	6.1
8:15:00 AM	601.6	75.0	1.0	6.1
8:15:01 AM	601.6	76.0	1.0	6.1
8:15:02 AM	601.5	76.0	1.0	6.1
8:15:03 AM	601.6	76.0	1.0	6.1
8:15:04 AM	601.5	76.0	1.0	6.1
8:15:05 AM	601.6	76.0	1.0	6.1
8:15:06 AM	601.6	76.0	1.0	6.2
Averages ->	601.5	75.7	1.0	6.4
			Maximum ->	6.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2000

Date 11/5/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
8:17:23 AM	599.5	75.0	1.0	6.0
8:17:24 AM	599.5	75.0	1.0	6.0
8:17:25 AM	599.5	75.0	1.0	6.0
8:17:26 AM	599.5	76.0	1.0	6.0
8:17:27 AM	599.5	76.0	1.0	5.9
8:17:28 AM	599.5	75.0	1.0	6.0
8:17:29 AM	599.6	75.0	1.0	6.0
8:17:30 AM	598.9	76.0	1.0	6.0
8:17:31 AM	599.6	75.0	1.0	6.0
8:17:32 AM	599.6	75.0	1.0	6.0
8:17:33 AM	599.6	75.0	1.0	6.0
8:17:34 AM	599.6	76.0	1.0	6.0
8:17:35 AM	599.6	75.0	1.0	6.0
8:17:36 AM	599.6	75.0	1.0	6.0
8:17:37 AM	599.7	76.0	1.0	6.0
8:17:38 AM	599.7	76.0	1.0	6.0
8:17:39 AM	599.6	76.0	1.0	6.0
8:17:40 AM	599.7	76.0	1.0	6.0
8:17:41 AM	599.6	75.0	1.0	6.1
8:17:42 AM	599.7	75.0	1.0	6.1
8:17:43 AM	599.6	75.0	1.0	6.1
8:17:44 AM	599.7	75.0	1.0	6.1
8:17:45 AM	598.5	76.0	1.0	6.2
8:17:46 AM	600.0	76.0	1.0	6.2
8:17:47 AM	600.4	76.0	1.0	6.3
8:17:48 AM	600.6	76.0	1.0	6.3
8:17:49 AM	600.9	76.0	1.0	6.2
8:17:50 AM	601.1	75.0	1.0	6.2
8:17:51 AM	601.4	76.0	1.0	6.2
8:17:52 AM	601.7	75.0	1.0	6.2
8:17:53 AM	602.1	76.0	1.0	6.1
8:17:54 AM	602.2	76.0	1.0	6.1
8:17:55 AM	602.5	76.0	1.0	6.1
8:17:56 AM	602.7	76.0	1.0	6.2
8:17:57 AM	603.0	76.0	1.0	6.2
8:17:58 AM	603.1	76.0	1.0	6.3
8:17:59 AM	603.0	76.0	1.0	6.3
8:17:59 AM	603.0	76.0	1.0	6.3
8:18:00 AM	603.0	76.0	1.0	6.3
8:18:01 AM	602.9	76.0	1.0	6.3
8:18:02 AM	602.9	76.0	1.0	6.3
8:18:03 AM	603.0	76.0	1.0	6.3
8:18:04 AM	602.9	76.0	1.0	6.3
8:18:05 AM	602.8	76.0	1.0	6.4
8:18:06 AM	602.8	76.0	1.0	6.4
8:18:07 AM	603.0	76.0	1.0	6.4
8:18:08 AM	602.9	76.0	1.0	6.5
8:18:09 AM	602.8	75.0	1.0	6.5
8:18:10 AM	602.8	76.0	1.0	6.5
8:18:11 AM	602.8	76.0	1.0	6.5
8:18:12 AM	602.8	76.0	1.0	6.5
8:18:13 AM	602.8	76.0	1.0	6.5
8:18:14 AM	602.7	76.0	1.0	6.5
8:18:15 AM	602.8	76.0	1.0	6.5
8:18:16 AM	602.8	76.0	1.0	6.5
8:18:17 AM	602.7	76.0	1.0	6.4
8:18:18 AM	602.8	76.0	1.0	6.4
8:18:19 AM	602.7	76.0	1.0	6.4
8:18:20 AM	602.7	76.0	1.0	6.4
8:18:21 AM	602.4	76.0	1.0	6.4
Averages ->	601.3	75.7	1.0	6.2
			Maximum ->	6.5

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2100

Date 11/5/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:36:38 AM	606.3	320.0	1.0	2.9
10:36:39 AM	606.3	320.0	1.0	2.9
10:36:40 AM	606.3	320.0	1.0	2.9
10:36:41 AM	606.4	321.0	1.0	2.9
10:36:42 AM	606.3	321.0	1.0	2.9
10:36:43 AM	606.3	321.0	1.0	2.9
10:36:44 AM	606.3	321.0	1.0	2.9
10:36:45 AM	606.4	321.0	1.0	2.9
10:36:45 AM	606.3	322.0	1.0	2.9
10:36:46 AM	606.3	322.0	1.0	2.9
10:36:47 AM	606.3	322.0	1.0	2.9
10:36:48 AM	606.3	322.0	1.0	2.9
10:36:49 AM	606.3	322.0	1.0	3.0
10:36:50 AM	606.2	323.0	1.0	3.0
10:36:51 AM	606.2	323.0	1.0	3.0
10:36:52 AM	606.3	323.0	1.0	3.0
10:36:53 AM	606.3	323.0	1.0	3.0
10:36:54 AM	606.2	323.0	1.0	3.0
10:36:55 AM	606.2	323.0	1.0	3.0
10:36:56 AM	606.3	323.0	1.0	3.0
10:36:57 AM	606.2	324.0	1.0	3.0
10:36:58 AM	606.3	324.0	1.0	3.0
10:36:59 AM	606.2	324.0	1.0	3.0
10:37:00 AM	606.3	324.0	1.0	3.0
10:37:01 AM	606.0	324.0	1.0	3.0
10:37:02 AM	606.1	324.0	1.0	3.0
10:37:03 AM	606.2	324.0	1.0	3.0
10:37:04 AM	606.3	324.0	1.0	3.0
10:37:05 AM	606.2	324.0	1.0	3.1
10:37:06 AM	606.3	324.0	1.0	3.1
10:37:07 AM	606.3	324.0	1.0	3.1
10:37:08 AM	606.3	324.0	1.0	3.1
10:37:09 AM	606.3	324.0	1.0	3.1
10:37:10 AM	606.2	324.0	1.0	3.1
10:37:11 AM	606.2	324.0	1.0	3.1
10:37:12 AM	606.2	324.0	1.0	3.1
10:37:13 AM	606.2	324.0	1.0	3.1
10:37:14 AM	606.3	324.0	1.0	3.1
10:37:15 AM	606.0	324.0	1.0	3.1
10:37:16 AM	606.1	324.0	1.0	3.1
10:37:17 AM	606.1	324.0	1.0	3.1
10:37:18 AM	606.2	324.0	1.0	3.1
10:37:19 AM	606.2	324.0	1.0	3.1
10:37:20 AM	606.2	324.0	1.0	3.1
10:37:21 AM	606.2	324.0	1.0	3.1
10:37:22 AM	606.2	324.0	1.0	3.1
10:37:23 AM	606.2	323.0	1.0	3.1
10:37:24 AM	606.2	323.0	1.0	3.1
10:37:25 AM	606.2	323.0	1.0	3.1
10:37:26 AM	606.1	323.0	1.0	3.1
10:37:27 AM	606.2	323.0	1.0	3.1
10:37:28 AM	606.1	323.0	1.0	3.1
10:37:29 AM	606.1	323.0	1.0	3.1
10:37:30 AM	606.1	323.0	1.0	3.1
10:37:31 AM	606.2	323.0	1.0	3.1
10:37:32 AM	606.1	323.0	1.0	3.1
10:37:33 AM	606.1	323.0	1.0	3.2
10:37:34 AM	606.1	323.0	1.0	3.2
10:37:35 AM	606.2	323.0	1.0	3.2
10:37:36 AM	606.2	323.0	1.0	3.2
Averages ->	606.2	323.0	1.0	3.0
			Maximum ->	3.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2100

Date 11/5/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:38:08 AM	604.3	321.0	1.0	3.4
10:38:09 AM	603.9	321.0	1.0	3.4
10:38:10 AM	603.6	321.0	1.0	3.4
10:38:11 AM	603.1	321.0	1.0	3.4
10:38:12 AM	603.0	321.0	1.0	3.4
10:38:13 AM	602.5	321.0	1.0	3.4
10:38:14 AM	602.2	321.0	1.0	3.4
10:38:15 AM	601.8	321.0	1.0	3.4
10:38:16 AM	601.7	321.0	1.0	3.4
10:38:17 AM	601.6	321.0	1.0	3.4
10:38:17 AM	601.8	321.0	1.0	3.5
10:38:18 AM	601.7	321.0	1.0	3.5
10:38:19 AM	601.8	321.0	1.0	3.5
10:38:20 AM	601.7	321.0	1.0	3.5
10:38:21 AM	601.8	321.0	1.0	3.5
10:38:22 AM	601.8	321.0	1.0	3.5
10:38:23 AM	601.8	320.0	1.0	3.5
10:38:24 AM	601.8	320.0	1.0	3.5
10:38:25 AM	602.0	320.0	1.0	3.6
10:38:26 AM	601.8	321.0	1.0	3.6
10:38:27 AM	601.9	320.0	1.0	3.6
10:38:28 AM	601.9	320.0	1.0	3.7
10:38:29 AM	601.8	321.0	1.0	3.7
10:38:30 AM	601.9	321.0	1.0	3.7
10:38:31 AM	601.7	320.0	1.0	3.7
10:38:32 AM	602.0	321.0	1.0	3.7
10:38:33 AM	602.5	321.0	1.0	3.7
10:38:34 AM	602.8	320.0	1.0	3.7
10:38:35 AM	603.2	321.0	1.0	3.7
10:38:36 AM	603.6	320.0	1.0	3.7
10:38:37 AM	603.9	320.0	1.0	3.7
10:38:38 AM	604.3	320.0	1.0	3.7
10:38:39 AM	604.3	320.0	1.0	3.7
10:38:40 AM	604.7	320.0	1.0	3.7
10:38:41 AM	605.1	320.0	1.0	3.7
10:38:42 AM	605.4	320.0	1.0	3.7
10:38:43 AM	605.7	320.0	1.0	3.7
10:38:44 AM	606.1	320.0	1.0	3.6
10:38:45 AM	606.2	320.0	1.0	3.6
10:38:46 AM	606.2	320.0	1.0	3.6
10:38:47 AM	606.2	320.0	1.0	3.6
10:38:48 AM	606.2	320.0	1.0	3.6
10:38:49 AM	606.2	320.0	1.0	3.6
10:38:50 AM	606.0	320.0	1.0	3.7
10:38:51 AM	606.0	320.0	1.0	3.7
10:38:52 AM	606.0	320.0	1.0	3.7
10:38:53 AM	606.0	320.0	1.0	3.7
10:38:54 AM	605.9	320.0	1.0	3.6
10:38:55 AM	605.9	320.0	1.0	3.6
10:38:56 AM	605.9	320.0	1.0	3.6
10:38:57 AM	605.8	320.0	1.0	3.6
10:38:58 AM	605.9	320.0	1.0	3.6
10:38:59 AM	605.7	320.0	1.0	3.6
10:39:00 AM	605.7	320.0	1.0	3.6
10:39:01 AM	605.7	320.0	1.0	3.6
10:39:02 AM	605.6	320.0	1.0	3.6
10:39:03 AM	605.8	320.0	1.0	3.6
10:39:04 AM	605.7	320.0	1.0	3.6
10:39:05 AM	605.9	320.0	1.0	3.6
10:39:06 AM	605.8	320.0	1.0	3.6
Averages ->	604.0	320.4	1.0	3.6
			Maximum ->	3.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2200

Date 11/5/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:49:42 PM	604.6	492.0	1.0	1.6
12:49:43 PM	604.6	492.0	1.0	1.6
12:49:44 PM	604.7	492.0	1.0	1.6
12:49:44 PM	604.6	492.0	1.0	1.7
12:49:45 PM	604.6	492.0	1.0	1.7
12:49:46 PM	604.6	492.0	1.0	1.7
12:49:47 PM	604.6	492.0	1.0	1.7
12:49:48 PM	604.6	492.0	1.0	1.7
12:49:49 PM	604.7	492.0	1.0	1.7
12:49:50 PM	604.6	492.0	1.0	1.7
12:49:51 PM	604.6	493.0	1.0	1.7
12:49:52 PM	604.7	493.0	1.0	1.7
12:49:53 PM	604.6	493.0	1.0	1.7
12:49:54 PM	604.6	493.0	1.0	1.7
12:49:55 PM	604.6	493.0	1.0	1.7
12:49:56 PM	604.6	493.0	1.0	1.7
12:49:57 PM	604.5	493.0	1.0	1.7
12:49:58 PM	604.6	494.0	1.0	1.7
12:49:59 PM	604.6	493.0	1.0	1.7
12:50:00 PM	604.6	494.0	1.0	1.7
12:50:01 PM	604.6	494.0	1.0	1.7
12:50:02 PM	604.6	494.0	1.0	1.7
12:50:03 PM	604.6	494.0	1.0	1.7
12:50:04 PM	604.6	495.0	1.0	1.7
12:50:05 PM	604.6	495.0	1.0	1.7
12:50:06 PM	604.6	495.0	1.0	1.7
12:50:07 PM	604.6	495.0	1.0	1.7
12:50:08 PM	604.6	495.0	1.0	1.7
12:50:09 PM	604.6	496.0	1.0	1.7
12:50:10 PM	604.5	496.0	1.0	1.7
12:50:11 PM	604.5	496.0	1.0	1.7
12:50:12 PM	604.6	497.0	1.0	1.7
12:50:13 PM	604.6	497.0	1.0	1.7
12:50:14 PM	604.7	497.0	1.0	1.6
12:50:15 PM	604.6	497.0	1.0	1.7
12:50:16 PM	604.6	497.0	1.0	1.6
12:50:17 PM	604.6	498.0	1.0	1.6
12:50:18 PM	604.6	498.0	1.0	1.6
12:50:19 PM	604.6	498.0	1.0	1.6
12:50:20 PM	604.6	498.0	1.0	1.7
12:50:21 PM	604.6	498.0	1.0	1.7
12:50:22 PM	604.6	499.0	1.0	1.7
12:50:23 PM	604.6	499.0	1.0	1.7
12:50:24 PM	604.6	499.0	1.0	1.7
12:50:25 PM	604.6	499.0	1.0	1.7
12:50:26 PM	604.7	500.0	1.0	1.7
12:50:27 PM	604.5	500.0	1.0	1.7
12:50:28 PM	604.6	500.0	1.0	1.7
12:50:29 PM	604.6	500.0	1.0	1.7
12:50:30 PM	604.6	500.0	1.0	1.7
12:50:31 PM	604.7	500.0	1.0	1.7
12:50:32 PM	604.7	501.0	1.0	1.7
12:50:33 PM	604.7	501.0	1.0	1.7
12:50:34 PM	604.6	501.0	1.0	1.7
12:50:35 PM	604.7	502.0	1.0	1.7
12:50:36 PM	604.7	502.0	1.0	1.7
12:50:37 PM	604.7	502.0	1.0	1.7
12:50:38 PM	604.7	502.0	1.0	1.7
12:50:39 PM	604.7	502.0	1.0	1.7
12:50:40 PM	604.6	502.0	1.0	1.7
Averages ->	604.6	496.4	1.0	1.7
			Maximum ->	1.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2200

Date 11/5/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:51:05 PM	601.6	501.0	1.0	1.7
12:51:06 PM	601.7	500.0	1.0	1.7
12:51:07 PM	601.7	500.0	1.0	1.7
12:51:08 PM	601.6	500.0	1.0	1.7
12:51:09 PM	601.7	500.0	1.0	1.7
12:51:10 PM	601.8	500.0	1.0	1.7
12:51:11 PM	601.7	500.0	1.0	1.7
12:51:12 PM	601.7	500.0	1.0	1.8
12:51:13 PM	601.7	500.0	1.0	1.8
12:51:14 PM	601.7	500.0	1.0	1.8
12:51:15 PM	602.1	500.0	1.0	1.8
12:51:16 PM	602.5	499.0	1.0	1.8
12:51:17 PM	602.9	500.0	1.0	1.9
12:51:18 PM	603.2	499.0	1.0	1.9
12:51:19 PM	603.6	499.0	1.0	1.9
12:51:20 PM	603.6	499.0	1.0	1.9
12:51:21 PM	604.0	499.0	1.0	1.9
12:51:22 PM	604.3	499.0	1.0	1.8
12:51:23 PM	604.7	499.0	1.0	1.8
12:51:24 PM	605.1	499.0	1.0	1.8
12:51:25 PM	605.4	499.0	1.0	1.8
12:51:26 PM	605.8	499.0	1.0	1.8
12:51:26 PM	606.1	499.0	1.0	1.8
12:51:27 PM	606.2	499.0	1.0	1.8
12:51:28 PM	606.1	499.0	1.0	1.7
12:51:29 PM	606.2	499.0	1.0	1.7
12:51:30 PM	606.1	499.0	1.0	1.7
12:51:31 PM	606.1	499.0	1.0	1.7
12:51:32 PM	606.0	499.0	1.0	1.7
12:51:33 PM	605.9	499.0	1.0	1.7
12:51:34 PM	605.9	499.0	1.0	1.7
12:51:35 PM	605.9	499.0	1.0	1.7
12:51:36 PM	605.8	500.0	1.0	1.7
12:51:37 PM	605.8	500.0	1.0	1.7
12:51:38 PM	605.8	500.0	1.0	1.7
12:51:39 PM	605.8	500.0	1.0	1.7
12:51:40 PM	605.9	500.0	1.0	1.7
12:51:41 PM	605.9	500.0	1.0	1.7
12:51:42 PM	605.7	500.0	1.0	1.7
12:51:43 PM	605.7	500.0	1.0	1.7
12:51:44 PM	605.7	501.0	1.0	1.7
12:51:45 PM	605.8	501.0	1.0	1.7
12:51:46 PM	605.7	501.0	1.0	1.7
12:51:47 PM	605.8	501.0	1.0	1.7
12:51:48 PM	605.7	501.0	1.0	1.8
12:51:49 PM	605.7	501.0	1.0	1.8
12:51:50 PM	605.6	501.0	1.0	1.8
12:51:51 PM	605.4	502.0	1.0	1.8
12:51:52 PM	604.9	502.0	1.0	1.8
12:51:53 PM	604.6	502.0	1.0	1.7
12:51:54 PM	604.2	501.0	1.0	1.7
12:51:55 PM	603.8	501.0	1.0	1.7
12:51:56 PM	603.4	501.0	1.0	1.7
12:51:57 PM	603.1	502.0	1.0	1.7
12:51:58 PM	602.8	501.0	1.0	1.7
12:51:59 PM	602.4	502.0	1.0	1.7
12:52:00 PM	602.0	501.0	1.0	1.7
12:52:01 PM	601.7	501.0	1.0	1.7
12:52:02 PM	601.5	501.0	1.0	1.7
12:52:03 PM	601.4	501.0	1.0	1.7
Averages ->	604.2	500.1	1.0	1.8
			Maximum ->	1.9

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2300

Date 11/5/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
3:04:55 PM	600.7	501.0	1.0	1.7
3:04:56 PM	600.6	501.0	1.0	1.7
3:04:57 PM	600.7	501.0	1.0	1.7
3:04:58 PM	600.7	501.0	1.0	1.7
3:04:59 PM	600.7	501.0	1.0	1.7
3:05:00 PM	600.7	501.0	1.0	1.8
3:05:01 PM	600.7	501.0	1.0	1.8
3:05:02 PM	600.7	501.0	1.0	1.8
3:05:03 PM	600.6	501.0	1.0	1.8
3:05:04 PM	600.7	500.0	1.0	1.8
3:05:05 PM	600.7	500.0	1.0	1.8
3:05:06 PM	600.7	500.0	1.0	1.8
3:05:07 PM	600.7	500.0	1.0	1.8
3:05:08 PM	600.7	500.0	1.0	1.8
3:05:09 PM	600.7	500.0	1.0	1.8
3:05:10 PM	600.6	500.0	1.0	1.8
3:05:11 PM	600.8	500.0	1.0	1.7
3:05:12 PM	600.7	499.0	1.0	1.7
3:05:13 PM	600.7	499.0	1.0	1.7
3:05:14 PM	600.7	499.0	1.0	1.7
3:05:15 PM	600.7	499.0	1.0	1.7
3:05:16 PM	600.7	499.0	1.0	1.7
3:05:17 PM	600.8	499.0	1.0	1.7
3:05:18 PM	600.7	499.0	1.0	1.7
3:05:19 PM	600.5	499.0	1.0	1.7
3:05:20 PM	600.7	499.0	1.0	1.7
3:05:21 PM	600.7	499.0	1.0	1.7
3:05:22 PM	600.6	499.0	1.0	1.7
3:05:23 PM	600.7	499.0	1.0	1.7
3:05:24 PM	600.7	499.0	1.0	1.7
3:05:25 PM	600.7	499.0	1.0	1.7
3:05:26 PM	600.6	499.0	1.0	1.7
3:05:27 PM	600.6	499.0	1.0	1.7
3:05:28 PM	600.6	499.0	1.0	1.7
3:05:29 PM	600.6	499.0	1.0	1.7
3:05:30 PM	600.7	499.0	1.0	1.7
3:05:31 PM	600.6	499.0	1.0	1.7
3:05:32 PM	600.6	499.0	1.0	1.7
3:05:33 PM	600.6	499.0	1.0	1.7
3:05:34 PM	600.8	500.0	1.0	1.7
3:05:35 PM	600.7	500.0	1.0	1.7
3:05:36 PM	600.7	500.0	1.0	1.6
3:05:37 PM	600.7	500.0	1.0	1.7
3:05:38 PM	600.7	500.0	1.0	1.7
3:05:39 PM	600.6	500.0	1.0	1.7
3:05:40 PM	600.6	501.0	1.0	1.7
3:05:40 PM	600.7	501.0	1.0	1.7
3:05:41 PM	600.7	501.0	1.0	1.7
3:05:42 PM	600.7	501.0	1.0	1.7
3:05:43 PM	600.7	501.0	1.0	1.7
3:05:44 PM	600.7	501.0	1.0	1.7
3:05:45 PM	600.6	502.0	1.0	1.7
3:05:46 PM	600.6	502.0	1.0	1.7
3:05:47 PM	600.7	502.0	1.0	1.7
3:05:48 PM	600.7	502.0	1.0	1.7
3:05:49 PM	600.7	502.0	1.0	1.7
3:05:50 PM	600.7	502.0	1.0	1.6
3:05:51 PM	600.8	502.0	1.0	1.6
3:05:52 PM	600.7	502.0	1.0	1.6
3:05:53 PM	600.6	502.0	1.0	1.6
Averages ->	600.7	500.2	1.0	1.7
			Maximum ->	1.8

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2300

Date 11/5/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
3:07:11 PM	598.8	502.0	1.0	1.6
3:07:12 PM	598.4	502.0	1.0	1.6
3:07:13 PM	598.1	502.0	1.0	1.6
3:07:14 PM	597.6	502.0	1.0	1.6
3:07:15 PM	597.3	502.0	1.0	1.6
3:07:16 PM	597.0	502.0	1.0	1.6
3:07:17 PM	596.6	501.0	1.0	1.6
3:07:18 PM	596.5	502.0	1.0	1.6
3:07:19 PM	596.5	501.0	1.0	1.5
3:07:20 PM	596.5	501.0	1.0	1.6
3:07:21 PM	596.6	501.0	1.0	1.6
3:07:22 PM	596.7	501.0	1.0	1.6
3:07:23 PM	596.7	501.0	1.0	1.6
3:07:24 PM	596.7	501.0	1.0	1.6
3:07:25 PM	596.7	501.0	1.0	1.6
3:07:26 PM	596.8	500.0	1.0	1.6
3:07:27 PM	596.7	501.0	1.0	1.6
3:07:28 PM	596.9	500.0	1.0	1.6
3:07:29 PM	596.8	500.0	1.0	1.6
3:07:30 PM	596.9	500.0	1.0	1.7
3:07:31 PM	596.8	500.0	1.0	1.7
3:07:32 PM	596.8	500.0	1.0	1.7
3:07:33 PM	596.8	500.0	1.0	1.7
3:07:34 PM	596.9	500.0	1.0	1.7
3:07:35 PM	597.0	500.0	1.0	1.7
3:07:36 PM	597.3	499.0	1.0	1.6
3:07:37 PM	597.3	499.0	1.0	1.6
3:07:38 PM	597.8	500.0	1.0	1.6
3:07:39 PM	598.1	499.0	1.0	1.6
3:07:40 PM	598.6	499.0	1.0	1.6
3:07:41 PM	598.9	499.0	1.0	1.6
3:07:42 PM	599.3	499.0	1.0	1.6
3:07:43 PM	599.7	499.0	1.0	1.6
3:07:44 PM	600.1	499.0	1.0	1.6
3:07:45 PM	600.4	499.0	1.0	1.5
3:07:46 PM	600.8	499.0	1.0	1.5
3:07:47 PM	601.2	499.0	1.0	1.5
3:07:48 PM	601.4	499.0	1.0	1.6
3:07:49 PM	601.4	499.0	1.0	1.6
3:07:50 PM	601.2	499.0	1.0	1.6
3:07:51 PM	601.2	499.0	1.0	1.6
3:07:52 PM	601.2	499.0	1.0	1.6
3:07:53 PM	601.2	500.0	1.0	1.6
3:07:54 PM	601.0	500.0	1.0	1.6
3:07:55 PM	601.0	500.0	1.0	1.6
3:07:56 PM	601.0	500.0	1.0	1.6
3:07:57 PM	601.0	500.0	1.0	1.6
3:07:58 PM	601.0	500.0	1.0	1.6
3:07:59 PM	601.0	500.0	1.0	1.6
3:08:00 PM	601.0	501.0	1.0	1.6
3:08:01 PM	601.1	501.0	1.0	1.6
3:08:02 PM	601.0	501.0	1.0	1.6
3:08:03 PM	600.9	501.0	1.0	1.6
3:08:04 PM	600.9	501.0	1.0	1.6
3:08:05 PM	600.9	501.0	1.0	1.6
3:08:06 PM	600.9	501.0	1.0	1.6
3:08:07 PM	600.8	502.0	1.0	1.6
3:08:08 PM	600.9	502.0	1.0	1.6
3:08:09 PM	600.8	502.0	1.0	1.6
3:08:10 PM	600.8	502.0	1.0	1.6
Averages ->	599.0	500.4	1.0	1.6
			Maximum ->	1.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2400

Date 11/5/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
5:20:00 PM	601.9	320.0	1.0	1.4
5:20:01 PM	602.0	319.0	1.0	1.4
5:20:02 PM	602.0	319.0	1.0	1.3
5:20:03 PM	601.8	319.0	1.0	1.3
5:20:04 PM	601.8	319.0	1.0	1.3
5:20:05 PM	601.9	320.0	1.0	1.3
5:20:06 PM	601.9	319.0	1.0	1.3
5:20:07 PM	601.8	320.0	1.0	1.3
5:20:08 PM	601.8	320.0	1.0	1.3
5:20:09 PM	601.9	320.0	1.0	1.3
5:20:10 PM	601.8	320.0	1.0	1.3
5:20:11 PM	601.8	320.0	1.0	1.3
5:20:12 PM	602.0	320.0	1.0	1.3
5:20:13 PM	601.8	320.0	1.0	1.3
5:20:14 PM	601.8	320.0	1.0	1.4
5:20:15 PM	601.8	320.0	1.0	1.4
5:20:16 PM	601.8	321.0	1.0	1.4
5:20:17 PM	601.8	321.0	1.0	1.4
5:20:18 PM	602.0	321.0	1.0	1.4
5:20:19 PM	601.8	321.0	1.0	1.4
5:20:20 PM	601.9	321.0	1.0	1.4
5:20:21 PM	601.8	321.0	1.0	1.3
5:20:22 PM	601.8	322.0	1.0	1.3
5:20:23 PM	601.8	322.0	1.0	1.3
5:20:24 PM	601.8	322.0	1.0	1.3
5:20:25 PM	601.7	322.0	1.0	1.3
5:20:26 PM	601.8	322.0	1.0	1.3
5:20:27 PM	601.8	322.0	1.0	1.3
5:20:28 PM	601.8	322.0	1.0	1.3
5:20:29 PM	601.9	322.0	1.0	1.3
5:20:30 PM	601.9	322.0	1.0	1.3
5:20:31 PM	601.8	322.0	1.0	1.4
5:20:32 PM	601.8	323.0	1.0	1.4
5:20:33 PM	601.8	322.0	1.0	1.3
5:20:34 PM	601.8	322.0	1.0	1.3
5:20:35 PM	601.8	323.0	1.0	1.3
5:20:36 PM	602.0	323.0	1.0	1.3
5:20:37 PM	601.9	322.0	1.0	1.3
5:20:38 PM	601.8	322.0	1.0	1.4
5:20:39 PM	601.8	322.0	1.0	1.3
5:20:39 PM	601.7	322.0	1.0	1.3
5:20:40 PM	601.8	322.0	1.0	1.3
5:20:41 PM	601.8	322.0	1.0	1.3
5:20:42 PM	602.0	322.0	1.0	1.3
5:20:43 PM	601.8	322.0	1.0	1.3
5:20:44 PM	601.8	322.0	1.0	1.3
5:20:45 PM	601.8	322.0	1.0	1.3
5:20:46 PM	601.9	322.0	1.0	1.4
5:20:47 PM	601.8	322.0	1.0	1.4
5:20:48 PM	601.8	322.0	1.0	1.4
5:20:49 PM	602.0	322.0	1.0	1.4
5:20:50 PM	601.8	322.0	1.0	1.4
5:20:51 PM	601.8	322.0	1.0	1.4
5:20:52 PM	601.8	322.0	1.0	1.4
5:20:53 PM	602.0	322.0	1.0	1.4
5:20:54 PM	601.8	322.0	1.0	1.4
5:20:55 PM	601.9	321.0	1.0	1.4
5:20:56 PM	601.9	321.0	1.0	1.4
5:20:57 PM	601.7	321.0	1.0	1.4
5:20:58 PM	601.8	321.0	1.0	1.4
Averages ->	601.8	321.3	1.0	1.3
			Maximum ->	1.4

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2400

Date 11/5/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
5:21:45 PM	602.7	322.0	1.0	1.3
5:21:46 PM	603.1	322.0	1.0	1.3
5:21:47 PM	603.6	322.0	1.0	1.3
5:21:48 PM	603.9	322.0	1.0	1.3
5:21:49 PM	604.2	322.0	1.0	1.3
5:21:50 PM	604.7	322.0	1.0	1.3
5:21:51 PM	604.9	322.0	1.0	1.3
5:21:52 PM	605.3	322.0	1.0	1.3
5:21:53 PM	605.7	322.0	1.0	1.3
5:21:54 PM	606.0	322.0	1.0	1.3
5:21:55 PM	606.1	322.0	1.0	1.3
5:21:56 PM	606.0	322.0	1.0	1.3
5:21:57 PM	605.8	322.0	1.0	1.3
5:21:58 PM	605.7	322.0	1.0	1.3
5:21:59 PM	605.8	322.0	1.0	1.3
5:22:00 PM	605.8	322.0	1.0	1.3
5:22:01 PM	605.8	322.0	1.0	1.2
5:22:02 PM	605.8	322.0	1.0	1.2
5:22:03 PM	605.6	322.0	1.0	1.2
5:22:04 PM	605.7	322.0	1.0	1.2
5:22:05 PM	605.6	322.0	1.0	1.2
5:22:06 PM	605.6	321.0	1.0	1.2
5:22:07 PM	605.5	321.0	1.0	1.2
5:22:08 PM	605.6	321.0	1.0	1.2
5:22:09 PM	605.5	321.0	1.0	1.2
5:22:10 PM	605.5	321.0	1.0	1.2
5:22:11 PM	605.5	321.0	1.0	1.2
5:22:12 PM	605.4	321.0	1.0	1.2
5:22:13 PM	605.4	321.0	1.0	1.2
5:22:14 PM	605.4	321.0	1.0	1.2
5:22:15 PM	605.5	320.0	1.0	1.3
5:22:16 PM	605.4	320.0	1.0	1.3
5:22:17 PM	605.3	320.0	1.0	1.3
5:22:17 PM	605.4	320.0	1.0	1.3
5:22:18 PM	604.9	320.0	1.0	1.3
5:22:19 PM	604.6	320.0	1.0	1.3
5:22:20 PM	604.2	320.0	1.0	1.3
5:22:21 PM	603.8	319.0	1.0	1.3
5:22:22 PM	603.4	319.0	1.0	1.3
5:22:23 PM	603.0	319.0	1.0	1.3
5:22:24 PM	602.6	319.0	1.0	1.3
5:22:25 PM	602.3	319.0	1.0	1.2
5:22:26 PM	602.0	318.0	1.0	1.2
5:22:27 PM	601.6	318.0	1.0	1.2
5:22:28 PM	601.2	318.0	1.0	1.2
5:22:29 PM	601.0	318.0	1.0	1.2
5:22:30 PM	601.0	317.0	1.0	1.2
5:22:31 PM	601.0	317.0	1.0	1.2
5:22:32 PM	601.1	317.0	1.0	1.2
5:22:33 PM	601.1	317.0	1.0	1.2
5:22:34 PM	601.1	317.0	1.0	1.2
5:22:35 PM	601.2	317.0	1.0	1.2
5:22:36 PM	601.2	316.0	1.0	1.2
5:22:37 PM	601.2	316.0	1.0	1.2
5:22:38 PM	601.2	316.0	1.0	1.2
5:22:39 PM	601.1	316.0	1.0	1.1
5:22:40 PM	601.2	316.0	1.0	1.1
5:22:41 PM	601.2	315.0	1.0	1.1
5:22:42 PM	601.2	315.0	1.0	1.1
5:22:43 PM	601.2	315.0	1.0	1.2
Averages ->	603.8	319.8	1.0	1.2
			Maximum ->	1.3

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2500

Date 11/6/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
8:01:45 AM	602.1	71.0	1.0	1.2
8:01:46 AM	602.1	71.0	1.0	1.1
8:01:47 AM	602.1	71.0	1.0	1.1
8:01:48 AM	602.1	71.0	1.0	1.1
8:01:49 AM	602.1	71.0	1.0	1.1
8:01:50 AM	602.1	71.0	1.0	1.1
8:01:51 AM	602.1	71.0	1.0	1.1
8:01:52 AM	602.1	71.0	1.0	1.0
8:01:53 AM	602.1	71.0	1.0	1.0
8:01:54 AM	602.1	71.0	1.0	1.1
8:01:55 AM	602.0	70.0	1.0	1.1
8:01:56 AM	602.1	71.0	1.0	1.1
8:01:56 AM	602.0	71.0	1.0	1.1
8:01:57 AM	602.1	71.0	1.0	1.1
8:01:58 AM	602.1	71.0	1.0	1.1
8:01:59 AM	602.0	71.0	1.0	1.1
8:02:00 AM	602.1	71.0	1.0	1.1
8:02:01 AM	602.1	71.0	1.0	1.1
8:02:02 AM	602.1	71.0	1.0	1.1
8:02:03 AM	602.1	71.0	1.0	1.1
8:02:04 AM	602.1	71.0	1.0	1.1
8:02:05 AM	602.1	71.0	1.0	1.1
8:02:06 AM	602.0	71.0	1.0	1.1
8:02:07 AM	602.0	71.0	1.0	1.2
8:02:08 AM	602.1	71.0	1.0	1.2
8:02:09 AM	602.1	71.0	1.0	1.2
8:02:10 AM	602.1	71.0	1.0	1.2
8:02:11 AM	602.1	71.0	1.0	1.2
8:02:12 AM	602.1	71.0	1.0	1.2
8:02:13 AM	602.1	71.0	1.0	1.2
8:02:14 AM	602.1	71.0	1.0	1.3
8:02:15 AM	602.1	71.0	1.0	1.4
8:02:16 AM	602.1	71.0	1.0	1.4
8:02:17 AM	602.1	71.0	1.0	1.5
8:02:18 AM	602.0	71.0	1.0	1.5
8:02:19 AM	602.0	71.0	1.0	1.5
8:02:20 AM	602.0	71.0	1.0	1.6
8:02:21 AM	602.1	71.0	1.0	1.6
8:02:22 AM	602.0	71.0	1.0	1.6
8:02:23 AM	602.0	71.0	1.0	1.5
8:02:24 AM	602.0	71.0	1.0	1.5
8:02:25 AM	602.1	71.0	1.0	1.6
8:02:26 AM	602.0	71.0	1.0	1.6
8:02:27 AM	601.8	71.0	1.0	1.6
8:02:28 AM	601.5	71.0	1.0	1.6
8:02:29 AM	601.5	71.0	1.0	1.6
8:02:30 AM	601.5	71.0	1.0	1.6
8:02:31 AM	601.7	71.0	1.0	1.6
8:02:32 AM	601.5	71.0	1.0	1.6
8:02:33 AM	601.5	71.0	1.0	1.7
8:02:34 AM	601.6	71.0	1.0	1.7
8:02:35 AM	601.5	71.0	1.0	1.6
8:02:36 AM	601.5	71.0	1.0	1.6
8:02:37 AM	601.6	71.0	1.0	1.6
8:02:38 AM	601.5	71.0	1.0	1.6
8:02:39 AM	601.7	71.0	1.0	1.5
8:02:40 AM	601.7	71.0	1.0	1.5
8:02:41 AM	601.7	71.0	1.0	1.5
8:02:42 AM	601.7	71.0	1.0	1.5
8:02:43 AM	601.5	71.0	1.0	1.5
Averages ->	601.9	71.0	1.0	1.3
			Maximum ->	1.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2500

Date 11/6/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
8:03:24 AM	597.3	71.0	1.0	0.8
8:03:25 AM	597.3	71.0	1.0	0.8
8:03:26 AM	597.3	71.0	1.0	0.9
8:03:27 AM	597.4	71.0	1.0	0.9
8:03:28 AM	597.4	71.0	1.0	0.9
8:03:29 AM	597.4	71.0	1.0	0.9
8:03:30 AM	597.5	71.0	1.0	1.0
8:03:31 AM	597.5	71.0	1.0	1.5
8:03:32 AM	597.5	71.0	1.0	2.5
8:03:33 AM	597.5	71.0	1.0	4.3
8:03:34 AM	597.6	71.0	1.0	6.2
8:03:35 AM	597.5	71.0	1.0	7.7
8:03:36 AM	597.7	71.0	1.0	8.7
8:03:37 AM	597.5	71.0	1.0	9.3
8:03:38 AM	597.6	71.0	1.0	9.3
8:03:39 AM	597.7	71.0	1.0	8.8
8:03:39 AM	597.7	71.0	1.0	8.0
8:03:40 AM	598.1	71.0	1.0	7.2
8:03:41 AM	598.6	71.0	1.0	6.6
8:03:42 AM	599.0	71.0	1.0	6.2
8:03:43 AM	599.5	71.0	1.0	6.0
8:03:44 AM	599.8	71.0	1.0	5.9
8:03:45 AM	600.2	71.0	1.0	5.8
8:03:46 AM	600.7	71.0	1.0	5.7
8:03:47 AM	601.0	71.0	1.0	5.6
8:03:48 AM	601.6	71.0	1.0	5.4
8:03:49 AM	602.0	71.0	1.0	5.2
8:03:50 AM	602.2	71.0	1.0	5.0
8:03:51 AM	602.2	71.0	1.0	4.7
8:03:52 AM	602.2	71.0	1.0	4.5
8:03:53 AM	602.1	71.0	1.0	4.2
8:03:54 AM	602.1	71.0	1.0	4.0
8:03:55 AM	602.1	71.0	1.0	3.8
8:03:56 AM	602.1	71.0	1.0	3.6
8:03:57 AM	602.0	71.0	1.0	3.3
8:03:58 AM	602.0	71.0	1.0	2.9
8:03:59 AM	602.0	71.0	1.0	2.7
8:04:00 AM	601.9	71.0	1.0	2.6
8:04:01 AM	602.0	71.0	1.0	2.8
8:04:02 AM	602.0	71.0	1.0	3.5
8:04:03 AM	601.9	71.0	1.0	4.4
8:04:04 AM	602.0	72.0	1.0	5.2
8:04:05 AM	602.0	71.0	1.0	5.8
8:04:06 AM	602.0	71.0	1.0	5.9
8:04:07 AM	602.0	71.0	1.0	5.9
8:04:08 AM	602.0	72.0	1.0	5.7
8:04:09 AM	601.9	71.0	1.0	5.4
8:04:10 AM	601.9	72.0	1.0	5.1
8:04:11 AM	602.0	71.0	1.0	4.8
8:04:12 AM	602.0	71.0	1.0	4.5
8:04:13 AM	602.0	71.0	1.0	4.5
8:04:14 AM	601.9	71.0	1.0	4.2
8:04:15 AM	601.9	71.0	1.0	3.9
8:04:16 AM	601.9	71.0	1.0	3.7
8:04:17 AM	601.9	71.0	1.0	3.5
8:04:18 AM	601.9	72.0	1.0	3.3
8:04:19 AM	602.0	71.0	1.0	3.1
8:04:20 AM	601.8	72.0	1.0	3.1
8:04:21 AM	601.9	71.0	1.0	3.1
8:04:22 AM	601.8	71.0	1.0	3.1
Averages ->	600.4	71.1	1.0	4.5
			Maximum ->	9.3

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2600

Date 11/6/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:13:56 AM	605.2	318.0	1.0	2.3
10:13:57 AM	604.9	318.0	1.0	2.3
10:13:58 AM	604.5	318.0	1.0	2.2
10:13:59 AM	604.0	318.0	1.0	2.2
10:14:00 AM	604.1	318.0	1.0	2.3
10:14:01 AM	604.0	318.0	1.0	2.3
10:14:02 AM	604.0	318.0	1.0	2.2
10:14:03 AM	604.0	318.0	1.0	2.3
10:14:04 AM	604.0	318.0	1.0	2.2
10:14:05 AM	604.2	318.0	1.0	2.3
10:14:06 AM	604.5	318.0	1.0	2.3
10:14:07 AM	604.7	318.0	1.0	2.2
10:14:08 AM	604.9	318.0	1.0	2.2
10:14:09 AM	605.2	318.0	1.0	2.2
10:14:10 AM	605.6	317.0	1.0	2.3
10:14:11 AM	606.0	318.0	1.0	2.2
10:14:12 AM	606.2	318.0	1.0	2.2
10:14:13 AM	606.5	318.0	1.0	2.2
10:14:14 AM	606.8	318.0	1.0	2.2
10:14:15 AM	607.1	318.0	1.0	2.2
10:14:16 AM	607.4	318.0	1.0	2.1
10:14:17 AM	607.7	318.0	1.0	2.1
10:14:18 AM	608.1	318.0	1.0	2.1
10:14:19 AM	608.4	318.0	1.0	2.2
10:14:20 AM	608.6	318.0	1.0	2.2
10:14:21 AM	609.0	318.0	1.0	2.2
10:14:22 AM	609.3	318.0	1.0	2.2
10:14:23 AM	609.6	318.0	1.0	2.3
10:14:24 AM	609.8	318.0	1.0	2.2
10:14:24 AM	610.2	318.0	1.0	2.3
10:14:25 AM	610.5	318.0	1.0	2.2
10:14:26 AM	610.5	318.0	1.0	2.2
10:14:27 AM	610.5	318.0	1.0	2.3
10:14:28 AM	610.2	318.0	1.0	2.2
10:14:29 AM	609.8	317.0	1.0	2.2
10:14:30 AM	609.3	318.0	1.0	2.2
10:14:31 AM	609.0	318.0	1.0	2.2
10:14:32 AM	608.6	318.0	1.0	2.1
10:14:33 AM	608.2	318.0	1.0	2.1
10:14:34 AM	607.8	318.0	1.0	2.2
10:14:35 AM	607.4	318.0	1.0	2.2
10:14:36 AM	607.1	318.0	1.0	2.2
10:14:37 AM	607.1	318.0	1.0	2.2
10:14:38 AM	606.6	318.0	1.0	2.2
10:14:39 AM	606.3	318.0	1.0	2.2
10:14:40 AM	605.9	318.0	1.0	2.2
10:14:41 AM	605.5	318.0	1.0	2.3
10:14:42 AM	605.1	318.0	1.0	2.3
10:14:43 AM	604.7	318.0	1.0	2.3
10:14:44 AM	604.3	318.0	1.0	2.3
10:14:45 AM	604.2	318.0	1.0	2.2
10:14:46 AM	604.2	318.0	1.0	2.3
10:14:47 AM	604.2	318.0	1.0	2.2
10:14:48 AM	604.2	318.0	1.0	2.3
10:14:49 AM	604.3	318.0	1.0	2.2
10:14:50 AM	604.3	318.0	1.0	2.3
10:14:51 AM	604.6	318.0	1.0	2.3
10:14:52 AM	604.9	318.0	1.0	2.4
10:14:53 AM	605.3	318.0	1.0	2.4
10:14:54 AM	605.5	318.0	1.0	2.5
Averages ->	606.5	318.0	1.0	2.2
			Maximum ->	2.5

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2600

Date 11/6/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:15:48 AM	611.9	319.0	1.0	2.3
10:15:49 AM	612.3	319.0	1.0	2.2
10:15:50 AM	612.6	319.0	1.0	2.1
10:15:51 AM	612.9	319.0	1.0	2.3
10:15:52 AM	613.2	319.0	1.0	2.2
10:15:53 AM	612.4	319.0	1.0	2.2
10:15:54 AM	612.7	319.0	1.0	2.1
10:15:55 AM	611.9	319.0	1.0	2.1
10:15:56 AM	612.0	319.0	1.0	2.1
10:15:57 AM	611.9	319.0	1.0	2.1
10:15:58 AM	609.6	319.0	1.0	2.0
10:15:59 AM	609.2	319.0	1.0	2.0
10:16:00 AM	607.7	319.0	1.0	1.9
10:16:01 AM	607.3	319.0	1.0	1.9
10:16:02 AM	607.0	319.0	1.0	2.0
10:16:03 AM	606.3	319.0	1.0	2.0
10:16:04 AM	605.5	319.0	1.0	2.0
10:16:05 AM	604.8	318.0	1.0	2.0
10:16:06 AM	604.2	318.0	1.0	1.9
10:16:07 AM	603.3	318.0	1.0	1.9
10:16:08 AM	602.7	318.0	1.0	2.0
10:16:09 AM	602.0	318.0	1.0	2.0
10:16:10 AM	601.3	318.0	1.0	2.0
10:16:11 AM	600.6	319.0	1.0	2.1
10:16:12 AM	599.9	318.0	1.0	2.0
10:16:13 AM	599.3	318.0	1.0	2.0
10:16:14 AM	599.3	318.0	1.0	2.0
10:16:15 AM	599.1	318.0	1.0	2.1
10:16:16 AM	599.2	318.0	1.0	2.1
10:16:17 AM	599.2	318.0	1.0	2.0
10:16:18 AM	599.2	318.0	1.0	2.0
10:16:19 AM	599.4	318.0	1.0	2.0
10:16:19 AM	599.6	318.0	1.0	2.0
10:16:20 AM	599.8	318.0	1.0	2.0
10:16:21 AM	600.3	318.0	1.0	2.1
10:16:22 AM	600.6	318.0	1.0	2.2
10:16:23 AM	600.8	318.0	1.0	2.1
10:16:24 AM	601.1	318.0	1.0	2.1
10:16:25 AM	601.6	318.0	1.0	2.1
10:16:26 AM	601.8	318.0	1.0	2.4
10:16:27 AM	602.2	318.0	1.0	2.6
10:16:28 AM	602.5	318.0	1.0	2.6
10:16:29 AM	602.8	318.0	1.0	2.4
10:16:30 AM	603.0	318.0	1.0	2.2
10:16:31 AM	603.6	318.0	1.0	2.0
10:16:32 AM	603.6	318.0	1.0	2.0
10:16:33 AM	604.3	318.0	1.0	2.0
10:16:34 AM	604.8	318.0	1.0	1.8
10:16:35 AM	605.6	318.0	1.0	1.9
10:16:36 AM	606.2	318.0	1.0	1.9
10:16:37 AM	606.8	318.0	1.0	1.9
10:16:38 AM	607.5	318.0	1.0	1.9
10:16:39 AM	608.1	318.0	1.0	1.9
10:16:40 AM	608.7	318.0	1.0	2.0
10:16:41 AM	609.0	318.0	1.0	1.9
10:16:42 AM	609.0	319.0	1.0	1.8
10:16:43 AM	608.8	318.0	1.0	1.7
10:16:44 AM	608.2	318.0	1.0	1.7
10:16:45 AM	607.9	318.0	1.0	1.6
10:16:46 AM	607.4	318.0	1.0	1.7
Averages ->	605.3	318.3	1.0	2.0
			Maximum ->	2.6

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2700

Date 11/6/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:27:09 PM	606.2	498.0	1.0	1.7
12:27:10 PM	606.4	498.0	1.0	1.7
12:27:11 PM	606.8	498.0	1.0	1.7
12:27:12 PM	607.0	498.0	1.0	1.8
12:27:13 PM	607.4	498.0	1.0	1.8
12:27:14 PM	607.7	498.0	1.0	1.9
12:27:15 PM	608.0	498.0	1.0	1.9
12:27:16 PM	608.4	498.0	1.0	1.9
12:27:17 PM	608.8	498.0	1.0	1.9
12:27:18 PM	609.0	498.0	1.0	1.9
12:27:19 PM	609.2	498.0	1.0	1.9
12:27:20 PM	609.3	498.0	1.0	1.9
12:27:21 PM	609.2	498.0	1.0	1.9
12:27:22 PM	608.9	498.0	1.0	1.9
12:27:23 PM	608.4	498.0	1.0	1.8
12:27:24 PM	607.9	498.0	1.0	1.8
12:27:25 PM	607.6	498.0	1.0	1.8
12:27:26 PM	607.2	498.0	1.0	1.9
12:27:27 PM	606.8	498.0	1.0	1.8
12:27:28 PM	606.3	498.0	1.0	1.8
12:27:29 PM	606.0	498.0	1.0	1.7
12:27:30 PM	605.5	498.0	1.0	1.6
12:27:31 PM	605.1	498.0	1.0	1.6
12:27:32 PM	604.7	498.0	1.0	1.6
12:27:33 PM	604.3	498.0	1.0	1.7
12:27:34 PM	603.9	498.0	1.0	1.7
12:27:35 PM	603.4	498.0	1.0	1.7
12:27:36 PM	603.1	498.0	1.0	1.7
12:27:37 PM	602.8	498.0	1.0	1.7
12:27:38 PM	602.6	498.0	1.0	1.7
12:27:39 PM	602.8	498.0	1.0	1.7
12:27:40 PM	602.8	498.0	1.0	1.6
12:27:41 PM	602.7	498.0	1.0	1.6
12:27:42 PM	602.7	498.0	1.0	1.6
12:27:43 PM	602.8	498.0	1.0	1.6
12:27:44 PM	603.1	498.0	1.0	1.6
12:27:45 PM	603.5	498.0	1.0	1.6
12:27:46 PM	603.7	498.0	1.0	1.6
12:27:47 PM	604.2	498.0	1.0	1.7
12:27:48 PM	604.5	498.0	1.0	1.7
12:27:49 PM	604.7	498.0	1.0	1.7
12:27:50 PM	605.2	498.0	1.0	1.7
12:27:51 PM	605.5	498.0	1.0	1.8
12:27:52 PM	605.7	498.0	1.0	1.8
12:27:53 PM	606.2	498.0	1.0	1.8
12:27:54 PM	606.6	498.0	1.0	1.8
12:27:55 PM	606.8	498.0	1.0	1.8
12:27:56 PM	607.1	498.0	1.0	1.8
12:27:57 PM	607.5	498.0	1.0	1.7
12:27:58 PM	607.8	498.0	1.0	1.7
12:27:59 PM	608.2	498.0	1.0	1.7
12:28:00 PM	608.5	498.0	1.0	1.7
12:28:01 PM	608.9	498.0	1.0	1.8
12:28:02 PM	609.2	498.0	1.0	1.8
12:28:03 PM	609.6	498.0	1.0	1.8
12:28:04 PM	609.8	499.0	1.0	1.7
12:28:05 PM	610.0	499.0	1.0	1.7
12:28:06 PM	609.6	498.0	1.0	1.6
12:28:07 PM	609.2	498.0	1.0	1.6
12:28:08 PM	608.7	498.0	1.0	1.6
Averages ->	606.4	498.0	1.0	1.7
			Maximum ->	1.9

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2700

Date 11/6/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:42:40 PM	606.2	499.0	1.0	2.2
12:42:41 PM	606.1	499.0	1.0	2.3
12:42:42 PM	606.3	499.0	1.0	2.2
12:42:43 PM	606.3	499.0	1.0	2.2
12:42:44 PM	606.4	499.0	1.0	2.2
12:42:45 PM	606.6	499.0	1.0	2.2
12:42:46 PM	606.9	499.0	1.0	2.2
12:42:47 PM	607.2	499.0	1.0	2.3
12:42:48 PM	607.6	499.0	1.0	2.4
12:42:49 PM	608.0	499.0	1.0	2.4
12:42:50 PM	608.4	499.0	1.0	2.5
12:42:51 PM	608.7	499.0	1.0	2.5
12:42:52 PM	609.1	499.0	1.0	2.4
12:42:53 PM	609.4	499.0	1.0	2.4
12:42:54 PM	609.6	499.0	1.0	2.3
12:42:55 PM	609.8	499.0	1.0	2.3
12:42:56 PM	609.8	500.0	1.0	2.5
12:42:57 PM	609.5	500.0	1.0	2.6
12:42:58 PM	609.0	499.0	1.0	2.6
12:42:59 PM	608.6	499.0	1.0	2.4
12:43:00 PM	608.0	499.0	1.0	2.3
12:43:01 PM	607.7	500.0	1.0	2.0
12:43:02 PM	607.1	500.0	1.0	1.8
12:43:03 PM	606.7	500.0	1.0	1.7
12:43:04 PM	606.5	500.0	1.0	1.6
12:43:05 PM	606.4	500.0	1.0	1.4
12:43:06 PM	606.1	500.0	1.0	1.4
12:43:07 PM	606.0	500.0	1.0	1.3
12:43:08 PM	605.9	500.0	1.0	1.3
12:43:09 PM	605.8	500.0	1.0	1.3
12:43:10 PM	605.6	500.0	1.0	1.4
12:43:11 PM	605.6	500.0	1.0	1.3
12:43:12 PM	605.5	500.0	1.0	1.2
12:43:13 PM	605.8	500.0	1.0	1.2
12:43:14 PM	606.1	500.0	1.0	1.2
12:43:15 PM	606.1	500.0	1.0	1.2
12:43:16 PM	606.1	501.0	1.0	1.2
12:43:17 PM	606.1	500.0	1.0	1.2
12:43:18 PM	606.1	500.0	1.0	1.3
12:43:19 PM	606.4	501.0	1.0	1.2
12:43:20 PM	606.8	500.0	1.0	1.3
12:43:21 PM	607.1	501.0	1.0	1.7
12:43:22 PM	607.4	500.0	1.0	2.0
12:43:23 PM	607.7	501.0	1.0	2.1
12:43:24 PM	608.2	501.0	1.0	2.1
12:43:25 PM	608.5	500.0	1.0	2.1
12:43:26 PM	608.9	500.0	1.0	2.1
12:43:27 PM	609.2	501.0	1.0	2.2
12:43:28 PM	608.4	500.0	1.0	2.1
12:43:29 PM	609.6	501.0	1.0	2.0
12:43:30 PM	609.6	501.0	1.0	2.0
12:43:31 PM	609.7	500.0	1.0	2.0
12:43:32 PM	609.7	501.0	1.0	2.1
12:43:33 PM	609.7	501.0	1.0	2.0
12:43:34 PM	609.8	501.0	1.0	1.9
12:43:35 PM	609.7	501.0	1.0	1.9
12:43:36 PM	609.9	501.0	1.0	1.9
12:43:37 PM	609.9	501.0	1.0	1.8
12:43:38 PM	609.9	500.0	1.0	1.7
12:43:39 PM	609.9	500.0	1.0	1.7
Averages ->	607.7	499.9	1.0	1.9
			Maximum ->	2.6

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2800

Date 11/6/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
2:54:39 PM	600.9	498.0	1.0	1.4
2:54:40 PM	600.9	498.0	1.0	1.4
2:54:41 PM	600.9	498.0	1.0	1.4
2:54:42 PM	601.0	498.0	1.0	1.5
2:54:43 PM	601.0	498.0	1.0	1.5
2:54:44 PM	601.4	498.0	1.0	1.6
2:54:45 PM	601.7	498.0	1.0	1.7
2:54:46 PM	602.1	498.0	1.0	1.7
2:54:47 PM	602.4	498.0	1.0	1.5
2:54:48 PM	602.8	498.0	1.0	1.6
2:54:49 PM	603.2	498.0	1.0	1.5
2:54:50 PM	603.5	498.0	1.0	1.5
2:54:51 PM	603.8	498.0	1.0	1.4
2:54:52 PM	604.2	498.0	1.0	1.5
2:54:53 PM	604.6	498.0	1.0	1.5
2:54:54 PM	604.9	498.0	1.0	1.6
2:54:55 PM	605.3	498.0	1.0	1.6
2:54:56 PM	605.6	498.0	1.0	1.6
2:54:57 PM	606.0	498.0	1.0	1.5
2:54:58 PM	606.4	498.0	1.0	1.5
2:54:59 PM	606.6	498.0	1.0	1.6
2:55:00 PM	607.0	498.0	1.0	1.7
2:55:01 PM	607.4	498.0	1.0	1.7
2:55:02 PM	607.7	498.0	1.0	1.6
2:55:03 PM	608.1	498.0	1.0	1.6
2:55:04 PM	608.4	498.0	1.0	1.6
2:55:05 PM	608.4	498.0	1.0	1.5
2:55:06 PM	608.0	498.0	1.0	1.5
2:55:07 PM	607.5	498.0	1.0	1.5
2:55:08 PM	607.1	498.0	1.0	1.5
2:55:09 PM	606.7	498.0	1.0	1.4
2:55:10 PM	606.1	499.0	1.0	1.5
2:55:11 PM	605.6	499.0	1.0	1.5
2:55:12 PM	605.0	499.0	1.0	1.5
2:55:13 PM	604.6	498.0	1.0	1.5
2:55:13 PM	604.1	498.0	1.0	1.4
2:55:14 PM	603.7	499.0	1.0	1.5
2:55:15 PM	603.2	498.0	1.0	1.5
2:55:16 PM	602.6	499.0	1.0	1.4
2:55:17 PM	602.6	499.0	1.0	1.4
2:55:18 PM	602.3	499.0	1.0	1.4
2:55:19 PM	601.8	499.0	1.0	1.4
2:55:20 PM	601.4	498.0	1.0	1.4
2:55:21 PM	601.1	499.0	1.0	1.4
2:55:22 PM	600.9	499.0	1.0	1.3
2:55:23 PM	600.9	499.0	1.0	1.3
2:55:24 PM	601.1	499.0	1.0	1.3
2:55:25 PM	601.0	499.0	1.0	1.4
2:55:26 PM	601.2	499.0	1.0	1.3
2:55:27 PM	601.1	499.0	1.0	1.3
2:55:28 PM	601.4	499.0	1.0	1.4
2:55:29 PM	601.8	499.0	1.0	1.3
2:55:30 PM	602.2	499.0	1.0	1.3
2:55:31 PM	602.7	499.0	1.0	1.4
2:55:32 PM	603.0	499.0	1.0	1.4
2:55:33 PM	603.4	499.0	1.0	1.4
2:55:34 PM	603.7	499.0	1.0	1.4
2:55:35 PM	604.0	499.0	1.0	1.4
2:55:36 PM	604.3	499.0	1.0	1.4
2:55:37 PM	604.8	499.0	1.0	1.4
Averages ->	603.8	498.4	1.0	1.5
			Maximum ->	1.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2800

Date 11/6/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
2:55:48 PM	607.1	500.0	1.0	1.5
2:55:49 PM	606.8	499.0	1.0	1.5
2:55:50 PM	606.5	500.0	1.0	1.4
2:55:51 PM	605.8	500.0	1.0	1.4
2:55:52 PM	605.0	500.0	1.0	1.5
2:55:53 PM	604.2	500.0	1.0	1.5
2:55:54 PM	603.6	500.0	1.0	1.3
2:55:55 PM	603.0	500.0	1.0	1.5
2:55:56 PM	602.6	500.0	1.0	1.5
2:55:57 PM	601.9	500.0	1.0	1.5
2:55:58 PM	601.7	500.0	1.0	1.7
2:55:59 PM	601.1	500.0	1.0	1.9
2:56:00 PM	600.6	500.0	1.0	2.0
2:56:01 PM	600.3	500.0	1.0	2.1
2:56:02 PM	599.9	500.0	1.0	2.2
2:56:03 PM	599.4	500.0	1.0	2.1
2:56:04 PM	599.0	500.0	1.0	2.2
2:56:05 PM	598.7	500.0	1.0	2.2
2:56:06 PM	598.2	500.0	1.0	2.2
2:56:07 PM	598.3	500.0	1.0	2.1
2:56:08 PM	598.1	500.0	1.0	2.0
2:56:09 PM	598.1	500.0	1.0	1.9
2:56:10 PM	598.1	500.0	1.0	1.7
2:56:11 PM	598.3	500.0	1.0	1.5
2:56:12 PM	590.9	500.0	1.0	1.4
2:56:13 PM	598.9	500.0	1.0	1.4
2:56:14 PM	599.7	500.0	1.0	1.4
2:56:15 PM	600.3	501.0	1.0	1.4
2:56:16 PM	601.2	501.0	1.0	1.3
2:56:17 PM	601.7	500.0	1.0	1.4
2:56:18 PM	602.4	501.0	1.0	1.3
2:56:19 PM	603.0	501.0	1.0	1.2
2:56:20 PM	603.7	501.0	1.0	1.3
2:56:21 PM	604.4	501.0	1.0	1.3
2:56:22 PM	605.0	501.0	1.0	1.3
2:56:23 PM	605.7	500.0	1.0	1.3
2:56:24 PM	606.1	501.0	1.0	1.3
2:56:25 PM	606.5	501.0	1.0	1.3
2:56:26 PM	606.8	501.0	1.0	1.2
2:56:27 PM	607.2	501.0	1.0	1.3
2:56:28 PM	607.4	501.0	1.0	1.2
2:56:29 PM	607.8	501.0	1.0	1.2
2:56:30 PM	608.0	501.0	1.0	1.2
2:56:31 PM	608.4	501.0	1.0	1.4
2:56:32 PM	608.8	501.0	1.0	1.4
2:56:33 PM	609.0	501.0	1.0	1.4
2:56:34 PM	609.0	501.0	1.0	1.4
2:56:35 PM	608.6	501.0	1.0	1.4
2:56:35 PM	608.2	501.0	1.0	1.3
2:56:36 PM	607.7	501.0	1.0	1.4
2:56:37 PM	607.3	501.0	1.0	1.4
2:56:38 PM	606.3	501.0	1.0	1.4
2:56:39 PM	606.3	501.0	1.0	1.4
2:56:40 PM	605.3	500.0	1.0	1.5
2:56:41 PM	604.7	500.0	1.0	1.6
2:56:42 PM	603.9	500.0	1.0	1.5
2:56:43 PM	603.1	500.0	1.0	1.5
2:56:44 PM	602.4	500.0	1.0	1.5
2:56:45 PM	601.7	500.0	1.0	1.5
2:56:46 PM	600.8	500.0	1.0	1.5
Averages ->	603.4	500.4	1.0	1.5
			Maximum ->	2.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2900

Date 11/6/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
5:10:00 PM	605.2	319.0	1.0	1.3
5:10:01 PM	604.7	319.0	1.0	1.4
5:10:02 PM	604.2	319.0	1.0	1.4
5:10:03 PM	603.7	319.0	1.0	1.4
5:10:04 PM	603.2	319.0	1.0	1.4
5:10:05 PM	602.7	318.0	1.0	1.4
5:10:06 PM	602.2	318.0	1.0	1.3
5:10:07 PM	601.8	318.0	1.0	1.4
5:10:08 PM	601.3	318.0	1.0	1.4
5:10:09 PM	601.0	318.0	1.0	1.3
5:10:10 PM	601.0	318.0	1.0	1.4
5:10:11 PM	601.1	318.0	1.0	1.4
5:10:12 PM	601.1	318.0	1.0	1.4
5:10:12 PM	601.0	318.0	1.0	1.3
5:10:13 PM	601.0	318.0	1.0	1.4
5:10:14 PM	601.1	318.0	1.0	1.3
5:10:15 PM	601.5	318.0	1.0	1.3
5:10:16 PM	601.8	318.0	1.0	1.3
5:10:17 PM	602.2	318.0	1.0	1.3
5:10:18 PM	602.6	318.0	1.0	1.3
5:10:19 PM	602.9	318.0	1.0	1.3
5:10:20 PM	603.3	318.0	1.0	1.3
5:10:21 PM	603.7	318.0	1.0	1.3
5:10:22 PM	604.0	318.0	1.0	1.3
5:10:23 PM	604.3	318.0	1.0	1.3
5:10:24 PM	604.3	318.0	1.0	1.3
5:10:25 PM	604.8	318.0	1.0	1.3
5:10:26 PM	605.1	318.0	1.0	1.3
5:10:27 PM	605.5	318.0	1.0	1.3
5:10:28 PM	605.8	318.0	1.0	1.4
5:10:29 PM	606.1	318.0	1.0	1.3
5:10:30 PM	606.5	318.0	1.0	1.3
5:10:31 PM	606.8	318.0	1.0	1.3
5:10:32 PM	607.2	318.0	1.0	1.3
5:10:33 PM	607.5	318.0	1.0	1.3
5:10:34 PM	608.0	318.0	1.0	1.3
5:10:35 PM	608.3	318.0	1.0	1.3
5:10:36 PM	608.6	318.0	1.0	1.4
5:10:37 PM	608.8	318.0	1.0	1.3
5:10:38 PM	608.6	318.0	1.0	1.3
5:10:39 PM	608.3	318.0	1.0	1.2
5:10:40 PM	607.8	318.0	1.0	1.2
5:10:41 PM	607.2	318.0	1.0	1.3
5:10:42 PM	606.7	318.0	1.0	1.3
5:10:43 PM	606.1	318.0	1.0	1.3
5:10:44 PM	605.7	318.0	1.0	1.3
5:10:45 PM	605.1	318.0	1.0	1.2
5:10:46 PM	604.7	318.0	1.0	1.3
5:10:47 PM	604.1	318.0	1.0	1.3
5:10:48 PM	603.7	318.0	1.0	1.3
5:10:49 PM	603.1	318.0	1.0	1.3
5:10:50 PM	602.7	318.0	1.0	1.3
5:10:51 PM	602.2	318.0	1.0	1.3
5:10:52 PM	601.8	318.0	1.0	1.3
5:10:53 PM	601.4	318.0	1.0	1.4
5:10:54 PM	601.0	318.0	1.0	1.4
5:10:55 PM	601.0	318.0	1.0	1.3
5:10:56 PM	600.9	318.0	1.0	1.2
5:10:57 PM	601.0	318.0	1.0	1.2
5:10:58 PM	601.0	319.0	1.0	1.2
Averages ->	604.0	318.1	1.0	1.3
			Maximum ->	1.4

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 2900

Date 11/6/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
5:11:22 PM	605.5	320.0	1.0	1.8
5:11:22 PM	605.1	320.0	1.0	1.8
5:11:23 PM	604.6	320.0	1.0	1.7
5:11:24 PM	604.1	320.0	1.0	1.7
5:11:25 PM	603.6	320.0	1.0	1.9
5:11:26 PM	603.1	320.0	1.0	2.1
5:11:27 PM	602.6	320.0	1.0	2.2
5:11:28 PM	602.1	320.0	1.0	2.2
5:11:29 PM	601.7	320.0	1.0	2.2
5:11:30 PM	601.2	320.0	1.0	2.4
5:11:31 PM	600.6	320.0	1.0	2.6
5:11:32 PM	600.2	320.0	1.0	2.7
5:11:33 PM	599.7	320.0	1.0	2.5
5:11:34 PM	599.7	320.0	1.0	2.5
5:11:35 PM	599.3	320.0	1.0	1.9
5:11:36 PM	599.0	321.0	1.0	1.5
5:11:37 PM	598.9	321.0	1.0	1.3
5:11:38 PM	598.8	321.0	1.0	1.2
5:11:39 PM	599.2	321.0	1.0	1.1
5:11:40 PM	599.5	321.0	1.0	1.1
5:11:41 PM	599.8	321.0	1.0	1.1
5:11:42 PM	600.1	321.0	1.0	1.1
5:11:43 PM	600.5	321.0	1.0	1.0
5:11:44 PM	600.9	321.0	1.0	1.0
5:11:45 PM	601.5	321.0	1.0	1.0
5:11:46 PM	602.1	321.0	1.0	1.0
5:11:47 PM	602.7	321.0	1.0	1.0
5:11:48 PM	603.0	321.0	1.0	1.1
5:11:49 PM	603.4	321.0	1.0	1.0
5:11:50 PM	603.8	321.0	1.0	1.0
5:11:51 PM	604.0	321.0	1.0	1.0
5:11:52 PM	604.5	321.0	1.0	1.1
5:11:53 PM	604.8	321.0	1.0	1.1
5:11:54 PM	605.1	321.0	1.0	1.1
5:11:55 PM	605.4	321.0	1.0	1.1
5:11:56 PM	605.8	321.0	1.0	1.2
5:11:57 PM	606.1	322.0	1.0	1.2
5:11:58 PM	606.6	321.0	1.0	1.2
5:11:59 PM	606.9	321.0	1.0	1.2
5:12:00 PM	607.4	321.0	1.0	1.3
5:12:01 PM	607.4	321.0	1.0	1.3
5:12:02 PM	607.4	321.0	1.0	1.3
5:12:03 PM	607.4	321.0	1.0	1.2
5:12:04 PM	607.4	321.0	1.0	1.3
5:12:05 PM	607.4	321.0	1.0	1.2
5:12:06 PM	607.2	321.0	1.0	1.2
5:12:07 PM	606.8	321.0	1.0	1.4
5:12:08 PM	606.1	321.0	1.0	1.3
5:12:09 PM	605.3	321.0	1.0	1.3
5:12:10 PM	604.4	321.0	1.0	1.3
5:12:11 PM	603.7	321.0	1.0	1.2
5:12:12 PM	603.0	321.0	1.0	1.2
5:12:13 PM	602.6	321.0	1.0	1.2
5:12:14 PM	602.0	321.0	1.0	1.2
5:12:15 PM	601.6	321.0	1.0	1.2
5:12:16 PM	601.1	321.0	1.0	1.3
5:12:17 PM	600.6	321.0	1.0	1.4
5:12:18 PM	600.0	320.0	1.0	1.5
5:12:19 PM	599.6	320.0	1.0	1.5
5:12:20 PM	599.2	320.0	1.0	1.5
Averages ->	603.1	320.7	1.0	1.4
			Maximum ->	2.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3000

Date 11/9/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
8:11:27 AM	599.7	73.0	1.0	3.6
8:11:28 AM	599.8	73.0	1.0	3.8
8:11:29 AM	599.7	74.0	1.0	3.9
8:11:30 AM	599.7	74.0	1.0	4.0
8:11:31 AM	599.7	73.0	1.0	4.1
8:11:32 AM	599.7	73.0	1.0	4.2
8:11:33 AM	599.7	74.0	1.0	4.3
8:11:34 AM	599.7	73.0	1.0	4.4
8:11:35 AM	599.7	74.0	1.0	4.4
8:11:36 AM	599.7	73.0	1.0	4.4
8:11:37 AM	599.7	73.0	1.0	4.3
8:11:38 AM	599.7	73.0	1.0	4.3
8:11:39 AM	599.7	74.0	1.0	4.3
8:11:40 AM	599.7	74.0	1.0	4.3
8:11:41 AM	599.7	74.0	1.0	4.3
8:11:42 AM	599.8	73.0	1.0	4.3
8:11:43 AM	599.7	74.0	1.0	4.3
8:11:44 AM	599.7	73.0	1.0	4.3
8:11:45 AM	599.7	73.0	1.0	4.3
8:11:46 AM	599.7	74.0	1.0	4.3
8:11:47 AM	599.7	74.0	1.0	4.3
8:11:48 AM	599.6	74.0	1.0	4.3
8:11:49 AM	599.7	73.0	1.0	4.2
8:11:50 AM	599.7	73.0	1.0	4.2
8:11:51 AM	599.7	74.0	1.0	4.1
8:11:52 AM	599.7	73.0	1.0	4.0
8:11:53 AM	599.7	74.0	1.0	3.9
8:11:54 AM	599.7	73.0	1.0	3.9
8:11:55 AM	599.7	73.0	1.0	3.8
8:11:56 AM	599.6	74.0	1.0	3.7
8:11:57 AM	599.7	74.0	1.0	3.7
8:11:58 AM	599.7	74.0	1.0	3.7
8:11:59 AM	599.7	74.0	1.0	3.7
8:12:00 AM	599.6	74.0	1.0	3.7
8:12:01 AM	599.7	74.0	1.0	3.8
8:12:02 AM	599.6	74.0	1.0	3.8
8:12:03 AM	599.6	74.0	1.0	3.9
8:12:04 AM	599.7	74.0	1.0	3.9
8:12:05 AM	599.6	73.0	1.0	4.0
8:12:06 AM	599.6	74.0	1.0	4.0
8:12:07 AM	599.7	74.0	1.0	4.0
8:12:08 AM	599.7	74.0	1.0	4.1
8:12:09 AM	599.7	74.0	1.0	4.2
8:12:10 AM	599.7	74.0	1.0	4.3
8:12:11 AM	599.7	74.0	1.0	4.4
8:12:12 AM	599.7	74.0	1.0	4.5
8:12:13 AM	599.7	74.0	1.0	4.7
8:12:14 AM	599.7	73.0	1.0	4.7
8:12:15 AM	599.6	74.0	1.0	4.8
8:12:16 AM	599.6	74.0	1.0	4.8
8:12:17 AM	599.7	74.0	1.0	4.7
8:12:18 AM	599.7	74.0	1.0	4.6
8:12:19 AM	599.6	74.0	1.0	4.6
8:12:20 AM	599.6	74.0	1.0	4.5
8:12:21 AM	599.7	74.0	1.0	4.4
8:12:22 AM	599.7	74.0	1.0	4.3
8:12:23 AM	599.7	74.0	1.0	4.3
8:12:24 AM	599.6	74.0	1.0	4.2
8:12:25 AM	599.7	74.0	1.0	4.2
8:12:26 AM	599.7	74.0	1.0	4.2
Averages ->	599.7	73.7	1.0	4.2
			Maximum ->	4.8

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3000

Date 11/9/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
8:12:52 AM	595.3	73.0	1.0	4.0
8:12:53 AM	595.3	74.0	1.0	4.0
8:12:54 AM	595.4	74.0	1.0	4.0
8:12:55 AM	595.3	74.0	1.0	3.8
8:12:56 AM	595.3	74.0	1.0	3.6
8:12:57 AM	595.4	74.0	1.0	3.4
8:12:58 AM	595.5	74.0	1.0	3.2
8:12:59 AM	595.5	74.0	1.0	3.2
8:13:00 AM	595.5	74.0	1.0	3.3
8:13:01 AM	595.6	74.0	1.0	3.7
8:13:02 AM	595.6	74.0	1.0	4.4
8:13:03 AM	595.6	74.0	1.0	5.2
8:13:04 AM	595.7	73.0	1.0	6.0
8:13:05 AM	595.6	74.0	1.0	6.7
8:13:06 AM	595.6	74.0	1.0	6.7
8:13:07 AM	595.9	74.0	1.0	7.2
8:13:08 AM	596.3	74.0	1.0	7.7
8:13:09 AM	596.6	74.0	1.0	8.0
8:13:10 AM	597.0	74.0	1.0	8.2
8:13:11 AM	597.5	74.0	1.0	8.4
8:13:12 AM	597.9	74.0	1.0	8.6
8:13:13 AM	598.3	74.0	1.0	8.8
8:13:14 AM	598.7	74.0	1.0	8.9
8:13:15 AM	599.1	74.0	1.0	8.8
8:13:16 AM	599.6	74.0	1.0	8.6
8:13:17 AM	600.0	74.0	1.0	8.3
8:13:18 AM	600.2	74.0	1.0	7.9
8:13:19 AM	600.0	74.0	1.0	7.6
8:13:20 AM	600.1	74.0	1.0	7.4
8:13:21 AM	600.2	74.0	1.0	7.1
8:13:22 AM	600.0	74.0	1.0	6.8
8:13:23 AM	600.0	74.0	1.0	6.5
8:13:24 AM	600.1	74.0	1.0	6.2
8:13:25 AM	600.0	74.0	1.0	5.8
8:13:26 AM	600.0	74.0	1.0	5.4
8:13:27 AM	600.0	74.0	1.0	5.0
8:13:28 AM	600.0	74.0	1.0	4.7
8:13:29 AM	600.0	74.0	1.0	4.5
8:13:30 AM	600.0	74.0	1.0	4.3
8:13:31 AM	599.9	74.0	1.0	4.2
8:13:32 AM	599.7	74.0	1.0	4.1
8:13:33 AM	599.3	74.0	1.0	4.0
8:13:34 AM	598.9	74.0	1.0	3.9
8:13:35 AM	598.5	74.0	1.0	3.7
8:13:36 AM	598.2	74.0	1.0	3.6
8:13:37 AM	597.6	74.0	1.0	3.5
8:13:38 AM	597.2	74.0	1.0	3.3
8:13:39 AM	596.8	74.0	1.0	3.1
8:13:40 AM	596.5	74.0	1.0	3.0
8:13:41 AM	596.1	74.0	1.0	2.8
8:13:42 AM	595.6	74.0	1.0	2.7
8:13:43 AM	595.3	74.0	1.0	2.6
8:13:44 AM	595.3	74.0	1.0	2.5
8:13:45 AM	595.5	74.0	1.0	2.4
8:13:46 AM	595.5	74.0	1.0	2.4
8:13:47 AM	595.5	74.0	1.0	2.4
8:13:48 AM	595.5	74.0	1.0	2.4
8:13:49 AM	595.6	74.0	1.0	2.6
8:13:50 AM	595.5	74.0	1.0	3.0
8:13:51 AM	595.4	74.0	1.0	3.8
Averages ->	597.4	74.0	1.0	5.0
			Maximum ->	8.9

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3100

Date 11/9/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:24:17 AM	599.7	313.0	1.0	1.6
10:24:18 AM	599.3	313.0	1.0	1.6
10:24:19 AM	598.8	313.0	1.0	1.7
10:24:20 AM	598.3	312.0	1.0	1.5
10:24:21 AM	597.9	313.0	1.0	1.6
10:24:21 AM	597.5	313.0	1.0	1.5
10:24:22 AM	597.5	313.0	1.0	1.6
10:24:23 AM	597.5	313.0	1.0	1.5
10:24:24 AM	597.5	313.0	1.0	1.5
10:24:25 AM	597.6	312.0	1.0	1.5
10:24:26 AM	597.6	313.0	1.0	1.5
10:24:27 AM	597.6	313.0	1.0	1.6
10:24:28 AM	597.7	312.0	1.0	1.6
10:24:29 AM	597.9	312.0	1.0	1.5
10:24:30 AM	598.4	312.0	1.0	1.6
10:24:31 AM	598.7	313.0	1.0	1.6
10:24:32 AM	599.1	312.0	1.0	1.5
10:24:33 AM	599.4	312.0	1.0	1.6
10:24:34 AM	599.8	312.0	1.0	1.6
10:24:35 AM	600.3	312.0	1.0	1.6
10:24:36 AM	600.6	312.0	1.0	1.5
10:24:37 AM	600.9	312.0	1.0	1.5
10:24:38 AM	601.3	312.0	1.0	1.5
10:24:39 AM	601.6	312.0	1.0	1.6
10:24:40 AM	601.9	312.0	1.0	1.6
10:24:41 AM	602.4	312.0	1.0	1.6
10:24:42 AM	602.7	312.0	1.0	1.6
10:24:43 AM	603.1	312.0	1.0	1.6
10:24:44 AM	603.5	312.0	1.0	1.6
10:24:45 AM	603.8	312.0	1.0	1.5
10:24:46 AM	604.2	312.0	1.0	1.6
10:24:47 AM	604.6	312.0	1.0	1.6
10:24:48 AM	604.9	312.0	1.0	1.6
10:24:49 AM	605.3	312.0	1.0	1.7
10:24:50 AM	605.3	312.0	1.0	1.6
10:24:51 AM	605.3	312.0	1.0	1.6
10:24:52 AM	604.8	312.0	1.0	1.6
10:24:53 AM	604.3	312.0	1.0	1.5
10:24:54 AM	603.8	312.0	1.0	1.5
10:24:55 AM	603.3	312.0	1.0	1.5
10:24:56 AM	602.7	312.0	1.0	1.5
10:24:57 AM	602.2	312.0	1.0	1.5
10:24:58 AM	601.6	312.0	1.0	1.5
10:24:59 AM	601.1	312.0	1.0	1.6
10:25:00 AM	600.6	312.0	1.0	1.6
10:25:01 AM	600.0	312.0	1.0	1.6
10:25:02 AM	599.5	312.0	1.0	1.7
10:25:03 AM	599.1	312.0	1.0	1.7
10:25:04 AM	598.6	312.0	1.0	1.7
10:25:05 AM	598.1	312.0	1.0	1.7
10:25:06 AM	597.7	313.0	1.0	1.6
10:25:07 AM	597.4	312.0	1.0	1.5
10:25:08 AM	597.5	312.0	1.0	1.6
10:25:09 AM	597.3	313.0	1.0	1.6
10:25:10 AM	597.5	313.0	1.0	1.6
10:25:11 AM	597.4	312.0	1.0	1.5
10:25:12 AM	597.5	313.0	1.0	1.7
10:25:13 AM	597.6	313.0	1.0	1.6
10:25:14 AM	597.9	313.0	1.0	1.6
10:25:15 AM	598.3	313.0	1.0	1.6
Averages ->	600.3	312.3	1.0	1.6
			Maximum ->	1.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3100

Date 11/9/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:27:48 AM	606.1	319.0	1.0	1.7
10:27:49 AM	606.5	319.0	1.0	1.8
10:27:50 AM	606.8	319.0	1.0	1.8
10:27:51 AM	607.1	319.0	1.0	1.7
10:27:52 AM	607.4	319.0	1.0	1.7
10:27:53 AM	607.7	319.0	1.0	1.7
10:27:54 AM	608.0	319.0	1.0	1.7
10:27:55 AM	608.3	319.0	1.0	1.7
10:27:55 AM	608.7	319.0	1.0	1.8
10:27:56 AM	608.9	319.0	1.0	1.8
10:27:57 AM	608.9	319.0	1.0	1.8
10:27:58 AM	608.9	319.0	1.0	1.8
10:27:59 AM	609.0	319.0	1.0	1.8
10:28:00 AM	608.9	319.0	1.0	1.8
10:28:01 AM	608.9	319.0	1.0	1.7
10:28:02 AM	608.8	319.0	1.0	1.7
10:28:03 AM	608.8	319.0	1.0	1.7
10:28:04 AM	608.8	319.0	1.0	1.7
10:28:05 AM	608.7	319.0	1.0	1.7
10:28:06 AM	608.7	319.0	1.0	1.7
10:28:07 AM	608.8	319.0	1.0	1.7
10:28:08 AM	608.7	319.0	1.0	1.7
10:28:09 AM	608.6	319.0	1.0	1.7
10:28:10 AM	608.8	319.0	1.0	1.8
10:28:11 AM	608.6	319.0	1.0	1.8
10:28:12 AM	608.5	319.0	1.0	1.8
10:28:13 AM	608.3	319.0	1.0	1.7
10:28:14 AM	608.0	319.0	1.0	1.8
10:28:15 AM	607.7	319.0	1.0	1.7
10:28:16 AM	607.4	319.0	1.0	1.8
10:28:17 AM	607.2	319.0	1.0	1.7
10:28:18 AM	606.8	319.0	1.0	1.8
10:28:19 AM	606.6	319.0	1.0	1.7
10:28:20 AM	606.3	319.0	1.0	1.7
10:28:21 AM	605.9	319.0	1.0	1.7
10:28:22 AM	605.8	319.0	1.0	1.7
10:28:23 AM	605.5	319.0	1.0	1.8
10:28:24 AM	605.4	319.0	1.0	1.8
10:28:25 AM	605.5	319.0	1.0	1.8
10:28:26 AM	605.5	319.0	1.0	1.8
10:28:27 AM	605.5	319.0	1.0	1.8
10:28:28 AM	605.5	319.0	1.0	1.9
10:28:29 AM	605.6	319.0	1.0	1.8
10:28:30 AM	605.5	319.0	1.0	1.7
10:28:31 AM	605.5	319.0	1.0	1.7
10:28:32 AM	605.6	319.0	1.0	1.7
10:28:33 AM	605.7	319.0	1.0	1.8
10:28:34 AM	605.6	319.0	1.0	1.9
10:28:35 AM	605.6	319.0	1.0	2.0
10:28:36 AM	605.6	319.0	1.0	2.5
10:28:37 AM	605.7	319.0	1.0	2.9
10:28:38 AM	605.6	319.0	1.0	3.1
10:28:39 AM	605.6	319.0	1.0	2.9
10:28:40 AM	605.8	320.0	1.0	2.4
10:28:41 AM	605.6	319.0	1.0	2.1
10:28:42 AM	605.9	319.0	1.0	1.9
10:28:43 AM	606.1	319.0	1.0	1.7
10:28:44 AM	606.5	319.0	1.0	1.6
10:28:45 AM	607.0	319.0	1.0	1.6
10:28:46 AM	607.3	319.0	1.0	1.7
Averages ->	607.1	319.0	1.0	1.8
			Maximum ->	3.1

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3200

Date 11/9/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:46:34 PM	590.7	499.0	1.0	0.9
12:46:35 PM	590.6	499.0	1.0	0.9
12:46:36 PM	590.2	499.0	1.0	0.9
12:46:37 PM	589.9	499.0	1.0	0.9
12:46:38 PM	589.6	499.0	1.0	0.9
12:46:39 PM	589.3	499.0	1.0	0.9
12:46:40 PM	588.9	499.0	1.0	0.9
12:46:41 PM	588.6	499.0	1.0	0.9
12:46:42 PM	588.4	498.0	1.0	0.9
12:46:43 PM	588.0	498.0	1.0	0.9
12:46:44 PM	587.9	499.0	1.0	0.9
12:46:45 PM	588.0	498.0	1.0	0.8
12:46:46 PM	588.0	498.0	1.0	0.9
12:46:47 PM	588.1	498.0	1.0	0.9
12:46:48 PM	588.3	498.0	1.0	0.9
12:46:49 PM	588.4	498.0	1.0	0.9
12:46:50 PM	588.5	498.0	1.0	0.9
12:46:51 PM	588.8	498.0	1.0	0.9
12:46:52 PM	589.2	498.0	1.0	0.9
12:46:53 PM	589.6	498.0	1.0	0.9
12:46:54 PM	589.8	498.0	1.0	0.9
12:46:55 PM	589.8	498.0	1.0	0.9
12:46:56 PM	590.2	498.0	1.0	0.9
12:46:57 PM	590.6	498.0	1.0	0.9
12:46:58 PM	591.0	498.0	1.0	0.9
12:46:59 PM	591.3	498.0	1.0	0.9
12:47:00 PM	591.6	498.0	1.0	0.9
12:47:01 PM	591.9	498.0	1.0	0.9
12:47:02 PM	592.4	498.0	1.0	0.9
12:47:03 PM	592.7	498.0	1.0	0.9
12:47:04 PM	593.0	498.0	1.0	0.9
12:47:04 PM	593.3	498.0	1.0	0.9
12:47:05 PM	593.7	498.0	1.0	0.9
12:47:06 PM	594.0	498.0	1.0	0.9
12:47:07 PM	594.4	498.0	1.0	0.9
12:47:08 PM	594.7	498.0	1.0	0.9
12:47:09 PM	595.1	498.0	1.0	0.9
12:47:10 PM	595.4	498.0	1.0	0.9
12:47:11 PM	595.8	498.0	1.0	0.9
12:47:12 PM	595.6	498.0	1.0	1.0
12:47:13 PM	595.4	498.0	1.0	1.0
12:47:14 PM	595.1	498.0	1.0	1.0
12:47:15 PM	594.9	498.0	1.0	1.0
12:47:16 PM	594.5	498.0	1.0	1.0
12:47:17 PM	594.2	498.0	1.0	1.1
12:47:18 PM	593.9	498.0	1.0	1.1
12:47:19 PM	593.5	498.0	1.0	1.1
12:47:20 PM	593.2	498.0	1.0	1.1
12:47:21 PM	592.9	498.0	1.0	1.0
12:47:22 PM	592.6	498.0	1.0	1.0
12:47:23 PM	592.4	498.0	1.0	1.0
12:47:24 PM	592.1	498.0	1.0	1.0
12:47:25 PM	591.8	498.0	1.0	1.0
12:47:26 PM	591.5	498.0	1.0	1.0
12:47:27 PM	591.2	498.0	1.0	1.0
12:47:28 PM	591.0	498.0	1.0	1.0
12:47:29 PM	590.9	498.0	1.0	1.0
12:47:30 PM	591.0	498.0	1.0	1.1
12:47:31 PM	591.1	498.0	1.0	1.1
12:47:32 PM	591.2	499.0	1.0	1.1
Averages ->	591.5	498.2	1.0	0.9
			Maximum ->	1.1

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3200

Date 11/9/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:49:04 PM	596.9	499.0	1.0	1.1
12:49:04 PM	597.2	499.0	1.0	1.1
12:49:05 PM	597.6	499.0	1.0	1.1
12:49:06 PM	597.9	499.0	1.0	1.1
12:49:07 PM	598.2	499.0	1.0	1.1
12:49:08 PM	598.7	499.0	1.0	1.0
12:49:09 PM	599.0	499.0	1.0	1.1
12:49:10 PM	599.3	499.0	1.0	1.1
12:49:11 PM	599.6	499.0	1.0	1.1
12:49:12 PM	599.9	499.0	1.0	1.1
12:49:13 PM	600.3	499.0	1.0	1.1
12:49:14 PM	600.6	499.0	1.0	1.1
12:49:15 PM	600.9	499.0	1.0	1.1
12:49:16 PM	601.3	498.0	1.0	1.2
12:49:17 PM	601.6	499.0	1.0	1.2
12:49:18 PM	602.0	499.0	1.0	1.2
12:49:19 PM	602.2	499.0	1.0	1.2
12:49:20 PM	602.6	499.0	1.0	1.2
12:49:21 PM	602.9	498.0	1.0	1.2
12:49:22 PM	603.2	498.0	1.0	1.2
12:49:23 PM	603.5	498.0	1.0	1.2
12:49:24 PM	603.9	498.0	1.0	1.1
12:49:25 PM	603.9	499.0	1.0	1.1
12:49:26 PM	603.9	498.0	1.0	1.1
12:49:27 PM	603.5	498.0	1.0	1.1
12:49:28 PM	603.3	498.0	1.0	1.1
12:49:29 PM	602.9	498.0	1.0	1.1
12:49:30 PM	602.6	498.0	1.0	1.2
12:49:31 PM	602.3	498.0	1.0	1.2
12:49:32 PM	601.8	498.0	1.0	1.2
12:49:33 PM	601.6	498.0	1.0	1.2
12:49:34 PM	601.3	498.0	1.0	1.2
12:49:35 PM	600.9	498.0	1.0	1.2
12:49:36 PM	600.5	498.0	1.0	1.2
12:49:37 PM	600.3	498.0	1.0	1.2
12:49:38 PM	600.0	498.0	1.0	1.2
12:49:39 PM	599.6	498.0	1.0	1.2
12:49:40 PM	599.3	498.0	1.0	1.2
12:49:41 PM	599.0	498.0	1.0	1.1
12:49:42 PM	598.8	498.0	1.0	1.1
12:49:43 PM	598.7	498.0	1.0	1.1
12:49:44 PM	598.7	498.0	1.0	1.1
12:49:45 PM	598.8	498.0	1.0	1.1
12:49:46 PM	598.9	498.0	1.0	1.1
12:49:47 PM	598.9	498.0	1.0	1.1
12:49:48 PM	599.2	498.0	1.0	1.1
12:49:49 PM	599.4	498.0	1.0	1.1
12:49:50 PM	599.8	498.0	1.0	1.0
12:49:51 PM	600.1	498.0	1.0	1.0
12:49:52 PM	600.5	498.0	1.0	1.0
12:49:53 PM	600.7	498.0	1.0	1.0
12:49:54 PM	601.2	498.0	1.0	1.0
12:49:55 PM	601.6	498.0	1.0	1.0
12:49:56 PM	601.8	498.0	1.0	1.0
12:49:57 PM	602.1	498.0	1.0	1.0
12:49:58 PM	602.1	498.0	1.0	1.0
12:49:59 PM	602.5	498.0	1.0	1.1
12:50:00 PM	602.8	499.0	1.0	1.1
12:50:01 PM	603.1	499.0	1.0	1.1
12:50:02 PM	603.5	499.0	1.0	1.2
Averages ->	600.8	498.4	1.0	1.1
			Maximum ->	1.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3300

Date 11/9/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
3:02:00 PM	604.8	500.0	1.0	1.8
3:02:01 PM	604.4	501.0	1.0	1.7
3:02:02 PM	604.1	500.0	1.0	1.7
3:02:03 PM	603.7	501.0	1.0	1.8
3:02:04 PM	603.4	501.0	1.0	1.7
3:02:05 PM	603.2	501.0	1.0	1.8
3:02:06 PM	602.8	501.0	1.0	1.8
3:02:07 PM	602.9	501.0	1.0	1.8
3:02:08 PM	602.9	501.0	1.0	1.8
3:02:09 PM	603.1	501.0	1.0	1.8
3:02:10 PM	603.0	501.0	1.0	1.8
3:02:11 PM	603.3	501.0	1.0	1.9
3:02:12 PM	603.4	501.0	1.0	1.9
3:02:13 PM	603.7	500.0	1.0	1.9
3:02:14 PM	604.0	501.0	1.0	1.9
3:02:15 PM	604.4	500.0	1.0	1.9
3:02:16 PM	604.8	500.0	1.0	1.9
3:02:17 PM	605.2	500.0	1.0	1.9
3:02:18 PM	605.5	500.0	1.0	1.8
3:02:19 PM	605.8	500.0	1.0	1.8
3:02:20 PM	606.1	500.0	1.0	1.7
3:02:21 PM	606.4	500.0	1.0	1.7
3:02:22 PM	606.8	500.0	1.0	1.7
3:02:23 PM	607.2	500.0	1.0	1.7
3:02:24 PM	607.4	500.0	1.0	1.7
3:02:25 PM	607.8	500.0	1.0	1.6
3:02:26 PM	608.1	500.0	1.0	1.6
3:02:27 PM	608.5	500.0	1.0	1.6
3:02:28 PM	608.8	500.0	1.0	1.6
3:02:29 PM	609.1	500.0	1.0	1.6
3:02:30 PM	609.4	500.0	1.0	1.6
3:02:31 PM	609.8	500.0	1.0	1.6
3:02:32 PM	610.1	500.0	1.0	1.6
3:02:33 PM	610.4	500.0	1.0	1.6
3:02:34 PM	610.4	500.0	1.0	1.6
3:02:35 PM	610.1	500.0	1.0	1.6
3:02:36 PM	609.7	500.0	1.0	1.6
3:02:37 PM	609.3	499.0	1.0	1.6
3:02:38 PM	608.9	499.0	1.0	1.7
3:02:39 PM	608.6	499.0	1.0	1.7
3:02:39 PM	608.2	499.0	1.0	1.7
3:02:40 PM	607.8	499.0	1.0	1.7
3:02:41 PM	607.4	499.0	1.0	1.7
3:02:42 PM	607.1	499.0	1.0	1.7
3:02:43 PM	606.7	499.0	1.0	1.7
3:02:44 PM	606.3	499.0	1.0	1.7
3:02:45 PM	606.1	499.0	1.0	1.7
3:02:46 PM	605.7	499.0	1.0	1.7
3:02:47 PM	605.3	499.0	1.0	1.8
3:02:48 PM	605.1	499.0	1.0	1.8
3:02:49 PM	604.8	499.0	1.0	1.8
3:02:50 PM	604.6	498.0	1.0	1.8
3:02:51 PM	604.6	498.0	1.0	1.9
3:02:52 PM	604.7	498.0	1.0	1.8
3:02:53 PM	604.8	498.0	1.0	1.8
3:02:54 PM	605.0	498.0	1.0	1.8
3:02:55 PM	605.1	498.0	1.0	1.8
3:02:56 PM	605.3	498.0	1.0	1.8
3:02:57 PM	605.8	498.0	1.0	1.8
3:02:58 PM	606.1	498.0	1.0	1.8
Averages ->	606.1	499.7	1.0	1.7
			Maximum ->	1.9

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3300

Date 11/9/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
3:04:51 PM	600.6	501.0	1.0	1.8
3:04:52 PM	599.9	501.0	1.0	1.8
3:04:53 PM	599.2	500.0	1.0	1.8
3:04:54 PM	598.7	500.0	1.0	1.8
3:04:55 PM	598.2	500.0	1.0	1.8
3:04:56 PM	597.8	500.0	1.0	1.8
3:04:57 PM	597.4	500.0	1.0	1.8
3:04:58 PM	597.1	500.0	1.0	1.8
3:04:59 PM	596.8	500.0	1.0	1.9
3:05:00 PM	596.4	500.0	1.0	1.9
3:05:01 PM	596.0	500.0	1.0	1.9
3:05:02 PM	595.7	500.0	1.0	1.9
3:05:03 PM	595.4	500.0	1.0	1.9
3:05:04 PM	595.1	500.0	1.0	2.0
3:05:05 PM	595.2	500.0	1.0	2.1
3:05:06 PM	595.2	500.0	1.0	2.1
3:05:07 PM	595.4	500.0	1.0	2.1
3:05:08 PM	595.4	500.0	1.0	2.0
3:05:09 PM	595.5	500.0	1.0	2.0
3:05:10 PM	595.7	499.0	1.0	2.0
3:05:11 PM	596.0	500.0	1.0	1.9
3:05:12 PM	596.2	500.0	1.0	1.8
3:05:13 PM	596.7	500.0	1.0	1.8
3:05:13 PM	597.2	500.0	1.0	1.7
3:05:14 PM	597.9	499.0	1.0	1.6
3:05:15 PM	598.6	499.0	1.0	1.5
3:05:16 PM	599.4	499.0	1.0	1.5
3:05:17 PM	599.9	499.0	1.0	1.4
3:05:18 PM	600.5	499.0	1.0	1.4
3:05:19 PM	601.3	499.0	1.0	1.4
3:05:20 PM	601.9	499.0	1.0	1.3
3:05:21 PM	602.6	499.0	1.0	1.3
3:05:22 PM	603.2	499.0	1.0	1.3
3:05:23 PM	603.9	499.0	1.0	1.3
3:05:24 PM	604.4	499.0	1.0	1.3
3:05:25 PM	604.6	499.0	1.0	1.3
3:05:26 PM	604.9	499.0	1.0	1.3
3:05:27 PM	605.2	499.0	1.0	1.3
3:05:28 PM	605.5	499.0	1.0	1.3
3:05:29 PM	605.8	499.0	1.0	1.3
3:05:30 PM	606.1	499.0	1.0	1.3
3:05:31 PM	606.0	499.0	1.0	1.3
3:05:32 PM	605.7	499.0	1.0	1.3
3:05:33 PM	605.2	499.0	1.0	1.4
3:05:34 PM	604.7	499.0	1.0	1.4
3:05:35 PM	604.7	499.0	1.0	1.4
3:05:36 PM	604.3	499.0	1.0	1.4
3:05:37 PM	603.9	499.0	1.0	1.4
3:05:38 PM	603.5	499.0	1.0	1.5
3:05:39 PM	602.8	499.0	1.0	1.5
3:05:40 PM	602.1	499.0	1.0	1.5
3:05:41 PM	601.5	499.0	1.0	1.5
3:05:42 PM	600.7	499.0	1.0	1.5
3:05:43 PM	600.1	499.0	1.0	1.5
3:05:44 PM	599.4	499.0	1.0	1.5
3:05:45 PM	598.7	499.0	1.0	1.5
3:05:46 PM	598.0	499.0	1.0	1.5
3:05:47 PM	597.5	499.0	1.0	1.5
3:05:48 PM	596.8	499.0	1.0	1.5
3:05:49 PM	596.6	498.0	1.0	1.5
Averages ->	600.0	499.4	1.0	1.6
			Maximum ->	2.1

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3400

Date 11/9/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
5:14:44 PM	600.0	319.0	1.0	2.1
5:14:45 PM	600.4	319.0	1.0	2.1
5:14:46 PM	600.8	319.0	1.0	2.1
5:14:47 PM	600.9	319.0	1.0	2.1
5:14:48 PM	601.3	319.0	1.0	2.0
5:14:49 PM	601.6	319.0	1.0	2.0
5:14:50 PM	601.9	319.0	1.0	2.0
5:14:51 PM	602.2	319.0	1.0	2.0
5:14:52 PM	602.5	319.0	1.0	2.0
5:14:53 PM	602.8	319.0	1.0	1.9
5:14:54 PM	603.0	318.0	1.0	1.9
5:14:55 PM	603.0	319.0	1.0	1.9
5:14:56 PM	602.7	318.0	1.0	1.9
5:14:57 PM	602.4	318.0	1.0	1.9
5:14:58 PM	602.1	318.0	1.0	1.8
5:14:59 PM	601.8	318.0	1.0	1.8
5:15:00 PM	601.5	318.0	1.0	1.8
5:15:01 PM	601.1	318.0	1.0	1.9
5:15:02 PM	600.8	318.0	1.0	1.9
5:15:03 PM	600.4	318.0	1.0	1.9
5:15:04 PM	600.1	318.0	1.0	1.9
5:15:05 PM	599.8	318.0	1.0	1.9
5:15:06 PM	599.5	318.0	1.0	1.9
5:15:07 PM	599.2	318.0	1.0	1.9
5:15:08 PM	598.8	318.0	1.0	1.9
5:15:09 PM	598.7	318.0	1.0	1.9
5:15:10 PM	598.3	318.0	1.0	1.9
5:15:11 PM	598.1	318.0	1.0	1.9
5:15:12 PM	597.8	318.0	1.0	1.9
5:15:13 PM	597.8	318.0	1.0	1.9
5:15:14 PM	597.5	318.0	1.0	1.9
5:15:15 PM	597.4	318.0	1.0	1.9
5:15:16 PM	597.4	318.0	1.0	1.9
5:15:17 PM	597.6	318.0	1.0	1.9
5:15:18 PM	597.7	318.0	1.0	1.9
5:15:19 PM	597.9	318.0	1.0	1.9
5:15:20 PM	598.5	318.0	1.0	1.9
5:15:21 PM	598.7	318.0	1.0	1.9
5:15:22 PM	599.0	318.0	1.0	1.9
5:15:23 PM	599.3	318.0	1.0	1.9
5:15:24 PM	599.7	318.0	1.0	1.9
5:15:25 PM	600.0	318.0	1.0	1.9
5:15:26 PM	600.3	318.0	1.0	1.9
5:15:27 PM	600.6	318.0	1.0	1.9
5:15:28 PM	600.8	318.0	1.0	1.9
5:15:29 PM	601.2	318.0	1.0	1.9
5:15:30 PM	601.6	318.0	1.0	1.9
5:15:31 PM	601.8	318.0	1.0	1.9
5:15:32 PM	602.2	318.0	1.0	1.9
5:15:33 PM	602.4	318.0	1.0	1.9
5:15:34 PM	602.9	318.0	1.0	1.9
5:15:35 PM	603.1	318.0	1.0	1.9
5:15:36 PM	603.3	318.0	1.0	1.9
5:15:37 PM	603.7	318.0	1.0	1.9
5:15:38 PM	604.1	318.0	1.0	1.9
5:15:38 PM	604.1	318.0	1.0	1.9
5:15:39 PM	604.2	318.0	1.0	1.9
5:15:40 PM	604.1	319.0	1.0	1.9
5:15:41 PM	603.8	318.0	1.0	1.9
5:15:42 PM	603.5	318.0	1.0	2.0
Averages ->	600.8	318.2	1.0	1.9
			Maximum ->	2.1

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3400

Date 11/9/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
5:15:57 PM	598.6	319.0	1.0	2.0
5:15:58 PM	598.1	319.0	1.0	2.0
5:15:59 PM	597.6	319.0	1.0	2.0
5:16:00 PM	597.3	319.0	1.0	2.1
5:16:01 PM	597.2	319.0	1.0	2.1
5:16:02 PM	597.0	319.0	1.0	2.1
5:16:03 PM	596.9	319.0	1.0	2.1
5:16:04 PM	596.9	319.0	1.0	2.2
5:16:05 PM	597.1	319.0	1.0	2.2
5:16:06 PM	597.1	319.0	1.0	2.1
5:16:07 PM	597.3	320.0	1.0	2.1
5:16:08 PM	597.5	319.0	1.0	2.1
5:16:09 PM	597.9	320.0	1.0	2.1
5:16:10 PM	598.3	320.0	1.0	2.2
5:16:11 PM	598.7	320.0	1.0	2.4
5:16:11 PM	599.0	320.0	1.0	2.5
5:16:12 PM	599.4	320.0	1.0	2.6
5:16:13 PM	599.7	320.0	1.0	2.7
5:16:14 PM	600.0	320.0	1.0	2.8
5:16:15 PM	600.4	320.0	1.0	2.8
5:16:16 PM	600.8	320.0	1.0	2.9
5:16:17 PM	601.1	320.0	1.0	2.9
5:16:18 PM	601.4	320.0	1.0	2.9
5:16:19 PM	601.7	320.0	1.0	2.9
5:16:20 PM	602.0	320.0	1.0	2.9
5:16:21 PM	602.3	320.0	1.0	2.8
5:16:22 PM	602.6	321.0	1.0	2.7
5:16:23 PM	602.7	321.0	1.0	2.6
5:16:24 PM	602.6	320.0	1.0	2.4
5:16:25 PM	602.6	321.0	1.0	2.3
5:16:26 PM	602.6	321.0	1.0	2.2
5:16:27 PM	602.5	321.0	1.0	2.1
5:16:28 PM	602.4	321.0	1.0	2.1
5:16:29 PM	602.2	321.0	1.0	2.0
5:16:30 PM	602.3	321.0	1.0	2.0
5:16:31 PM	602.1	321.0	1.0	1.9
5:16:32 PM	602.1	321.0	1.0	1.9
5:16:33 PM	602.0	321.0	1.0	1.9
5:16:34 PM	602.0	321.0	1.0	1.9
5:16:35 PM	601.8	321.0	1.0	1.8
5:16:36 PM	601.5	321.0	1.0	1.8
5:16:37 PM	601.2	321.0	1.0	1.8
5:16:38 PM	600.9	321.0	1.0	1.8
5:16:39 PM	600.6	321.0	1.0	1.8
5:16:40 PM	600.3	321.0	1.0	1.8
5:16:41 PM	600.0	321.0	1.0	1.8
5:16:42 PM	599.7	321.0	1.0	1.8
5:16:43 PM	599.7	321.0	1.0	1.8
5:16:44 PM	599.8	321.0	1.0	1.8
5:16:45 PM	600.0	321.0	1.0	1.8
5:16:46 PM	600.0	322.0	1.0	1.9
5:16:47 PM	600.3	322.0	1.0	1.9
5:16:48 PM	600.3	322.0	1.0	1.9
5:16:49 PM	600.6	321.0	1.0	1.9
5:16:50 PM	597.0	321.0	1.0	1.9
5:16:51 PM	601.0	321.0	1.0	1.9
5:16:52 PM	601.0	321.0	1.0	1.9
5:16:53 PM	601.1	321.0	1.0	1.9
5:16:54 PM	601.1	321.0	1.0	1.8
5:16:55 PM	601.2	321.0	1.0	1.8
Averages ->	600.2	320.4	1.0	2.1
			Maximum ->	2.9

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3500

Date 11/10/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
8:10:39 AM	601.0	95.0	1.0	1.1
8:10:40 AM	601.1	95.0	1.0	1.1
8:10:41 AM	600.9	95.0	1.0	1.1
8:10:42 AM	600.9	95.0	1.0	1.1
8:10:43 AM	600.9	95.0	1.0	1.1
8:10:44 AM	601.1	95.0	1.0	1.1
8:10:45 AM	600.9	95.0	1.0	1.1
8:10:46 AM	600.9	95.0	1.0	1.1
8:10:47 AM	601.0	95.0	1.0	1.1
8:10:48 AM	601.0	95.0	1.0	1.1
8:10:49 AM	600.9	95.0	1.0	1.1
8:10:50 AM	600.8	95.0	1.0	1.1
8:10:51 AM	600.8	95.0	1.0	1.1
8:10:52 AM	600.9	95.0	1.0	1.1
8:10:53 AM	600.8	95.0	1.0	1.1
8:10:54 AM	600.8	95.0	1.0	1.1
8:10:55 AM	600.9	95.0	1.0	1.1
8:10:56 AM	600.8	95.0	1.0	1.1
8:10:57 AM	600.8	95.0	1.0	1.1
8:10:58 AM	600.8	95.0	1.0	1.1
8:10:59 AM	600.9	95.0	1.0	1.1
8:11:00 AM	600.8	95.0	1.0	1.1
8:11:01 AM	600.7	95.0	1.0	1.1
8:11:02 AM	600.8	95.0	1.0	1.1
8:11:03 AM	600.9	95.0	1.0	1.1
8:11:04 AM	600.8	95.0	1.0	1.1
8:11:05 AM	600.8	95.0	1.0	1.1
8:11:06 AM	600.8	95.0	1.0	1.1
8:11:07 AM	600.8	95.0	1.0	1.1
8:11:08 AM	600.8	95.0	1.0	1.1
8:11:09 AM	600.8	95.0	1.0	1.1
8:11:10 AM	600.8	95.0	1.0	1.1
8:11:11 AM	600.7	95.0	1.0	1.1
8:11:12 AM	600.7	95.0	1.0	1.1
8:11:13 AM	600.8	95.0	1.0	1.1
8:11:14 AM	600.7	95.0	1.0	1.1
8:11:15 AM	600.7	95.0	1.0	1.1
8:11:16 AM	600.8	95.0	1.0	1.1
8:11:17 AM	600.7	95.0	1.0	1.1
8:11:18 AM	600.7	95.0	1.0	1.1
8:11:19 AM	600.6	95.0	1.0	1.1
8:11:20 AM	600.7	95.0	1.0	1.1
8:11:21 AM	600.6	95.0	1.0	1.1
8:11:22 AM	600.7	95.0	1.0	1.1
8:11:23 AM	600.6	95.0	1.0	1.1
8:11:24 AM	600.6	95.0	1.0	1.1
8:11:25 AM	600.6	95.0	1.0	1.1
8:11:26 AM	600.6	95.0	1.0	1.1
8:11:27 AM	600.6	95.0	1.0	1.1
8:11:28 AM	600.5	95.0	1.0	1.1
8:11:29 AM	600.6	95.0	1.0	1.1
8:11:30 AM	600.6	95.0	1.0	1.1
8:11:31 AM	600.6	95.0	1.0	1.1
8:11:32 AM	600.5	95.0	1.0	1.1
8:11:32 AM	600.6	95.0	1.0	1.1
8:11:33 AM	600.6	95.0	1.0	1.1
8:11:34 AM	600.5	95.0	1.0	1.1
8:11:35 AM	600.5	95.0	1.0	1.1
8:11:36 AM	600.6	95.0	1.0	1.1
8:11:37 AM	600.6	95.0	1.0	1.1
Averages ->	600.8	95.0	1.0	1.1
			Maximum ->	1.1

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3500

Date 11/10/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
8:12:08 AM	597.8	95.0	1.0	0.6
8:12:09 AM	597.8	95.0	1.0	0.6
8:12:10 AM	597.8	95.0	1.0	0.6
8:12:11 AM	597.9	95.0	1.0	0.8
8:12:12 AM	597.9	95.0	1.0	0.9
8:12:13 AM	597.8	95.0	1.0	1.1
8:12:14 AM	597.9	95.0	1.0	1.3
8:12:15 AM	597.7	95.0	1.0	0.9
8:12:16 AM	597.8	95.0	1.0	1.1
8:12:17 AM	597.9	95.0	1.0	1.1
8:12:18 AM	592.0	95.0	1.0	1.2
8:12:19 AM	598.1	95.0	1.0	1.4
8:12:20 AM	598.4	95.0	1.0	1.4
8:12:21 AM	598.6	95.0	1.0	1.4
8:12:22 AM	598.8	95.0	1.0	1.4
8:12:23 AM	599.0	95.0	1.0	1.6
8:12:24 AM	599.3	95.0	1.0	1.3
8:12:25 AM	599.6	95.0	1.0	1.0
8:12:26 AM	599.8	95.0	1.0	1.0
8:12:27 AM	600.0	95.0	1.0	1.1
8:12:28 AM	600.3	95.0	1.0	1.0
8:12:29 AM	600.5	95.0	1.0	1.0
8:12:30 AM	600.5	95.0	1.0	0.9
8:12:31 AM	600.5	95.0	1.0	0.9
8:12:32 AM	600.4	95.0	1.0	0.8
8:12:33 AM	600.4	95.0	1.0	0.8
8:12:34 AM	600.3	95.0	1.0	0.8
8:12:35 AM	600.4	95.0	1.0	0.8
8:12:36 AM	600.4	95.0	1.0	0.7
8:12:37 AM	600.3	95.0	1.0	0.8
8:12:38 AM	600.3	95.0	1.0	0.7
8:12:39 AM	600.3	95.0	1.0	1.0
8:12:40 AM	600.3	95.0	1.0	0.9
8:12:41 AM	600.2	95.0	1.0	0.8
8:12:42 AM	600.3	95.0	1.0	0.8
8:12:43 AM	598.5	95.0	1.0	0.8
8:12:44 AM	600.0	95.0	1.0	0.8
8:12:45 AM	599.8	95.0	1.0	0.9
8:12:46 AM	599.5	95.0	1.0	1.0
8:12:47 AM	599.5	95.0	1.0	1.0
8:12:48 AM	599.2	95.0	1.0	0.9
8:12:49 AM	599.0	95.0	1.0	0.9
8:12:50 AM	598.7	95.0	1.0	0.9
8:12:51 AM	598.4	95.0	1.0	0.8
8:12:52 AM	598.1	95.0	1.0	0.7
8:12:53 AM	597.9	95.0	1.0	0.8
8:12:54 AM	597.6	95.0	1.0	0.7
8:12:54 AM	597.5	96.0	1.0	0.8
8:12:55 AM	597.4	96.0	1.0	0.6
8:12:56 AM	597.4	95.0	1.0	0.6
8:12:57 AM	597.4	95.0	1.0	0.6
8:12:58 AM	597.4	96.0	1.0	0.6
8:12:59 AM	597.4	96.0	1.0	0.6
8:13:00 AM	597.4	95.0	1.0	0.5
8:13:01 AM	597.4	96.0	1.0	0.6
8:13:02 AM	597.5	96.0	1.0	0.7
8:13:03 AM	597.4	95.0	1.0	0.7
8:13:04 AM	597.6	96.0	1.0	1.0
8:13:05 AM	597.5	95.0	1.0	0.9
8:13:06 AM	597.5	96.0	1.0	1.1
Averages ->	598.7	95.1	1.0	0.9
			Maximum ->	1.6

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3600

Date 11/10/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:22:07 AM	602.6	320.0	1.0	3.0
10:22:08 AM	601.9	320.0	1.0	3.0
10:22:09 AM	601.3	319.0	1.0	3.0
10:22:10 AM	600.7	320.0	1.0	3.0
10:22:11 AM	600.2	319.0	1.0	3.0
10:22:12 AM	599.9	319.0	1.0	3.0
10:22:13 AM	600.0	319.0	1.0	3.0
10:22:14 AM	600.0	319.0	1.0	3.0
10:22:15 AM	600.0	320.0	1.0	3.0
10:22:16 AM	599.9	319.0	1.0	3.0
10:22:17 AM	600.1	319.0	1.0	3.1
10:22:18 AM	600.1	319.0	1.0	3.1
10:22:19 AM	600.2	319.0	1.0	3.1
10:22:20 AM	600.2	320.0	1.0	3.1
10:22:21 AM	600.2	319.0	1.0	3.1
10:22:22 AM	600.3	319.0	1.0	3.1
10:22:23 AM	600.2	319.0	1.0	3.1
10:22:24 AM	600.2	320.0	1.0	3.1
10:22:25 AM	600.2	319.0	1.0	3.1
10:22:26 AM	600.2	320.0	1.0	3.1
10:22:27 AM	600.4	319.0	1.0	3.2
10:22:28 AM	600.7	320.0	1.0	3.1
10:22:29 AM	601.1	319.0	1.0	3.1
10:22:30 AM	601.5	320.0	1.0	3.1
10:22:31 AM	601.8	320.0	1.0	3.1
10:22:32 AM	602.3	319.0	1.0	3.1
10:22:33 AM	602.6	320.0	1.0	3.1
10:22:34 AM	603.0	319.0	1.0	3.1
10:22:35 AM	603.4	320.0	1.0	3.1
10:22:36 AM	603.8	320.0	1.0	3.1
10:22:37 AM	603.9	320.0	1.0	3.1
10:22:38 AM	603.9	320.0	1.0	3.1
10:22:39 AM	603.9	320.0	1.0	3.1
10:22:40 AM	603.9	320.0	1.0	3.1
10:22:41 AM	603.9	320.0	1.0	3.1
10:22:42 AM	603.8	320.0	1.0	3.1
10:22:43 AM	603.8	320.0	1.0	3.1
10:22:44 AM	603.7	320.0	1.0	3.1
10:22:45 AM	603.8	320.0	1.0	3.1
10:22:46 AM	603.7	320.0	1.0	3.1
10:22:47 AM	603.7	320.0	1.0	3.1
10:22:48 AM	603.7	320.0	1.0	3.1
10:22:49 AM	603.6	320.0	1.0	3.1
10:22:50 AM	603.0	320.0	1.0	3.2
10:22:51 AM	602.3	320.0	1.0	3.2
10:22:52 AM	601.6	320.0	1.0	3.2
10:22:53 AM	601.2	320.0	1.0	3.2
10:22:54 AM	600.6	321.0	1.0	3.2
10:22:55 AM	600.0	321.0	1.0	3.2
10:22:56 AM	599.8	321.0	1.0	3.2
10:22:57 AM	599.8	321.0	1.0	3.2
10:22:58 AM	599.8	321.0	1.0	3.2
10:22:59 AM	599.9	321.0	1.0	3.2
10:23:00 AM	599.9	321.0	1.0	3.2
10:23:01 AM	600.0	321.0	1.0	3.2
10:23:01 AM	600.0	321.0	1.0	3.2
10:23:02 AM	600.0	321.0	1.0	3.2
10:23:03 AM	600.0	321.0	1.0	3.2
10:23:04 AM	600.0	321.0	1.0	3.2
10:23:05 AM	600.2	321.0	1.0	3.2
Averages ->	601.4	319.9	1.0	3.1
			Maximum ->	3.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3600

Date 11/10/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:23:26 AM	601.5	322.0	1.0	3.3
10:23:27 AM	601.1	322.0	1.0	3.3
10:23:28 AM	600.8	323.0	1.0	3.3
10:23:29 AM	600.7	323.0	1.0	3.3
10:23:30 AM	600.8	322.0	1.0	3.3
10:23:31 AM	600.9	322.0	1.0	3.3
10:23:32 AM	600.8	323.0	1.0	3.3
10:23:33 AM	600.9	323.0	1.0	3.3
10:23:34 AM	600.7	323.0	1.0	3.3
10:23:35 AM	600.2	322.0	1.0	3.3
10:23:36 AM	599.6	323.0	1.0	3.3
10:23:37 AM	599.0	323.0	1.0	3.4
10:23:38 AM	598.4	323.0	1.0	3.4
10:23:39 AM	597.8	323.0	1.0	3.4
10:23:40 AM	597.4	323.0	1.0	3.5
10:23:41 AM	597.1	323.0	1.0	3.5
10:23:42 AM	597.2	323.0	1.0	3.5
10:23:43 AM	597.3	323.0	1.0	3.5
10:23:44 AM	597.3	323.0	1.0	3.5
10:23:45 AM	597.4	323.0	1.0	3.5
10:23:46 AM	589.4	323.0	1.0	3.5
10:23:47 AM	597.8	323.0	1.0	3.5
10:23:48 AM	598.1	323.0	1.0	3.5
10:23:49 AM	598.3	323.0	1.0	3.5
10:23:50 AM	598.8	323.0	1.0	3.5
10:23:51 AM	599.1	323.0	1.0	3.5
10:23:52 AM	599.4	323.0	1.0	3.5
10:23:53 AM	599.7	323.0	1.0	3.5
10:23:54 AM	600.0	323.0	1.0	3.4
10:23:55 AM	600.3	323.0	1.0	3.4
10:23:56 AM	600.7	323.0	1.0	3.4
10:23:57 AM	601.4	323.0	1.0	3.4
10:23:58 AM	601.9	323.0	1.0	3.4
10:23:59 AM	602.2	323.0	1.0	3.4
10:24:00 AM	602.6	324.0	1.0	3.4
10:24:01 AM	602.9	323.0	1.0	3.4
10:24:02 AM	603.4	324.0	1.0	3.4
10:24:03 AM	603.7	323.0	1.0	3.4
10:24:04 AM	604.0	324.0	1.0	3.4
10:24:05 AM	604.4	324.0	1.0	3.4
10:24:06 AM	604.5	323.0	1.0	3.4
10:24:07 AM	604.5	324.0	1.0	3.4
10:24:08 AM	604.4	324.0	1.0	3.4
10:24:09 AM	604.5	324.0	1.0	3.4
10:24:10 AM	604.4	323.0	1.0	3.4
10:24:11 AM	604.4	323.0	1.0	3.5
10:24:12 AM	604.4	323.0	1.0	3.5
10:24:13 AM	604.1	324.0	1.0	3.5
10:24:14 AM	603.8	323.0	1.0	3.5
10:24:15 AM	603.5	323.0	1.0	3.6
10:24:16 AM	603.1	323.0	1.0	3.6
10:24:17 AM	602.7	323.0	1.0	3.6
10:24:18 AM	602.3	323.0	1.0	3.6
10:24:18 AM	601.6	323.0	1.0	3.5
10:24:19 AM	601.6	323.0	1.0	3.5
10:24:20 AM	601.0	323.0	1.0	3.5
10:24:21 AM	600.5	323.0	1.0	3.6
10:24:22 AM	599.9	323.0	1.0	3.6
10:24:23 AM	599.3	323.0	1.0	3.6
10:24:24 AM	598.7	323.0	1.0	3.6
Averages ->	600.8	323.1	1.0	3.4
			Maximum ->	3.6

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3700

Date 11/10/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:34:58 PM	601.4	498.0	1.0	1.4
12:34:59 PM	600.8	498.0	1.0	1.4
12:35:00 PM	600.3	498.0	1.0	1.4
12:35:01 PM	599.6	498.0	1.0	1.4
12:35:02 PM	599.2	498.0	1.0	1.4
12:35:03 PM	599.0	499.0	1.0	1.4
12:35:04 PM	598.9	498.0	1.0	1.4
12:35:05 PM	598.9	499.0	1.0	1.4
12:35:06 PM	599.0	499.0	1.0	1.4
12:35:07 PM	599.0	499.0	1.0	1.4
12:35:08 PM	599.1	499.0	1.0	1.4
12:35:09 PM	599.0	499.0	1.0	1.4
12:35:10 PM	599.1	499.0	1.0	1.4
12:35:11 PM	599.2	499.0	1.0	1.3
12:35:12 PM	599.2	499.0	1.0	1.3
12:35:13 PM	599.2	499.0	1.0	1.3
12:35:14 PM	599.2	499.0	1.0	1.3
12:35:15 PM	599.3	499.0	1.0	1.3
12:35:16 PM	599.2	499.0	1.0	1.3
12:35:17 PM	599.3	499.0	1.0	1.3
12:35:18 PM	599.4	499.0	1.0	1.3
12:35:19 PM	599.8	499.0	1.0	1.4
12:35:20 PM	600.2	500.0	1.0	1.4
12:35:21 PM	600.6	499.0	1.0	1.4
12:35:22 PM	601.0	499.0	1.0	1.4
12:35:23 PM	601.4	500.0	1.0	1.4
12:35:24 PM	601.8	500.0	1.0	1.4
12:35:25 PM	602.3	500.0	1.0	1.4
12:35:26 PM	602.6	500.0	1.0	1.4
12:35:27 PM	602.9	500.0	1.0	1.4
12:35:28 PM	603.1	500.0	1.0	1.4
12:35:29 PM	603.1	500.0	1.0	1.3
12:35:30 PM	603.1	500.0	1.0	1.3
12:35:31 PM	603.1	500.0	1.0	1.3
12:35:32 PM	603.1	500.0	1.0	1.3
12:35:33 PM	603.0	500.0	1.0	1.3
12:35:34 PM	602.9	500.0	1.0	1.3
12:35:35 PM	602.9	500.0	1.0	1.3
12:35:36 PM	602.9	501.0	1.0	1.3
12:35:37 PM	602.9	501.0	1.0	1.3
12:35:38 PM	602.9	501.0	1.0	1.3
12:35:39 PM	602.8	501.0	1.0	1.3
12:35:40 PM	602.9	501.0	1.0	1.3
12:35:41 PM	602.6	501.0	1.0	1.3
12:35:42 PM	602.0	501.0	1.0	1.3
12:35:43 PM	601.5	501.0	1.0	1.3
12:35:43 PM	600.8	501.0	1.0	1.3
12:35:44 PM	600.2	501.0	1.0	1.3
12:35:45 PM	599.6	502.0	1.0	1.3
12:35:46 PM	599.1	502.0	1.0	1.3
12:35:47 PM	599.0	502.0	1.0	1.3
12:35:48 PM	599.0	502.0	1.0	1.2
12:35:49 PM	599.0	502.0	1.0	1.2
12:35:50 PM	599.0	502.0	1.0	1.2
12:35:51 PM	599.0	502.0	1.0	1.2
12:35:52 PM	599.0	502.0	1.0	1.2
12:35:53 PM	599.0	502.0	1.0	1.2
12:35:54 PM	599.1	502.0	1.0	1.1
12:35:55 PM	599.1	502.0	1.0	1.1
12:35:56 PM	599.3	502.0	1.0	1.1
Averages ->	600.6	500.1	1.0	1.3
			Maximum ->	1.4

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3700

Date 11/10/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:36:37 PM	598.9	503.0	1.0	1.0
12:36:38 PM	599.2	503.0	1.0	1.0
12:36:39 PM	599.4	503.0	1.0	1.0
12:36:40 PM	599.8	503.0	1.0	1.1
12:36:41 PM	600.1	503.0	1.0	1.2
12:36:42 PM	600.4	503.0	1.0	1.2
12:36:43 PM	600.7	503.0	1.0	1.2
12:36:44 PM	601.0	503.0	1.0	1.3
12:36:45 PM	600.9	503.0	1.0	1.3
12:36:46 PM	601.0	503.0	1.0	1.3
12:36:47 PM	601.0	503.0	1.0	1.4
12:36:48 PM	601.3	503.0	1.0	1.4
12:36:49 PM	601.9	503.0	1.0	1.4
12:36:50 PM	602.1	503.0	1.0	1.4
12:36:51 PM	602.4	503.0	1.0	1.4
12:36:52 PM	602.8	503.0	1.0	1.4
12:36:53 PM	603.2	503.0	1.0	1.4
12:36:54 PM	603.7	503.0	1.0	1.4
12:36:55 PM	603.9	503.0	1.0	1.4
12:36:56 PM	604.4	503.0	1.0	1.4
12:36:57 PM	604.5	503.0	1.0	1.4
12:36:58 PM	604.4	503.0	1.0	1.4
12:36:59 PM	604.2	503.0	1.0	1.4
12:37:00 PM	604.0	503.0	1.0	1.4
12:37:01 PM	603.6	503.0	1.0	1.3
12:37:02 PM	603.3	502.0	1.0	1.3
12:37:03 PM	603.0	503.0	1.0	1.3
12:37:04 PM	602.6	502.0	1.0	1.3
12:37:05 PM	602.3	502.0	1.0	1.3
12:37:06 PM	601.9	502.0	1.0	1.3
12:37:07 PM	601.8	502.0	1.0	1.3
12:37:08 PM	601.4	502.0	1.0	1.3
12:37:09 PM	600.8	502.0	1.0	1.3
12:37:10 PM	600.2	502.0	1.0	1.3
12:37:11 PM	599.5	502.0	1.0	1.3
12:37:12 PM	598.9	502.0	1.0	1.3
12:37:13 PM	598.5	502.0	1.0	1.3
12:37:14 PM	597.9	502.0	1.0	1.3
12:37:15 PM	597.4	502.0	1.0	1.3
12:37:16 PM	597.1	502.0	1.0	1.3
12:37:17 PM	597.2	502.0	1.0	1.4
12:37:18 PM	597.1	502.0	1.0	1.4
12:37:19 PM	597.3	502.0	1.0	1.4
12:37:20 PM	597.4	502.0	1.0	1.5
12:37:21 PM	597.4	502.0	1.0	1.6
12:37:22 PM	597.6	502.0	1.0	1.7
12:37:23 PM	597.4	501.0	1.0	1.8
12:37:24 PM	597.4	501.0	1.0	1.8
12:37:25 PM	597.6	501.0	1.0	1.9
12:37:26 PM	597.6	501.0	1.0	2.0
12:37:27 PM	597.6	502.0	1.0	2.2
12:37:28 PM	597.6	501.0	1.0	2.3
12:37:29 PM	597.6	501.0	1.0	2.4
12:37:30 PM	597.6	501.0	1.0	2.5
12:37:31 PM	597.6	501.0	1.0	2.7
12:37:32 PM	597.9	501.0	1.0	2.8
12:37:33 PM	598.3	501.0	1.0	2.9
12:37:34 PM	598.6	501.0	1.0	2.9
12:37:35 PM	599.0	501.0	1.0	3.0
12:37:36 PM	599.4	501.0	1.0	3.0
Averages ->	600.2	502.2	1.0	1.6
			Maximum ->	3.0

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3800

Date 11/10/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
2:48:55 PM	597.6	500.0	1.0	3.7
2:48:56 PM	597.5	500.0	1.0	3.7
2:48:57 PM	597.5	501.0	1.0	3.7
2:48:58 PM	597.5	501.0	1.0	3.6
2:48:59 PM	597.6	500.0	1.0	3.6
2:49:00 PM	597.6	500.0	1.0	3.6
2:49:01 PM	597.7	500.0	1.0	3.6
2:49:02 PM	597.7	500.0	1.0	3.5
2:49:03 PM	597.6	500.0	1.0	3.5
2:49:04 PM	597.8	500.0	1.0	3.5
2:49:05 PM	597.8	500.0	1.0	3.5
2:49:06 PM	597.8	500.0	1.0	3.4
2:49:07 PM	597.8	500.0	1.0	3.4
2:49:08 PM	597.8	500.0	1.0	3.4
2:49:09 PM	597.8	500.0	1.0	3.3
2:49:10 PM	597.8	500.0	1.0	3.3
2:49:11 PM	598.1	500.0	1.0	3.3
2:49:12 PM	598.3	500.0	1.0	3.3
2:49:13 PM	598.9	500.0	1.0	3.2
2:49:14 PM	599.2	500.0	1.0	3.2
2:49:15 PM	599.7	500.0	1.0	3.3
2:49:16 PM	600.0	500.0	1.0	3.3
2:49:17 PM	600.5	500.0	1.0	3.3
2:49:18 PM	600.7	500.0	1.0	3.3
2:49:19 PM	601.2	500.0	1.0	3.3
2:49:20 PM	601.5	500.0	1.0	3.3
2:49:21 PM	601.7	500.0	1.0	3.2
2:49:22 PM	601.6	500.0	1.0	3.2
2:49:23 PM	601.6	500.0	1.0	3.2
2:49:24 PM	601.6	500.0	1.0	3.2
2:49:25 PM	601.5	500.0	1.0	3.2
2:49:26 PM	601.5	499.0	1.0	3.2
2:49:27 PM	601.5	500.0	1.0	3.2
2:49:28 PM	601.4	500.0	1.0	3.2
2:49:29 PM	601.5	499.0	1.0	3.2
2:49:30 PM	601.5	500.0	1.0	3.2
2:49:30 PM	601.5	500.0	1.0	3.2
2:49:31 PM	601.5	500.0	1.0	3.2
2:49:32 PM	601.5	500.0	1.0	3.2
2:49:33 PM	601.1	499.0	1.0	3.1
2:49:34 PM	600.5	499.0	1.0	3.1
2:49:35 PM	600.1	499.0	1.0	3.1
2:49:36 PM	599.4	499.0	1.0	3.1
2:49:37 PM	599.4	499.0	1.0	3.1
2:49:38 PM	598.8	499.0	1.0	3.1
2:49:39 PM	598.2	499.0	1.0	3.1
2:49:40 PM	597.6	500.0	1.0	3.1
2:49:41 PM	597.5	499.0	1.0	3.1
2:49:42 PM	597.6	499.0	1.0	3.2
2:49:43 PM	597.6	500.0	1.0	3.1
2:49:44 PM	597.7	499.0	1.0	3.1
2:49:45 PM	597.7	499.0	1.0	3.2
2:49:46 PM	597.8	500.0	1.0	3.2
2:49:47 PM	597.8	499.0	1.0	3.2
2:49:48 PM	597.9	500.0	1.0	3.2
2:49:49 PM	597.8	499.0	1.0	3.2
2:49:50 PM	597.8	500.0	1.0	3.2
2:49:51 PM	597.9	500.0	1.0	3.2
2:49:52 PM	597.9	500.0	1.0	3.2
2:49:53 PM	597.9	500.0	1.0	3.2
Averages ->	599.1	499.8	1.0	3.3
			Maximum ->	3.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3800

Date 11/10/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
2:50:35 PM	598.1	502.0	1.0	3.1
2:50:36 PM	598.4	502.0	1.0	3.1
2:50:37 PM	598.7	502.0	1.0	3.1
2:50:38 PM	599.0	502.0	1.0	3.1
2:50:39 PM	599.3	502.0	1.0	3.2
2:50:40 PM	599.8	502.0	1.0	3.1
2:50:41 PM	600.4	502.0	1.0	3.1
2:50:42 PM	601.1	503.0	1.0	3.1
2:50:43 PM	601.8	503.0	1.0	3.1
2:50:44 PM	602.5	503.0	1.0	3.1
2:50:45 PM	603.2	503.0	1.0	3.1
2:50:46 PM	603.6	503.0	1.0	3.1
2:50:47 PM	604.0	503.0	1.0	3.1
2:50:48 PM	604.3	503.0	1.0	3.0
2:50:49 PM	604.5	503.0	1.0	3.0
2:50:50 PM	604.6	503.0	1.0	3.0
2:50:51 PM	604.5	503.0	1.0	2.9
2:50:52 PM	604.4	503.0	1.0	2.9
2:50:53 PM	604.5	503.0	1.0	2.9
2:50:54 PM	604.2	503.0	1.0	2.9
2:50:55 PM	604.2	502.0	1.0	2.8
2:50:56 PM	604.3	503.0	1.0	2.8
2:50:57 PM	604.3	503.0	1.0	2.8
2:50:58 PM	604.1	503.0	1.0	2.8
2:50:59 PM	604.1	503.0	1.0	2.8
2:51:00 PM	603.9	502.0	1.0	2.8
2:51:01 PM	603.6	502.0	1.0	2.8
2:51:02 PM	603.2	502.0	1.0	2.8
2:51:03 PM	602.6	503.0	1.0	2.8
2:51:04 PM	601.7	502.0	1.0	2.8
2:51:05 PM	600.8	502.0	1.0	2.9
2:51:06 PM	599.9	502.0	1.0	2.9
2:51:07 PM	599.0	502.0	1.0	2.9
2:51:08 PM	598.2	502.0	1.0	2.8
2:51:09 PM	597.3	502.0	1.0	2.8
2:51:09 PM	597.0	502.0	1.0	2.9
2:51:10 PM	596.9	502.0	1.0	2.9
2:51:11 PM	597.1	502.0	1.0	2.9
2:51:12 PM	596.9	502.0	1.0	2.9
2:51:13 PM	597.1	502.0	1.0	2.9
2:51:14 PM	597.2	502.0	1.0	2.9
2:51:15 PM	597.2	502.0	1.0	2.8
2:51:16 PM	597.2	502.0	1.0	2.8
2:51:17 PM	597.3	502.0	1.0	2.8
2:51:18 PM	597.3	502.0	1.0	2.8
2:51:19 PM	597.4	502.0	1.0	2.8
2:51:20 PM	597.4	502.0	1.0	2.9
2:51:21 PM	597.5	502.0	1.0	2.9
2:51:22 PM	597.4	502.0	1.0	3.0
2:51:23 PM	597.4	502.0	1.0	3.1
2:51:24 PM	597.5	502.0	1.0	3.2
2:51:25 PM	597.6	502.0	1.0	3.3
2:51:26 PM	598.0	502.0	1.0	3.5
2:51:27 PM	598.3	502.0	1.0	3.6
2:51:28 PM	598.6	502.0	1.0	3.8
2:51:29 PM	599.3	502.0	1.0	3.9
2:51:30 PM	600.0	502.0	1.0	4.1
2:51:31 PM	600.7	502.0	1.0	4.3
2:51:32 PM	601.4	502.0	1.0	4.4
2:51:33 PM	602.1	502.0	1.0	4.4
Averages ->	600.4	502.3	1.0	3.1
			Maximum ->	4.4

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3900

Date 11/10/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
5:06:51 PM	605.4	320.0	1.0	2.2
5:06:52 PM	605.3	320.0	1.0	2.1
5:06:53 PM	605.2	320.0	1.0	2.1
5:06:54 PM	605.3	320.0	1.0	2.1
5:06:55 PM	605.2	320.0	1.0	2.1
5:06:56 PM	605.3	320.0	1.0	2.1
5:06:57 PM	605.2	320.0	1.0	2.1
5:06:58 PM	605.0	320.0	1.0	2.1
5:06:59 PM	605.2	320.0	1.0	2.0
5:07:00 PM	605.2	320.0	1.0	2.0
5:07:01 PM	605.1	320.0	1.0	1.9
5:07:02 PM	604.9	320.0	1.0	1.9
5:07:03 PM	604.3	320.0	1.0	1.9
5:07:04 PM	603.8	321.0	1.0	1.9
5:07:04 PM	602.9	321.0	1.0	1.9
5:07:05 PM	602.4	321.0	1.0	1.9
5:07:06 PM	601.8	321.0	1.0	1.9
5:07:07 PM	601.3	321.0	1.0	1.8
5:07:08 PM	601.1	321.0	1.0	1.8
5:07:09 PM	601.2	321.0	1.0	1.8
5:07:10 PM	601.2	321.0	1.0	1.8
5:07:11 PM	601.2	321.0	1.0	1.7
5:07:12 PM	601.2	321.0	1.0	1.7
5:07:13 PM	601.4	321.0	1.0	1.7
5:07:14 PM	601.4	321.0	1.0	1.7
5:07:15 PM	601.3	321.0	1.0	1.7
5:07:16 PM	601.5	321.0	1.0	1.7
5:07:17 PM	601.5	321.0	1.0	1.7
5:07:18 PM	601.4	321.0	1.0	1.7
5:07:19 PM	601.5	321.0	1.0	1.7
5:07:20 PM	601.4	321.0	1.0	1.7
5:07:21 PM	601.5	322.0	1.0	1.7
5:07:22 PM	601.4	322.0	1.0	1.7
5:07:23 PM	601.5	322.0	1.0	1.8
5:07:24 PM	602.1	322.0	1.0	1.8
5:07:25 PM	602.4	322.0	1.0	1.8
5:07:26 PM	602.7	322.0	1.0	1.8
5:07:27 PM	603.2	322.0	1.0	1.8
5:07:28 PM	603.2	322.0	1.0	1.8
5:07:29 PM	603.5	322.0	1.0	1.8
5:07:30 PM	604.0	322.0	1.0	1.8
5:07:31 PM	604.4	322.0	1.0	1.8
5:07:32 PM	604.7	322.0	1.0	1.8
5:07:33 PM	605.2	322.0	1.0	1.8
5:07:34 PM	605.1	322.0	1.0	1.8
5:07:35 PM	605.2	322.0	1.0	1.8
5:07:36 PM	605.1	322.0	1.0	1.8
5:07:37 PM	605.0	322.0	1.0	1.8
5:07:38 PM	605.1	322.0	1.0	1.8
5:07:39 PM	605.1	322.0	1.0	1.8
5:07:40 PM	605.0	322.0	1.0	1.7
5:07:41 PM	605.0	322.0	1.0	1.7
5:07:42 PM	604.9	322.0	1.0	1.7
5:07:43 PM	605.0	322.0	1.0	1.6
5:07:44 PM	605.0	322.0	1.0	1.6
5:07:45 PM	605.0	322.0	1.0	1.6
5:07:46 PM	604.9	322.0	1.0	1.7
5:07:47 PM	604.5	322.0	1.0	1.6
5:07:48 PM	604.1	322.0	1.0	1.6
5:07:49 PM	603.5	322.0	1.0	1.6
Averages ->	603.6	321.3	1.0	1.8
			Maximum ->	2.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 3900

Date 11/10/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
5:08:47 PM	603.8	322.0	1.0	1.3
5:08:48 PM	603.7	321.0	1.0	1.3
5:08:49 PM	603.7	322.0	1.0	1.3
5:08:50 PM	603.7	322.0	1.0	1.3
5:08:51 PM	603.7	322.0	1.0	1.3
5:08:52 PM	603.8	322.0	1.0	1.4
5:08:53 PM	604.1	322.0	1.0	1.4
5:08:54 PM	604.6	321.0	1.0	1.4
5:08:55 PM	605.0	321.0	1.0	1.4
5:08:56 PM	605.2	321.0	1.0	1.4
5:08:57 PM	603.4	321.0	1.0	1.4
5:08:58 PM	605.9	321.0	1.0	1.4
5:08:59 PM	606.0	321.0	1.0	1.4
5:09:00 PM	606.0	321.0	1.0	1.4
5:09:01 PM	606.1	321.0	1.0	1.4
5:09:02 PM	606.1	321.0	1.0	1.4
5:09:03 PM	606.0	321.0	1.0	1.5
5:09:04 PM	605.6	321.0	1.0	1.5
5:09:05 PM	605.3	320.0	1.0	1.5
5:09:06 PM	605.0	321.0	1.0	1.5
5:09:07 PM	604.6	321.0	1.0	1.5
5:09:08 PM	604.2	320.0	1.0	1.5
5:09:09 PM	604.0	320.0	1.0	1.5
5:09:10 PM	603.8	320.0	1.0	1.5
5:09:11 PM	603.7	320.0	1.0	1.5
5:09:12 PM	604.0	320.0	1.0	1.5
5:09:13 PM	603.9	320.0	1.0	1.4
5:09:14 PM	604.0	320.0	1.0	1.5
5:09:15 PM	603.9	320.0	1.0	1.4
5:09:16 PM	603.7	320.0	1.0	1.4
5:09:17 PM	603.1	320.0	1.0	1.4
5:09:18 PM	602.5	320.0	1.0	1.5
5:09:19 PM	601.9	320.0	1.0	1.5
5:09:20 PM	601.3	320.0	1.0	1.5
5:09:21 PM	600.8	320.0	1.0	1.6
5:09:22 PM	600.2	320.0	1.0	1.7
5:09:23 PM	600.1	320.0	1.0	1.9
5:09:24 PM	600.0	320.0	1.0	2.0
5:09:25 PM	600.2	320.0	1.0	2.2
5:09:26 PM	600.1	320.0	1.0	2.3
5:09:27 PM	600.2	320.0	1.0	2.5
5:09:28 PM	600.3	320.0	1.0	2.6
5:09:29 PM	600.6	320.0	1.0	2.8
5:09:30 PM	601.0	320.0	1.0	2.9
5:09:31 PM	601.2	320.0	1.0	3.0
5:09:32 PM	601.5	320.0	1.0	3.1
5:09:33 PM	601.9	320.0	1.0	3.1
5:09:34 PM	602.3	320.0	1.0	3.2
5:09:35 PM	602.5	320.0	1.0	3.2
5:09:36 PM	602.8	320.0	1.0	3.2
5:09:37 PM	603.2	320.0	1.0	3.2
5:09:38 PM	603.5	320.0	1.0	3.2
5:09:39 PM	604.0	319.0	1.0	3.1
5:09:39 PM	604.4	320.0	1.0	3.1
5:09:40 PM	604.7	320.0	1.0	3.0
5:09:41 PM	605.0	320.0	1.0	2.9
5:09:42 PM	605.5	320.0	1.0	2.8
5:09:43 PM	605.9	319.0	1.0	2.8
5:09:44 PM	606.1	319.0	1.0	2.7
5:09:45 PM	606.6	319.0	1.0	2.6
Averages ->	603.5	320.4	1.0	2.0
			Maximum ->	3.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4000

Date 11/11/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
7:21:00 AM	605.7	89.0	1.0	2.0
7:21:01 AM	605.9	90.0	1.0	1.9
7:21:02 AM	606.0	89.0	1.0	1.9
7:21:03 AM	606.0	89.0	1.0	1.8
7:21:04 AM	606.1	90.0	1.0	1.8
7:21:05 AM	606.3	90.0	1.0	1.7
7:21:06 AM	606.3	90.0	1.0	1.7
7:21:07 AM	606.1	90.0	1.0	1.7
7:21:08 AM	605.8	89.0	1.0	1.7
7:21:09 AM	605.4	90.0	1.0	1.7
7:21:10 AM	605.2	90.0	1.0	1.7
7:21:11 AM	604.6	89.0	1.0	1.7
7:21:12 AM	604.6	89.0	1.0	1.7
7:21:13 AM	604.4	89.0	1.0	1.7
7:21:14 AM	603.9	89.0	1.0	1.7
7:21:15 AM	603.6	89.0	1.0	1.7
7:21:16 AM	603.3	89.0	1.0	1.7
7:21:17 AM	603.1	90.0	1.0	1.7
7:21:18 AM	602.8	89.0	1.0	1.6
7:21:19 AM	602.8	89.0	1.0	1.6
7:21:20 AM	602.8	89.0	1.0	1.6
7:21:21 AM	602.8	90.0	1.0	1.5
7:21:22 AM	602.9	90.0	1.0	1.5
7:21:23 AM	602.9	90.0	1.0	1.5
7:21:24 AM	602.9	90.0	1.0	1.5
7:21:25 AM	602.9	90.0	1.0	1.5
7:21:26 AM	602.9	89.0	1.0	1.5
7:21:27 AM	603.0	90.0	1.0	1.5
7:21:28 AM	603.0	90.0	1.0	1.4
7:21:29 AM	603.0	90.0	1.0	1.4
7:21:30 AM	603.0	90.0	1.0	1.4
7:21:31 AM	603.2	90.0	1.0	1.3
7:21:32 AM	603.4	89.0	1.0	1.3
7:21:33 AM	603.6	90.0	1.0	1.3
7:21:34 AM	603.7	89.0	1.0	1.3
7:21:35 AM	603.9	90.0	1.0	1.3
7:21:36 AM	604.1	90.0	1.0	1.3
7:21:37 AM	604.1	90.0	1.0	1.3
7:21:38 AM	604.3	89.0	1.0	1.2
7:21:39 AM	604.5	90.0	1.0	1.2
7:21:40 AM	604.6	90.0	1.0	1.2
7:21:41 AM	604.7	89.0	1.0	1.2
7:21:42 AM	604.9	89.0	1.0	1.2
7:21:43 AM	605.0	89.0	1.0	1.2
7:21:44 AM	605.3	90.0	1.0	1.2
7:21:45 AM	605.4	89.0	1.0	1.2
7:21:46 AM	605.6	89.0	1.0	1.2
7:21:47 AM	605.6	89.0	1.0	1.2
7:21:48 AM	605.8	90.0	1.0	1.2
7:21:49 AM	606.1	89.0	1.0	1.2
7:21:50 AM	606.1	90.0	1.0	1.2
7:21:51 AM	606.2	90.0	1.0	1.2
7:21:52 AM	606.0	89.0	1.0	1.2
7:21:53 AM	605.6	90.0	1.0	1.2
7:21:54 AM	605.2	89.0	1.0	1.2
7:21:55 AM	604.9	90.0	1.0	1.2
7:21:56 AM	604.7	90.0	1.0	1.2
7:21:57 AM	604.2	90.0	1.0	1.2
7:21:57 AM	603.9	90.0	1.0	1.2
7:21:58 AM	603.5	89.0	1.0	1.2
Averages ->	604.5	89.6	1.0	1.4
			Maximum ->	2.0

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4000

Date 11/11/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
7:22:21 AM	601.1	89.0	1.0	1.0
7:22:22 AM	601.4	90.0	1.0	1.0
7:22:23 AM	601.5	90.0	1.0	1.0
7:22:24 AM	601.6	90.0	1.0	1.1
7:22:25 AM	601.8	90.0	1.0	1.1
7:22:26 AM	602.0	89.0	1.0	1.1
7:22:27 AM	602.3	90.0	1.0	1.1
7:22:28 AM	602.4	89.0	1.0	1.1
7:22:29 AM	602.6	89.0	1.0	1.1
7:22:30 AM	602.6	89.0	1.0	1.1
7:22:31 AM	602.8	90.0	1.0	1.1
7:22:32 AM	603.0	89.0	1.0	1.2
7:22:33 AM	603.2	89.0	1.0	1.3
7:22:34 AM	603.3	90.0	1.0	1.4
7:22:35 AM	603.4	90.0	1.0	1.6
7:22:36 AM	603.3	90.0	1.0	1.9
7:22:37 AM	603.2	90.0	1.0	2.1
7:22:38 AM	602.9	90.0	1.0	2.3
7:22:39 AM	602.8	90.0	1.0	2.5
7:22:40 AM	602.7	90.0	1.0	2.7
7:22:41 AM	602.6	90.0	1.0	2.9
7:22:42 AM	602.6	90.0	1.0	3.2
7:22:43 AM	602.5	90.0	1.0	3.4
7:22:44 AM	602.4	90.0	1.0	3.7
7:22:45 AM	602.3	89.0	1.0	3.8
7:22:46 AM	602.4	90.0	1.0	3.8
7:22:47 AM	602.4	89.0	1.0	3.8
7:22:48 AM	602.9	90.0	1.0	3.7
7:22:49 AM	603.0	90.0	1.0	3.6
7:22:50 AM	603.1	90.0	1.0	3.5
7:22:51 AM	603.2	90.0	1.0	3.4
7:22:52 AM	603.1	90.0	1.0	3.4
7:22:53 AM	603.2	90.0	1.0	3.3
7:22:53 AM	603.2	90.0	1.0	3.2
7:22:54 AM	603.1	89.0	1.0	3.1
7:22:55 AM	603.2	90.0	1.0	3.0
7:22:56 AM	603.1	90.0	1.0	2.8
7:22:57 AM	603.1	90.0	1.0	2.7
7:22:58 AM	603.3	90.0	1.0	2.6
7:22:59 AM	603.3	90.0	1.0	2.5
7:23:00 AM	603.5	90.0	1.0	2.4
7:23:01 AM	603.7	90.0	1.0	2.3
7:23:02 AM	603.8	90.0	1.0	2.3
7:23:03 AM	603.3	90.0	1.0	2.2
7:23:04 AM	604.0	90.0	1.0	2.2
7:23:05 AM	603.8	90.0	1.0	2.1
7:23:06 AM	603.7	90.0	1.0	2.1
7:23:07 AM	603.6	90.0	1.0	2.0
7:23:08 AM	603.5	90.0	1.0	2.0
7:23:09 AM	603.4	90.0	1.0	1.9
7:23:10 AM	603.4	90.0	1.0	1.9
7:23:11 AM	603.2	90.0	1.0	1.9
7:23:12 AM	603.0	90.0	1.0	1.8
7:23:13 AM	603.0	90.0	1.0	1.8
7:23:14 AM	602.8	90.0	1.0	1.8
7:23:15 AM	602.7	90.0	1.0	1.7
7:23:16 AM	602.7	90.0	1.0	1.7
7:23:17 AM	602.8	90.0	1.0	1.7
7:23:18 AM	603.1	90.0	1.0	1.7
7:23:19 AM	603.3	90.0	1.0	1.7
Averages ->	602.9	89.8	1.0	2.2
			Maximum ->	3.8

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4100

Date 11/11/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
9:36:44 AM	602.9	314.0	1.0	3.6
9:36:45 AM	602.8	314.0	1.0	3.7
9:36:46 AM	602.9	314.0	1.0	3.7
9:36:47 AM	602.9	314.0	1.0	3.7
9:36:48 AM	602.9	314.0	1.0	3.7
9:36:49 AM	603.0	314.0	1.0	3.7
9:36:50 AM	603.1	314.0	1.0	3.7
9:36:51 AM	603.2	314.0	1.0	3.6
9:36:52 AM	603.2	314.0	1.0	3.6
9:36:53 AM	603.2	314.0	1.0	3.6
9:36:54 AM	603.2	314.0	1.0	3.6
9:36:55 AM	603.4	314.0	1.0	3.6
9:36:56 AM	603.4	314.0	1.0	3.6
9:36:57 AM	603.5	314.0	1.0	3.6
9:36:58 AM	603.5	314.0	1.0	3.6
9:36:59 AM	603.4	314.0	1.0	3.6
9:37:00 AM	603.5	314.0	1.0	3.5
9:37:01 AM	603.6	314.0	1.0	3.5
9:37:02 AM	603.6	314.0	1.0	3.4
9:37:03 AM	603.8	314.0	1.0	3.4
9:37:04 AM	603.7	314.0	1.0	3.3
9:37:05 AM	603.8	315.0	1.0	3.2
9:37:06 AM	603.9	314.0	1.0	3.2
9:37:07 AM	603.9	314.0	1.0	3.2
9:37:08 AM	604.1	315.0	1.0	3.1
9:37:09 AM	604.1	315.0	1.0	3.1
9:37:10 AM	604.1	314.0	1.0	3.1
9:37:11 AM	604.1	315.0	1.0	3.1
9:37:12 AM	604.2	315.0	1.0	3.0
9:37:13 AM	604.2	315.0	1.0	3.1
9:37:14 AM	604.3	315.0	1.0	3.1
9:37:15 AM	604.3	315.0	1.0	3.1
9:37:16 AM	604.4	315.0	1.0	3.2
9:37:17 AM	604.4	315.0	1.0	3.2
9:37:18 AM	604.5	315.0	1.0	3.3
9:37:19 AM	604.6	315.0	1.0	3.4
9:37:20 AM	604.6	315.0	1.0	3.4
9:37:21 AM	604.7	315.0	1.0	3.4
9:37:22 AM	604.8	315.0	1.0	3.4
9:37:23 AM	604.8	315.0	1.0	3.4
9:37:24 AM	604.9	316.0	1.0	3.4
9:37:25 AM	604.9	315.0	1.0	3.4
9:37:26 AM	605.0	315.0	1.0	3.3
9:37:27 AM	605.0	315.0	1.0	3.3
9:37:28 AM	605.0	315.0	1.0	3.3
9:37:29 AM	605.1	316.0	1.0	3.3
9:37:30 AM	605.1	316.0	1.0	3.3
9:37:31 AM	605.2	316.0	1.0	3.3
9:37:32 AM	605.3	316.0	1.0	3.3
9:37:32 AM	605.4	316.0	1.0	3.4
9:37:33 AM	605.4	316.0	1.0	3.4
9:37:34 AM	605.5	316.0	1.0	3.5
9:37:35 AM	605.5	316.0	1.0	3.5
9:37:36 AM	605.6	316.0	1.0	3.6
9:37:37 AM	605.7	316.0	1.0	3.6
9:37:38 AM	605.7	316.0	1.0	3.7
9:37:39 AM	605.7	316.0	1.0	3.7
9:37:40 AM	605.8	317.0	1.0	3.7
9:37:41 AM	605.8	317.0	1.0	3.7
9:37:42 AM	605.9	317.0	1.0	3.7
Averages ->	604.3	314.9	1.0	3.4
			Maximum ->	3.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4100

Date 11/11/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
9:38:25 AM	610.3	320.0	1.0	3.9
9:38:26 AM	610.6	320.0	1.0	3.9
9:38:27 AM	610.8	320.0	1.0	3.9
9:38:28 AM	610.2	320.0	1.0	3.9
9:38:29 AM	610.5	320.0	1.0	4.0
9:38:30 AM	610.5	320.0	1.0	4.0
9:38:31 AM	609.4	320.0	1.0	4.1
9:38:32 AM	609.5	320.0	1.0	4.2
9:38:33 AM	609.6	321.0	1.0	4.2
9:38:34 AM	609.6	320.0	1.0	4.3
9:38:35 AM	608.6	321.0	1.0	4.4
9:38:36 AM	608.7	320.0	1.0	4.6
9:38:37 AM	608.7	321.0	1.0	4.9
9:38:38 AM	608.7	321.0	1.0	4.9
9:38:39 AM	608.7	321.0	1.0	5.3
9:38:40 AM	608.8	321.0	1.0	5.8
9:38:41 AM	608.8	321.0	1.0	6.4
9:38:42 AM	608.8	321.0	1.0	6.9
9:38:43 AM	608.9	321.0	1.0	7.4
9:38:44 AM	608.8	321.0	1.0	7.8
9:38:45 AM	608.5	321.0	1.0	8.1
9:38:46 AM	608.3	321.0	1.0	8.4
9:38:47 AM	608.0	321.0	1.0	8.6
9:38:48 AM	607.8	321.0	1.0	8.8
9:38:49 AM	607.6	321.0	1.0	8.9
9:38:50 AM	607.4	321.0	1.0	8.9
9:38:51 AM	607.1	321.0	1.0	8.8
9:38:52 AM	607.0	321.0	1.0	8.8
9:38:53 AM	606.7	321.0	1.0	8.8
9:38:54 AM	606.5	321.0	1.0	8.8
9:38:55 AM	606.4	321.0	1.0	8.8
9:38:56 AM	606.5	321.0	1.0	8.8
9:38:57 AM	606.6	321.0	1.0	8.9
9:38:58 AM	606.7	321.0	1.0	8.9
9:38:59 AM	606.7	321.0	1.0	8.8
9:39:00 AM	606.8	321.0	1.0	8.8
9:39:01 AM	606.8	321.0	1.0	8.6
9:39:02 AM	606.9	321.0	1.0	8.4
9:39:03 AM	607.0	321.0	1.0	8.1
9:39:04 AM	607.0	321.0	1.0	7.8
9:39:05 AM	607.0	321.0	1.0	7.4
9:39:06 AM	607.1	321.0	1.0	7.1
9:39:07 AM	607.1	321.0	1.0	6.8
9:39:08 AM	607.3	321.0	1.0	6.5
9:39:09 AM	607.2	321.0	1.0	6.3
9:39:10 AM	607.3	321.0	1.0	6.1
9:39:11 AM	607.4	321.0	1.0	5.9
9:39:12 AM	607.4	321.0	1.0	5.7
9:39:12 AM	607.5	321.0	1.0	5.5
9:39:13 AM	607.5	321.0	1.0	5.3
9:39:14 AM	607.6	321.0	1.0	5.2
9:39:15 AM	607.6	321.0	1.0	5.0
9:39:16 AM	607.7	321.0	1.0	4.8
9:39:17 AM	607.7	321.0	1.0	4.7
9:39:18 AM	607.8	321.0	1.0	4.6
9:39:19 AM	607.8	321.0	1.0	4.5
9:39:20 AM	607.8	321.0	1.0	4.5
9:39:21 AM	607.9	321.0	1.0	4.5
9:39:22 AM	607.9	321.0	1.0	4.5
9:39:23 AM	608.1	321.0	1.0	4.4
Averages ->	608.0	320.8	1.0	6.3
			Maximum ->	8.9

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4200

Date 11/11/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
11:50:25 AM	603.9	493.0	1.0	4.0
11:50:26 AM	603.8	493.0	1.0	4.1
11:50:27 AM	604.0	494.0	1.0	4.1
11:50:28 AM	604.0	494.0	1.0	4.1
11:50:29 AM	604.0	493.0	1.0	4.0
11:50:30 AM	604.1	494.0	1.0	4.0
11:50:31 AM	604.0	494.0	1.0	4.0
11:50:32 AM	604.2	494.0	1.0	4.0
11:50:33 AM	604.2	494.0	1.0	4.0
11:50:34 AM	604.3	494.0	1.0	4.0
11:50:35 AM	604.3	494.0	1.0	4.0
11:50:36 AM	604.3	494.0	1.0	3.9
11:50:37 AM	604.3	494.0	1.0	3.9
11:50:38 AM	604.4	494.0	1.0	3.9
11:50:39 AM	604.5	494.0	1.0	3.8
11:50:40 AM	604.4	494.0	1.0	3.8
11:50:41 AM	604.5	494.0	1.0	3.8
11:50:42 AM	604.6	494.0	1.0	3.8
11:50:43 AM	604.6	494.0	1.0	3.7
11:50:44 AM	604.6	494.0	1.0	3.7
11:50:45 AM	604.6	494.0	1.0	3.7
11:50:46 AM	604.7	494.0	1.0	3.8
11:50:47 AM	604.7	494.0	1.0	3.8
11:50:48 AM	604.8	494.0	1.0	3.8
11:50:49 AM	604.8	494.0	1.0	3.8
11:50:50 AM	605.0	494.0	1.0	3.8
11:50:51 AM	604.9	494.0	1.0	3.8
11:50:52 AM	604.9	494.0	1.0	3.8
11:50:53 AM	605.0	494.0	1.0	3.8
11:50:54 AM	605.0	494.0	1.0	3.7
11:50:55 AM	605.1	494.0	1.0	3.7
11:50:56 AM	605.1	494.0	1.0	3.7
11:50:57 AM	605.2	494.0	1.0	3.7
11:50:58 AM	605.1	494.0	1.0	3.7
11:50:59 AM	605.2	495.0	1.0	3.6
11:51:00 AM	605.3	495.0	1.0	3.6
11:51:01 AM	605.3	495.0	1.0	3.6
11:51:02 AM	605.4	495.0	1.0	3.6
11:51:03 AM	605.4	495.0	1.0	3.6
11:51:04 AM	605.4	495.0	1.0	3.6
11:51:05 AM	605.4	495.0	1.0	3.6
11:51:06 AM	605.6	495.0	1.0	3.6
11:51:07 AM	605.6	495.0	1.0	3.7
11:51:08 AM	605.6	495.0	1.0	3.7
11:51:09 AM	605.7	495.0	1.0	3.7
11:51:10 AM	605.7	495.0	1.0	3.7
11:51:11 AM	605.7	495.0	1.0	3.8
11:51:12 AM	605.8	495.0	1.0	4.0
11:51:13 AM	605.8	495.0	1.0	4.1
11:51:14 AM	605.8	495.0	1.0	4.3
11:51:15 AM	605.8	495.0	1.0	4.4
11:51:16 AM	605.9	495.0	1.0	4.5
11:51:17 AM	605.9	495.0	1.0	4.6
11:51:18 AM	606.0	495.0	1.0	4.6
11:51:19 AM	606.0	495.0	1.0	4.6
11:51:20 AM	606.1	495.0	1.0	4.6
11:51:20 AM	606.1	495.0	1.0	4.6
11:51:21 AM	606.1	495.0	1.0	4.7
11:51:22 AM	606.2	495.0	1.0	4.7
11:51:23 AM	606.2	495.0	1.0	4.7
Averages ->	605.0	494.4	1.0	4.0
			Maximum ->	4.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4200

Date 11/11/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
11:52:44 AM	604.8	497.0	1.0	5.3
11:52:45 AM	604.8	497.0	1.0	5.3
11:52:46 AM	605.2	497.0	1.0	5.2
11:52:47 AM	605.5	498.0	1.0	5.2
11:52:48 AM	605.7	498.0	1.0	5.2
11:52:49 AM	606.2	498.0	1.0	5.1
11:52:50 AM	606.6	497.0	1.0	5.0
11:52:51 AM	606.7	498.0	1.0	4.9
11:52:52 AM	607.0	498.0	1.0	4.8
11:52:53 AM	607.3	498.0	1.0	4.7
11:52:54 AM	607.6	498.0	1.0	4.8
11:52:55 AM	607.6	498.0	1.0	4.8
11:52:56 AM	607.7	498.0	1.0	4.9
11:52:57 AM	607.6	498.0	1.0	4.8
11:52:58 AM	607.6	498.0	1.0	5.0
11:52:59 AM	607.6	498.0	1.0	5.1
11:53:00 AM	607.7	498.0	1.0	5.2
11:53:01 AM	607.6	498.0	1.0	5.5
11:53:02 AM	607.7	498.0	1.0	5.7
11:53:03 AM	607.7	498.0	1.0	6.1
11:53:04 AM	607.7	497.0	1.0	6.5
11:53:05 AM	607.8	497.0	1.0	6.8
11:53:06 AM	607.8	497.0	1.0	7.2
11:53:07 AM	607.8	497.0	1.0	7.4
11:53:08 AM	605.6	497.0	1.0	7.5
11:53:09 AM	607.5	498.0	1.0	7.6
11:53:10 AM	607.3	497.0	1.0	7.7
11:53:11 AM	607.0	497.0	1.0	7.9
11:53:12 AM	606.8	498.0	1.0	8.0
11:53:13 AM	606.4	497.0	1.0	8.2
11:53:13 AM	606.3	497.0	1.0	8.3
11:53:14 AM	605.9	497.0	1.0	8.4
11:53:15 AM	605.7	497.0	1.0	8.4
11:53:16 AM	605.4	497.0	1.0	8.4
11:53:17 AM	605.3	497.0	1.0	8.4
11:53:18 AM	605.2	497.0	1.0	8.3
11:53:19 AM	605.3	497.0	1.0	8.4
11:53:20 AM	605.3	497.0	1.0	8.1
11:53:21 AM	605.3	497.0	1.0	8.0
11:53:22 AM	605.5	497.0	1.0	8.0
11:53:23 AM	605.5	497.0	1.0	7.9
11:53:24 AM	605.5	497.0	1.0	7.7
11:53:25 AM	605.6	497.0	1.0	7.2
11:53:26 AM	605.6	497.0	1.0	6.9
11:53:27 AM	605.6	497.0	1.0	6.6
11:53:28 AM	605.7	497.0	1.0	6.3
11:53:29 AM	605.7	497.0	1.0	6.1
11:53:30 AM	605.7	497.0	1.0	5.8
11:53:31 AM	605.8	497.0	1.0	5.7
11:53:32 AM	605.9	497.0	1.0	5.6
11:53:33 AM	605.9	497.0	1.0	5.5
11:53:34 AM	605.9	497.0	1.0	5.5
11:53:35 AM	605.9	497.0	1.0	5.4
11:53:36 AM	606.0	497.0	1.0	5.2
11:53:37 AM	606.4	497.0	1.0	5.2
11:53:38 AM	606.7	497.0	1.0	5.0
11:53:39 AM	607.0	497.0	1.0	5.0
11:53:40 AM	607.4	497.0	1.0	5.0
11:53:41 AM	607.7	497.0	1.0	4.9
11:53:42 AM	608.0	497.0	1.0	4.7
Averages ->	606.4	497.3	1.0	6.3
			Maximum ->	8.4

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4300

Date 11/11/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
2:15:37 PM	605.1	498.0	1.0	8.2
2:15:38 PM	605.1	498.0	1.0	8.3
2:15:39 PM	605.2	498.0	1.0	8.3
2:15:40 PM	605.2	497.0	1.0	8.3
2:15:41 PM	605.2	497.0	1.0	8.3
2:15:42 PM	605.3	498.0	1.0	8.5
2:15:43 PM	605.3	498.0	1.0	8.6
2:15:44 PM	605.3	498.0	1.0	8.6
2:15:45 PM	605.3	498.0	1.0	8.6
2:15:46 PM	605.4	498.0	1.0	8.5
2:15:47 PM	605.4	498.0	1.0	8.5
2:15:48 PM	605.4	498.0	1.0	8.6
2:15:49 PM	605.5	498.0	1.0	8.6
2:15:50 PM	605.5	498.0	1.0	8.7
2:15:51 PM	605.5	498.0	1.0	8.8
2:15:52 PM	605.6	498.0	1.0	9.1
2:15:53 PM	605.5	498.0	1.0	9.2
2:15:54 PM	605.6	498.0	1.0	9.3
2:15:55 PM	605.7	498.0	1.0	9.3
2:15:56 PM	605.7	498.0	1.0	9.3
2:15:57 PM	605.7	498.0	1.0	9.3
2:15:58 PM	605.7	498.0	1.0	9.3
2:15:59 PM	605.8	498.0	1.0	9.3
2:16:00 PM	605.8	498.0	1.0	9.3
2:16:01 PM	605.9	498.0	1.0	9.3
2:16:02 PM	605.9	498.0	1.0	9.2
2:16:03 PM	605.9	498.0	1.0	9.2
2:16:04 PM	605.9	498.0	1.0	9.2
2:16:05 PM	606.0	498.0	1.0	9.1
2:16:06 PM	606.0	498.0	1.0	9.2
2:16:07 PM	606.0	498.0	1.0	9.4
2:16:08 PM	606.0	498.0	1.0	9.4
2:16:09 PM	606.2	498.0	1.0	9.4
2:16:10 PM	606.1	498.0	1.0	9.4
2:16:11 PM	606.1	498.0	1.0	9.4
2:16:12 PM	606.2	498.0	1.0	9.2
2:16:13 PM	606.1	498.0	1.0	9.1
2:16:14 PM	606.3	498.0	1.0	8.9
2:16:15 PM	606.3	498.0	1.0	8.9
2:16:16 PM	606.3	498.0	1.0	8.9
2:16:17 PM	606.3	498.0	1.0	9.1
2:16:18 PM	606.3	498.0	1.0	9.0
2:16:19 PM	606.4	498.0	1.0	9.0
2:16:20 PM	606.5	498.0	1.0	9.0
2:16:21 PM	606.5	498.0	1.0	9.1
2:16:22 PM	606.5	498.0	1.0	9.1
2:16:23 PM	606.5	498.0	1.0	9.2
2:16:24 PM	606.5	498.0	1.0	9.4
2:16:25 PM	606.5	498.0	1.0	9.4
2:16:26 PM	606.7	498.0	1.0	9.3
2:16:27 PM	606.7	498.0	1.0	9.3
2:16:28 PM	606.7	498.0	1.0	9.3
2:16:29 PM	606.7	498.0	1.0	9.2
2:16:30 PM	606.7	498.0	1.0	9.1
2:16:31 PM	606.8	498.0	1.0	9.2
2:16:32 PM	606.7	498.0	1.0	9.3
2:16:33 PM	606.4	498.0	1.0	9.4
2:16:34 PM	606.2	499.0	1.0	9.4
2:16:34 PM	605.9	498.0	1.0	9.4
2:16:35 PM	605.7	498.0	1.0	9.4
Averages ->	606.0	498.0	1.0	9.0
			Maximum ->	9.4

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4300

Date 11/11/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
2:16:45 PM	604.3	499.0	1.0	9.4
2:16:46 PM	604.3	499.0	1.0	9.6
2:16:47 PM	604.5	499.0	1.0	9.7
2:16:48 PM	604.4	499.0	1.0	9.5
2:16:49 PM	604.5	499.0	1.0	9.2
2:16:50 PM	604.5	499.0	1.0	9.0
2:16:51 PM	604.6	499.0	1.0	8.8
2:16:52 PM	604.5	499.0	1.0	8.4
2:16:53 PM	604.8	499.0	1.0	8.1
2:16:54 PM	604.8	499.0	1.0	7.8
2:16:55 PM	604.8	499.0	1.0	7.7
2:16:56 PM	604.9	499.0	1.0	7.6
2:16:57 PM	604.8	499.0	1.0	7.9
2:16:58 PM	604.8	499.0	1.0	7.2
2:16:59 PM	605.0	499.0	1.0	7.0
2:17:00 PM	605.0	499.0	1.0	7.0
2:17:01 PM	605.0	499.0	1.0	6.9
2:17:02 PM	605.4	499.0	1.0	6.9
2:17:03 PM	605.7	499.0	1.0	6.7
2:17:04 PM	606.0	499.0	1.0	6.6
2:17:05 PM	606.4	499.0	1.0	6.6
2:17:06 PM	606.8	499.0	1.0	6.4
2:17:07 PM	607.0	500.0	1.0	6.3
2:17:08 PM	607.4	499.0	1.0	6.1
2:17:09 PM	607.6	499.0	1.0	6.0
2:17:10 PM	608.0	500.0	1.0	5.9
2:17:11 PM	608.3	500.0	1.0	5.8
2:17:12 PM	608.4	500.0	1.0	5.9
2:17:13 PM	608.4	500.0	1.0	5.9
2:17:14 PM	608.4	500.0	1.0	5.9
2:17:14 PM	608.4	500.0	1.0	5.8
2:17:15 PM	608.5	500.0	1.0	5.8
2:17:16 PM	608.5	500.0	1.0	6.1
2:17:17 PM	608.4	500.0	1.0	6.5
2:17:18 PM	608.5	500.0	1.0	7.1
2:17:19 PM	608.5	500.0	1.0	7.8
2:17:20 PM	608.5	500.0	1.0	8.4
2:17:21 PM	608.6	500.0	1.0	9.0
2:17:22 PM	608.6	500.0	1.0	9.6
2:17:23 PM	608.6	500.0	1.0	10.0
2:17:24 PM	608.6	500.0	1.0	10.2
2:17:25 PM	608.6	500.0	1.0	10.2
2:17:26 PM	608.5	500.0	1.0	10.2
2:17:27 PM	608.2	500.0	1.0	10.2
2:17:28 PM	608.0	500.0	1.0	10.2
2:17:29 PM	607.7	500.0	1.0	10.3
2:17:30 PM	607.5	500.0	1.0	10.6
2:17:31 PM	607.1	500.0	1.0	10.8
2:17:32 PM	606.9	500.0	1.0	10.8
2:17:33 PM	606.6	500.0	1.0	10.7
2:17:34 PM	606.5	500.0	1.0	10.6
2:17:35 PM	606.2	500.0	1.0	10.6
2:17:36 PM	606.0	500.0	1.0	10.7
2:17:37 PM	606.0	500.0	1.0	10.6
2:17:38 PM	606.2	500.0	1.0	10.6
2:17:39 PM	606.2	500.0	1.0	10.6
2:17:40 PM	606.3	500.0	1.0	10.7
2:17:41 PM	606.3	500.0	1.0	10.6
2:17:42 PM	606.3	500.0	1.0	10.7
2:17:43 PM	606.3	500.0	1.0	10.6
Averages ->	606.6	499.6	1.0	8.5
			Maximum ->	10.8

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4400

Date 11/11/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
4:33:46 PM	601.1	322.0	1.0	9.1
4:33:47 PM	601.1	322.0	1.0	9.2
4:33:48 PM	601.1	322.0	1.0	9.4
4:33:49 PM	601.2	322.0	1.0	9.5
4:33:50 PM	601.2	322.0	1.0	9.7
4:33:51 PM	601.2	322.0	1.0	9.7
4:33:52 PM	601.3	322.0	1.0	9.8
4:33:53 PM	601.3	322.0	1.0	9.8
4:33:54 PM	601.4	322.0	1.0	9.7
4:33:55 PM	601.3	322.0	1.0	9.6
4:33:56 PM	601.3	322.0	1.0	9.8
4:33:57 PM	601.4	322.0	1.0	9.9
4:33:58 PM	601.4	322.0	1.0	10.0
4:33:59 PM	601.5	322.0	1.0	10.1
4:34:00 PM	601.5	321.0	1.0	10.1
4:34:01 PM	601.5	321.0	1.0	10.1
4:34:02 PM	601.5	321.0	1.0	10.2
4:34:03 PM	601.5	321.0	1.0	10.1
4:34:04 PM	601.5	321.0	1.0	10.1
4:34:05 PM	601.5	321.0	1.0	9.9
4:34:06 PM	601.5	321.0	1.0	9.7
4:34:07 PM	601.4	321.0	1.0	9.6
4:34:08 PM	601.5	321.0	1.0	9.5
4:34:09 PM	601.6	321.0	1.0	9.3
4:34:10 PM	601.6	321.0	1.0	9.1
4:34:11 PM	601.6	321.0	1.0	8.9
4:34:12 PM	601.6	321.0	1.0	8.7
4:34:13 PM	601.7	320.0	1.0	8.6
4:34:14 PM	601.7	320.0	1.0	8.3
4:34:15 PM	601.7	320.0	1.0	8.4
4:34:16 PM	601.8	320.0	1.0	8.5
4:34:17 PM	601.6	320.0	1.0	8.7
4:34:18 PM	601.7	320.0	1.0	8.8
4:34:19 PM	601.6	320.0	1.0	8.8
4:34:20 PM	601.6	320.0	1.0	8.9
4:34:21 PM	601.6	320.0	1.0	9.1
4:34:22 PM	601.5	320.0	1.0	9.2
4:34:23 PM	601.5	320.0	1.0	9.3
4:34:23 PM	601.5	320.0	1.0	9.0
4:34:24 PM	601.6	320.0	1.0	8.7
4:34:25 PM	601.5	320.0	1.0	8.6
4:34:26 PM	601.6	320.0	1.0	8.4
4:34:27 PM	601.6	320.0	1.0	8.3
4:34:28 PM	601.6	320.0	1.0	8.4
4:34:29 PM	601.7	320.0	1.0	8.4
4:34:30 PM	601.7	320.0	1.0	8.4
4:34:31 PM	601.7	320.0	1.0	8.3
4:34:32 PM	601.8	320.0	1.0	8.4
4:34:33 PM	601.7	319.0	1.0	8.4
4:34:34 PM	601.9	319.0	1.0	8.4
4:34:35 PM	601.7	319.0	1.0	8.5
4:34:36 PM	601.8	319.0	1.0	8.6
4:34:37 PM	601.8	319.0	1.0	8.7
4:34:38 PM	602.1	319.0	1.0	8.9
4:34:39 PM	602.4	319.0	1.0	9.0
4:34:40 PM	602.7	319.0	1.0	9.1
4:34:41 PM	602.8	319.0	1.0	9.0
4:34:42 PM	603.1	319.0	1.0	8.9
4:34:43 PM	603.3	319.0	1.0	8.8
4:34:44 PM	603.6	319.0	1.0	8.9
Averages ->	601.7	320.5	1.0	9.1
			Maximum ->	10.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4400

Date 11/11/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
4:35:46 PM	600.0	321.0	1.0	5.0
4:35:47 PM	599.7	321.0	1.0	5.0
4:35:48 PM	599.3	321.0	1.0	5.0
4:35:49 PM	599.0	321.0	1.0	5.0
4:35:50 PM	598.6	321.0	1.0	4.9
4:35:51 PM	598.3	321.0	1.0	4.9
4:35:52 PM	597.9	321.0	1.0	4.8
4:35:53 PM	597.5	321.0	1.0	4.9
4:35:54 PM	597.0	321.0	1.0	5.1
4:35:55 PM	596.9	321.0	1.0	5.3
4:35:56 PM	596.9	321.0	1.0	5.3
4:35:57 PM	596.9	322.0	1.0	5.6
4:35:58 PM	597.0	322.0	1.0	6.0
4:35:59 PM	597.1	322.0	1.0	6.6
4:36:00 PM	597.1	322.0	1.0	7.2
4:36:01 PM	597.2	322.0	1.0	8.2
4:36:02 PM	597.2	322.0	1.0	9.1
4:36:02 PM	597.3	322.0	1.0	9.7
4:36:03 PM	597.3	322.0	1.0	10.1
4:36:04 PM	597.4	322.0	1.0	10.4
4:36:05 PM	597.4	322.0	1.0	10.8
4:36:06 PM	597.6	322.0	1.0	11.1
4:36:07 PM	597.7	322.0	1.0	11.2
4:36:08 PM	597.6	322.0	1.0	11.1
4:36:09 PM	597.6	322.0	1.0	10.8
4:36:10 PM	597.6	322.0	1.0	10.8
4:36:11 PM	597.6	322.0	1.0	11.0
4:36:12 PM	597.7	322.0	1.0	11.2
4:36:13 PM	597.6	322.0	1.0	11.4
4:36:14 PM	597.6	322.0	1.0	11.6
4:36:15 PM	597.6	322.0	1.0	11.8
4:36:16 PM	597.6	322.0	1.0	11.9
4:36:17 PM	597.6	322.0	1.0	11.8
4:36:18 PM	597.9	322.0	1.0	11.9
4:36:19 PM	598.2	322.0	1.0	11.9
4:36:20 PM	598.4	322.0	1.0	12.0
4:36:21 PM	598.7	322.0	1.0	12.0
4:36:22 PM	599.1	321.0	1.0	11.7
4:36:23 PM	599.3	322.0	1.0	11.3
4:36:24 PM	599.6	322.0	1.0	10.6
4:36:25 PM	599.6	322.0	1.0	10.6
4:36:26 PM	600.0	322.0	1.0	9.7
4:36:27 PM	600.2	322.0	1.0	9.0
4:36:28 PM	600.5	322.0	1.0	8.4
4:36:29 PM	600.6	322.0	1.0	8.1
4:36:30 PM	600.2	322.0	1.0	8.0
4:36:31 PM	599.7	321.0	1.0	7.7
4:36:32 PM	599.0	321.0	1.0	7.6
4:36:33 PM	598.4	321.0	1.0	7.3
4:36:34 PM	597.7	321.0	1.0	7.0
4:36:35 PM	597.1	321.0	1.0	6.6
4:36:36 PM	596.6	321.0	1.0	6.3
4:36:37 PM	595.9	321.0	1.0	6.0
4:36:38 PM	595.7	321.0	1.0	5.8
4:36:39 PM	595.5	321.0	1.0	5.6
4:36:40 PM	595.8	321.0	1.0	5.4
4:36:41 PM	596.1	321.0	1.0	5.3
4:36:42 PM	596.5	321.0	1.0	5.2
4:36:43 PM	596.8	321.0	1.0	5.0
4:36:44 PM	597.2	321.0	1.0	5.0
Averages ->	597.9	321.6	1.0	8.3
			Maximum ->	12.0

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4500

Date 11/12/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
7:46:05 AM	597.2	92.0	1.0	9.0
7:46:06 AM	597.0	92.0	1.0	9.0
7:46:07 AM	597.1	92.0	1.0	9.1
7:46:08 AM	597.0	92.0	1.0	9.2
7:46:09 AM	597.1	92.0	1.0	9.3
7:46:10 AM	597.0	92.0	1.0	9.4
7:46:11 AM	597.0	92.0	1.0	9.4
7:46:12 AM	597.0	92.0	1.0	9.5
7:46:13 AM	597.0	93.0	1.0	9.5
7:46:14 AM	597.0	92.0	1.0	9.6
7:46:15 AM	597.0	92.0	1.0	9.7
7:46:16 AM	596.9	92.0	1.0	9.8
7:46:17 AM	596.9	92.0	1.0	9.9
7:46:18 AM	596.9	92.0	1.0	10.0
7:46:19 AM	596.9	92.0	1.0	10.1
7:46:20 AM	596.9	92.0	1.0	10.0
7:46:21 AM	596.9	92.0	1.0	10.1
7:46:22 AM	596.8	92.0	1.0	10.1
7:46:23 AM	596.9	92.0	1.0	10.0
7:46:24 AM	596.9	92.0	1.0	10.1
7:46:25 AM	596.9	92.0	1.0	10.1
7:46:26 AM	596.7	92.0	1.0	10.0
7:46:27 AM	596.7	92.0	1.0	9.9
7:46:28 AM	596.8	92.0	1.0	9.8
7:46:29 AM	596.8	93.0	1.0	9.8
7:46:30 AM	596.9	92.0	1.0	9.7
7:46:31 AM	596.8	92.0	1.0	9.7
7:46:32 AM	596.8	92.0	1.0	9.7
7:46:33 AM	596.9	92.0	1.0	9.8
7:46:34 AM	596.8	92.0	1.0	9.7
7:46:35 AM	596.7	92.0	1.0	9.6
7:46:36 AM	596.7	92.0	1.0	9.2
7:46:37 AM	596.7	92.0	1.0	8.9
7:46:38 AM	596.7	92.0	1.0	8.9
7:46:39 AM	596.7	92.0	1.0	8.9
7:46:40 AM	596.7	92.0	1.0	8.9
7:46:41 AM	596.8	92.0	1.0	8.9
7:46:42 AM	596.7	92.0	1.0	8.9
7:46:43 AM	596.6	92.0	1.0	9.0
7:46:44 AM	596.7	92.0	1.0	9.1
7:46:45 AM	596.6	92.0	1.0	9.1
7:46:46 AM	596.6	92.0	1.0	9.2
7:46:47 AM	596.7	92.0	1.0	9.2
7:46:48 AM	596.7	92.0	1.0	9.2
7:46:49 AM	596.7	92.0	1.0	9.3
7:46:50 AM	596.6	92.0	1.0	9.4
7:46:51 AM	596.7	93.0	1.0	9.5
7:46:52 AM	596.6	92.0	1.0	9.6
7:46:53 AM	596.7	92.0	1.0	9.7
7:46:54 AM	596.6	93.0	1.0	10.1
7:46:55 AM	596.7	92.0	1.0	10.3
7:46:55 AM	596.6	92.0	1.0	10.5
7:46:56 AM	596.7	92.0	1.0	10.7
7:46:57 AM	596.6	92.0	1.0	10.8
7:46:58 AM	596.6	92.0	1.0	11.0
7:46:59 AM	596.5	92.0	1.0	10.9
7:47:00 AM	596.6	92.0	1.0	10.8
7:47:01 AM	596.6	92.0	1.0	10.7
7:47:02 AM	596.6	92.0	1.0	10.8
7:47:03 AM	596.5	92.0	1.0	11.2
Averages ->	596.8	92.1	1.0	9.7
			Maximum ->	11.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4500

Date 11/12/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
7:48:09 AM	592.5	92.0	1.0	10.0
7:48:10 AM	592.6	92.0	1.0	10.0
7:48:11 AM	592.5	92.0	1.0	10.2
7:48:12 AM	592.7	92.0	1.0	10.2
7:48:13 AM	592.6	92.0	1.0	10.4
7:48:14 AM	592.7	92.0	1.0	10.6
7:48:15 AM	592.7	92.0	1.0	10.9
7:48:16 AM	592.8	93.0	1.0	11.4
7:48:17 AM	592.7	92.0	1.0	11.8
7:48:18 AM	592.7	92.0	1.0	12.2
7:48:19 AM	592.7	92.0	1.0	12.4
7:48:20 AM	585.5	92.0	1.0	12.3
7:48:21 AM	593.2	92.0	1.0	12.4
7:48:22 AM	593.6	92.0	1.0	12.5
7:48:23 AM	594.0	93.0	1.0	12.5
7:48:24 AM	594.4	92.0	1.0	12.7
7:48:25 AM	594.6	93.0	1.0	12.8
7:48:26 AM	595.2	93.0	1.0	12.8
7:48:26 AM	595.5	92.0	1.0	13.0
7:48:27 AM	595.9	92.0	1.0	13.2
7:48:28 AM	596.4	92.0	1.0	13.4
7:48:29 AM	596.7	92.0	1.0	13.5
7:48:30 AM	597.1	93.0	1.0	13.6
7:48:31 AM	597.0	93.0	1.0	13.7
7:48:32 AM	596.9	93.0	1.0	13.7
7:48:33 AM	597.0	93.0	1.0	13.7
7:48:34 AM	596.9	92.0	1.0	13.5
7:48:35 AM	596.9	93.0	1.0	13.1
7:48:36 AM	596.8	93.0	1.0	12.7
7:48:37 AM	596.9	93.0	1.0	12.3
7:48:38 AM	596.8	93.0	1.0	12.3
7:48:39 AM	596.8	93.0	1.0	12.4
7:48:40 AM	596.8	93.0	1.0	12.5
7:48:41 AM	596.6	93.0	1.0	12.5
7:48:42 AM	596.7	93.0	1.0	12.5
7:48:43 AM	596.8	93.0	1.0	12.6
7:48:44 AM	596.7	93.0	1.0	12.5
7:48:45 AM	596.3	93.0	1.0	12.5
7:48:46 AM	596.0	92.0	1.0	12.4
7:48:47 AM	595.5	93.0	1.0	12.4
7:48:48 AM	595.1	93.0	1.0	12.4
7:48:49 AM	594.7	93.0	1.0	12.4
7:48:50 AM	594.3	93.0	1.0	12.2
7:48:51 AM	593.8	93.0	1.0	12.2
7:48:52 AM	593.4	93.0	1.0	12.1
7:48:53 AM	593.1	93.0	1.0	12.2
7:48:54 AM	592.7	93.0	1.0	12.3
7:48:55 AM	592.5	93.0	1.0	12.3
7:48:56 AM	592.5	93.0	1.0	12.3
7:48:57 AM	592.5	93.0	1.0	12.3
7:48:58 AM	592.5	93.0	1.0	12.4
7:48:59 AM	592.6	93.0	1.0	12.3
7:49:00 AM	592.6	93.0	1.0	12.3
7:49:01 AM	592.6	93.0	1.0	12.1
7:49:02 AM	592.7	93.0	1.0	11.7
7:49:03 AM	592.6	93.0	1.0	11.5
7:49:04 AM	592.7	93.0	1.0	11.6
7:49:05 AM	592.7	93.0	1.0	11.8
7:49:06 AM	592.7	93.0	1.0	12.1
7:49:07 AM	592.7	93.0	1.0	12.5
Averages ->	594.3	92.7	1.0	12.3
			Maximum ->	13.7

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4600

Date 11/12/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:05:42 AM	600.9	313.0	1.0	9.6
10:05:43 AM	601.0	314.0	1.0	9.7
10:05:44 AM	601.0	313.0	1.0	9.8
10:05:45 AM	600.9	313.0	1.0	9.9
10:05:46 AM	601.0	314.0	1.0	9.7
10:05:46 AM	600.9	314.0	1.0	9.8
10:05:47 AM	600.9	313.0	1.0	9.9
10:05:48 AM	600.9	313.0	1.0	10.1
10:05:49 AM	601.0	314.0	1.0	10.1
10:05:50 AM	600.9	313.0	1.0	10.2
10:05:51 AM	600.9	314.0	1.0	10.5
10:05:52 AM	601.0	314.0	1.0	10.6
10:05:53 AM	600.9	314.0	1.0	10.6
10:05:54 AM	600.9	314.0	1.0	10.6
10:05:55 AM	600.9	314.0	1.0	10.7
10:05:56 AM	600.9	314.0	1.0	10.8
10:05:57 AM	601.0	314.0	1.0	10.8
10:05:58 AM	600.9	314.0	1.0	10.8
10:05:59 AM	600.8	314.0	1.0	10.8
10:06:00 AM	601.0	314.0	1.0	10.9
10:06:01 AM	601.0	314.0	1.0	10.9
10:06:02 AM	601.0	314.0	1.0	11.0
10:06:03 AM	600.9	314.0	1.0	10.9
10:06:04 AM	600.9	314.0	1.0	11.0
10:06:05 AM	600.9	314.0	1.0	11.1
10:06:06 AM	600.9	314.0	1.0	11.2
10:06:07 AM	600.9	314.0	1.0	11.3
10:06:08 AM	600.9	314.0	1.0	11.4
10:06:09 AM	600.9	314.0	1.0	11.6
10:06:10 AM	601.0	314.0	1.0	11.8
10:06:11 AM	601.0	315.0	1.0	12.0
10:06:12 AM	601.0	314.0	1.0	11.9
10:06:13 AM	601.0	315.0	1.0	11.8
10:06:14 AM	600.9	315.0	1.0	11.8
10:06:15 AM	601.0	315.0	1.0	11.7
10:06:16 AM	601.0	315.0	1.0	11.6
10:06:17 AM	601.0	315.0	1.0	11.5
10:06:18 AM	600.8	315.0	1.0	11.3
10:06:19 AM	601.0	315.0	1.0	11.1
10:06:20 AM	601.0	315.0	1.0	11.1
10:06:21 AM	601.0	315.0	1.0	11.0
10:06:22 AM	601.0	315.0	1.0	11.0
10:06:23 AM	601.0	315.0	1.0	10.9
10:06:24 AM	601.0	315.0	1.0	10.7
10:06:25 AM	601.0	315.0	1.0	10.7
10:06:26 AM	601.0	315.0	1.0	10.7
10:06:27 AM	601.1	315.0	1.0	10.9
10:06:28 AM	601.0	315.0	1.0	11.1
10:06:29 AM	601.0	315.0	1.0	11.0
10:06:30 AM	601.0	315.0	1.0	11.0
10:06:31 AM	601.0	315.0	1.0	11.0
10:06:32 AM	601.0	316.0	1.0	11.1
10:06:33 AM	601.0	316.0	1.0	11.2
10:06:34 AM	601.0	316.0	1.0	11.3
10:06:35 AM	601.1	316.0	1.0	11.2
10:06:36 AM	601.1	316.0	1.0	11.3
10:06:37 AM	601.0	316.0	1.0	11.5
10:06:38 AM	601.0	316.0	1.0	11.7
10:06:39 AM	601.1	316.0	1.0	11.8
10:06:40 AM	601.0	316.0	1.0	12.0
Averages ->	601.0	314.5	1.0	10.9
			Maximum ->	12.0

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4600

Date 11/12/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:07:02 AM	596.5	317.0	1.0	13.2
10:07:03 AM	596.6	317.0	1.0	14.2
10:07:04 AM	596.5	317.0	1.0	15.2
10:07:05 AM	596.5	317.0	1.0	16.3
10:07:06 AM	596.6	317.0	1.0	17.0
10:07:07 AM	596.6	318.0	1.0	18.2
10:07:08 AM	596.6	318.0	1.0	19.4
10:07:09 AM	596.6	318.0	1.0	20.6
10:07:10 AM	596.6	318.0	1.0	21.3
10:07:11 AM	596.6	318.0	1.0	21.6
10:07:12 AM	596.7	318.0	1.0	21.8
10:07:13 AM	596.7	318.0	1.0	22.1
10:07:14 AM	596.7	318.0	1.0	22.1
10:07:14 AM	596.7	318.0	1.0	21.9
10:07:15 AM	596.0	318.0	1.0	21.9
10:07:16 AM	597.0	319.0	1.0	21.8
10:07:17 AM	597.4	318.0	1.0	21.7
10:07:18 AM	597.9	318.0	1.0	21.3
10:07:19 AM	598.3	318.0	1.0	21.0
10:07:20 AM	598.9	318.0	1.0	21.3
10:07:21 AM	599.2	318.0	1.0	21.6
10:07:22 AM	599.7	319.0	1.0	21.7
10:07:23 AM	600.2	319.0	1.0	21.9
10:07:24 AM	600.6	319.0	1.0	22.2
10:07:25 AM	601.0	319.0	1.0	22.5
10:07:26 AM	601.5	319.0	1.0	22.4
10:07:27 AM	601.7	319.0	1.0	22.6
10:07:28 AM	601.7	319.0	1.0	22.9
10:07:29 AM	601.7	319.0	1.0	22.9
10:07:30 AM	601.6	319.0	1.0	22.6
10:07:31 AM	601.6	319.0	1.0	21.8
10:07:32 AM	601.6	319.0	1.0	21.1
10:07:33 AM	601.5	319.0	1.0	20.6
10:07:34 AM	601.5	320.0	1.0	19.9
10:07:35 AM	601.5	320.0	1.0	19.1
10:07:36 AM	601.5	320.0	1.0	18.4
10:07:37 AM	601.5	320.0	1.0	17.6
10:07:38 AM	601.5	320.0	1.0	17.1
10:07:39 AM	601.5	320.0	1.0	16.3
10:07:40 AM	601.4	320.0	1.0	16.0
10:07:41 AM	601.3	320.0	1.0	15.7
10:07:42 AM	601.3	320.0	1.0	15.3
10:07:43 AM	600.8	320.0	1.0	14.8
10:07:44 AM	600.3	320.0	1.0	14.3
10:07:45 AM	599.8	320.0	1.0	13.8
10:07:46 AM	599.4	320.0	1.0	13.4
10:07:47 AM	599.0	320.0	1.0	13.1
10:07:48 AM	598.6	320.0	1.0	13.0
10:07:49 AM	598.2	320.0	1.0	12.8
10:07:50 AM	597.7	320.0	1.0	12.6
10:07:51 AM	597.3	320.0	1.0	12.6
10:07:52 AM	596.9	320.0	1.0	12.6
10:07:53 AM	596.8	320.0	1.0	12.6
10:07:54 AM	596.7	320.0	1.0	12.7
10:07:55 AM	596.8	320.0	1.0	13.1
10:07:56 AM	596.9	320.0	1.0	13.8
10:07:57 AM	596.9	320.0	1.0	14.6
10:07:58 AM	597.0	320.0	1.0	15.2
10:07:59 AM	596.9	320.0	1.0	15.9
10:08:00 AM	597.0	320.0	1.0	17.0
Averages ->	598.8	319.0	1.0	18.1
			Maximum ->	22.9

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4700

Date 11/12/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:23:00 PM	597.6	493.0	1.0	19.9
12:23:01 PM	597.5	493.0	1.0	20.1
12:23:02 PM	597.7	493.0	1.0	20.2
12:23:03 PM	597.7	493.0	1.0	20.0
12:23:04 PM	597.6	493.0	1.0	20.0
12:23:05 PM	597.6	493.0	1.0	20.1
12:23:06 PM	597.6	493.0	1.0	20.2
12:23:07 PM	597.6	493.0	1.0	20.3
12:23:08 PM	597.6	493.0	1.0	20.4
12:23:09 PM	597.6	493.0	1.0	20.4
12:23:10 PM	597.8	493.0	1.0	20.1
12:23:11 PM	597.7	493.0	1.0	19.9
12:23:12 PM	597.7	493.0	1.0	19.9
12:23:13 PM	597.6	493.0	1.0	19.8
12:23:14 PM	597.7	493.0	1.0	19.6
12:23:15 PM	597.8	493.0	1.0	19.7
12:23:16 PM	597.8	493.0	1.0	19.6
12:23:17 PM	597.7	493.0	1.0	19.8
12:23:18 PM	597.8	493.0	1.0	19.9
12:23:19 PM	597.8	493.0	1.0	20.1
12:23:20 PM	597.8	493.0	1.0	20.1
12:23:21 PM	597.8	494.0	1.0	19.9
12:23:22 PM	597.7	493.0	1.0	19.7
12:23:23 PM	597.8	493.0	1.0	19.6
12:23:24 PM	597.8	494.0	1.0	19.6
12:23:25 PM	597.8	494.0	1.0	19.4
12:23:26 PM	597.8	493.0	1.0	19.3
12:23:27 PM	597.8	494.0	1.0	19.1
12:23:28 PM	597.9	494.0	1.0	19.0
12:23:29 PM	597.8	494.0	1.0	19.1
12:23:30 PM	597.8	494.0	1.0	19.2
12:23:31 PM	597.9	494.0	1.0	19.3
12:23:32 PM	597.9	494.0	1.0	19.3
12:23:33 PM	597.8	494.0	1.0	19.5
12:23:34 PM	597.9	494.0	1.0	19.5
12:23:35 PM	597.9	494.0	1.0	19.2
12:23:36 PM	597.9	494.0	1.0	18.8
12:23:37 PM	597.9	494.0	1.0	18.8
12:23:38 PM	597.9	494.0	1.0	19.0
12:23:39 PM	597.9	494.0	1.0	19.0
12:23:40 PM	597.9	494.0	1.0	19.0
12:23:41 PM	598.1	494.0	1.0	19.2
12:23:42 PM	597.9	494.0	1.0	19.3
12:23:43 PM	597.8	494.0	1.0	19.3
12:23:44 PM	597.9	494.0	1.0	19.6
12:23:45 PM	598.1	494.0	1.0	19.7
12:23:46 PM	597.9	494.0	1.0	19.8
12:23:47 PM	598.1	494.0	1.0	19.7
12:23:48 PM	598.0	494.0	1.0	19.6
12:23:49 PM	598.0	494.0	1.0	19.4
12:23:50 PM	598.1	494.0	1.0	18.8
12:23:51 PM	598.0	494.0	1.0	18.3
12:23:52 PM	598.0	494.0	1.0	18.0
12:23:53 PM	598.0	494.0	1.0	17.9
12:23:54 PM	598.1	494.0	1.0	17.8
12:23:55 PM	598.0	494.0	1.0	17.7
12:23:56 PM	598.1	494.0	1.0	17.6
12:23:57 PM	598.2	494.0	1.0	17.8
12:23:58 PM	598.1	494.0	1.0	17.8
12:23:59 PM	598.1	494.0	1.0	17.8
Averages ->	597.8	493.6	1.0	19.3
			Maximum ->	20.4

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4700

Date 11/12/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
12:24:39 PM	599.4	495.0	1.0	16.4
12:24:40 PM	599.9	495.0	1.0	16.3
12:24:41 PM	600.3	495.0	1.0	16.3
12:24:42 PM	600.7	495.0	1.0	16.1
12:24:43 PM	601.2	495.0	1.0	16.1
12:24:44 PM	601.7	495.0	1.0	16.2
12:24:45 PM	602.1	495.0	1.0	16.0
12:24:46 PM	602.6	495.0	1.0	16.0
12:24:47 PM	603.0	495.0	1.0	16.1
12:24:48 PM	603.4	495.0	1.0	16.3
12:24:49 PM	603.3	495.0	1.0	16.7
12:24:50 PM	603.3	495.0	1.0	16.6
12:24:51 PM	603.3	495.0	1.0	16.1
12:24:51 PM	603.3	495.0	1.0	16.0
12:24:52 PM	603.3	495.0	1.0	15.9
12:24:53 PM	603.2	495.0	1.0	15.6
12:24:54 PM	603.2	495.0	1.0	15.1
12:24:55 PM	603.2	495.0	1.0	14.6
12:24:56 PM	603.2	495.0	1.0	14.2
12:24:57 PM	603.2	495.0	1.0	13.9
12:24:58 PM	603.2	495.0	1.0	13.6
12:24:59 PM	603.2	495.0	1.0	13.3
12:25:00 PM	603.1	495.0	1.0	13.3
12:25:01 PM	603.1	495.0	1.0	13.3
12:25:02 PM	602.7	495.0	1.0	13.1
12:25:03 PM	602.2	495.0	1.0	12.9
12:25:04 PM	601.7	495.0	1.0	12.6
12:25:05 PM	601.2	495.0	1.0	12.5
12:25:06 PM	600.8	495.0	1.0	12.3
12:25:07 PM	600.4	495.0	1.0	11.9
12:25:08 PM	600.0	495.0	1.0	11.8
12:25:09 PM	599.6	495.0	1.0	11.6
12:25:10 PM	599.2	495.0	1.0	11.6
12:25:11 PM	598.7	495.0	1.0	11.4
12:25:12 PM	598.4	495.0	1.0	11.0
12:25:13 PM	598.5	495.0	1.0	10.6
12:25:14 PM	598.4	495.0	1.0	10.5
12:25:15 PM	598.6	495.0	1.0	10.8
12:25:16 PM	598.6	495.0	1.0	11.2
12:25:17 PM	598.6	495.0	1.0	11.7
12:25:18 PM	598.6	495.0	1.0	12.7
12:25:19 PM	598.6	495.0	1.0	13.8
12:25:20 PM	598.7	495.0	1.0	14.6
12:25:21 PM	598.7	495.0	1.0	15.5
12:25:22 PM	598.8	495.0	1.0	16.7
12:25:23 PM	598.7	495.0	1.0	18.3
12:25:24 PM	598.8	495.0	1.0	19.2
12:25:25 PM	598.6	495.0	1.0	20.0
12:25:26 PM	598.6	495.0	1.0	20.0
12:25:27 PM	598.8	495.0	1.0	20.4
12:25:28 PM	598.7	495.0	1.0	20.6
12:25:29 PM	598.8	495.0	1.0	20.6
12:25:30 PM	598.8	495.0	1.0	20.5
12:25:31 PM	599.1	495.0	1.0	20.4
12:25:32 PM	599.4	495.0	1.0	20.3
12:25:33 PM	599.8	495.0	1.0	20.4
12:25:34 PM	600.3	495.0	1.0	20.6
12:25:35 PM	600.8	495.0	1.0	20.6
12:25:36 PM	601.2	495.0	1.0	20.7
12:25:37 PM	601.6	495.0	1.0	20.9
Averages ->	600.7	495.0	1.0	15.6
			Maximum ->	20.9

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4800

Date 11/12/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
2:35:13 PM	603.4	499.0	1.0	9.9
2:35:14 PM	603.3	499.0	1.0	9.9
2:35:15 PM	603.4	499.0	1.0	10.0
2:35:16 PM	603.4	499.0	1.0	10.1
2:35:17 PM	603.4	499.0	1.0	10.2
2:35:18 PM	603.5	499.0	1.0	10.2
2:35:19 PM	603.3	499.0	1.0	10.3
2:35:20 PM	603.5	499.0	1.0	10.4
2:35:21 PM	603.4	499.0	1.0	10.6
2:35:22 PM	603.5	499.0	1.0	10.8
2:35:23 PM	603.4	499.0	1.0	11.0
2:35:24 PM	603.5	499.0	1.0	11.0
2:35:25 PM	603.5	499.0	1.0	11.1
2:35:26 PM	603.4	499.0	1.0	10.9
2:35:27 PM	603.5	499.0	1.0	11.1
2:35:28 PM	603.4	499.0	1.0	11.1
2:35:29 PM	603.5	499.0	1.0	11.0
2:35:30 PM	603.5	499.0	1.0	10.8
2:35:31 PM	603.5	499.0	1.0	10.6
2:35:32 PM	603.6	499.0	1.0	10.3
2:35:33 PM	603.5	499.0	1.0	10.4
2:35:34 PM	603.5	499.0	1.0	10.5
2:35:35 PM	603.4	499.0	1.0	10.6
2:35:35 PM	603.6	500.0	1.0	10.8
2:35:36 PM	603.6	499.0	1.0	11.4
2:35:37 PM	603.5	499.0	1.0	12.1
2:35:38 PM	603.6	499.0	1.0	12.5
2:35:39 PM	603.4	499.0	1.0	12.8
2:35:40 PM	603.4	500.0	1.0	12.6
2:35:41 PM	603.5	500.0	1.0	12.4
2:35:42 PM	603.6	500.0	1.0	12.1
2:35:43 PM	603.6	500.0	1.0	11.7
2:35:44 PM	603.6	500.0	1.0	11.2
2:35:45 PM	603.5	500.0	1.0	10.9
2:35:46 PM	603.6	500.0	1.0	10.6
2:35:47 PM	603.6	500.0	1.0	10.5
2:35:48 PM	603.5	500.0	1.0	10.5
2:35:49 PM	603.6	500.0	1.0	10.5
2:35:50 PM	603.6	500.0	1.0	10.5
2:35:51 PM	603.6	500.0	1.0	10.3
2:35:52 PM	603.5	500.0	1.0	10.0
2:35:53 PM	603.8	500.0	1.0	9.7
2:35:54 PM	603.6	501.0	1.0	9.3
2:35:55 PM	603.6	500.0	1.0	9.2
2:35:56 PM	603.8	500.0	1.0	9.1
2:35:57 PM	603.8	500.0	1.0	9.2
2:35:58 PM	603.6	500.0	1.0	9.5
2:35:59 PM	603.8	500.0	1.0	9.8
2:36:00 PM	603.6	501.0	1.0	10.1
2:36:01 PM	603.5	500.0	1.0	10.5
2:36:02 PM	603.6	500.0	1.0	10.9
2:36:03 PM	603.6	501.0	1.0	11.1
2:36:04 PM	603.6	501.0	1.0	11.3
2:36:05 PM	603.6	501.0	1.0	11.3
2:36:06 PM	603.7	500.0	1.0	11.3
2:36:07 PM	603.7	500.0	1.0	11.5
2:36:08 PM	603.8	501.0	1.0	11.7
2:36:09 PM	603.8	501.0	1.0	11.7
2:36:10 PM	603.7	501.0	1.0	11.5
2:36:11 PM	603.8	501.0	1.0	11.3
Averages ->	603.6	499.7	1.0	10.8
			Maximum ->	12.8

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4800

Date 11/12/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
2:38:50 PM	601.7	501.0	1.0	10.1
2:38:51 PM	601.7	501.0	1.0	10.1
2:38:52 PM	601.6	501.0	1.0	10.6
2:38:53 PM	601.7	501.0	1.0	10.9
2:38:54 PM	601.7	501.0	1.0	11.0
2:38:55 PM	601.7	501.0	1.0	11.3
2:38:56 PM	601.7	501.0	1.0	11.2
2:38:57 PM	601.7	501.0	1.0	11.4
2:38:58 PM	601.8	501.0	1.0	11.5
2:38:59 PM	601.7	501.0	1.0	11.9
2:39:00 PM	601.7	501.0	1.0	12.5
2:39:01 PM	601.8	501.0	1.0	13.3
2:39:02 PM	601.8	501.0	1.0	14.5
2:39:03 PM	601.9	500.0	1.0	15.9
2:39:04 PM	601.8	501.0	1.0	17.1
2:39:05 PM	601.8	500.0	1.0	18.0
2:39:06 PM	601.9	501.0	1.0	19.2
2:39:07 PM	601.9	500.0	1.0	20.2
2:39:08 PM	601.9	501.0	1.0	20.6
2:39:09 PM	601.8	500.0	1.0	21.0
2:39:10 PM	601.8	501.0	1.0	21.7
2:39:11 PM	601.9	500.0	1.0	22.2
2:39:12 PM	602.0	500.0	1.0	22.2
2:39:13 PM	601.8	500.0	1.0	22.4
2:39:14 PM	602.0	500.0	1.0	21.9
2:39:15 PM	602.6	500.0	1.0	21.2
2:39:16 PM	603.0	501.0	1.0	20.5
2:39:17 PM	603.3	500.0	1.0	19.9
2:39:18 PM	603.8	500.0	1.0	19.3
2:39:19 PM	604.3	500.0	1.0	19.0
2:39:20 PM	604.7	500.0	1.0	19.2
2:39:21 PM	605.2	500.0	1.0	19.3
2:39:22 PM	605.6	500.0	1.0	18.9
2:39:23 PM	606.1	500.0	1.0	18.5
2:39:24 PM	606.4	500.0	1.0	18.2
2:39:24 PM	606.7	500.0	1.0	17.9
2:39:25 PM	606.8	500.0	1.0	17.9
2:39:26 PM	606.7	500.0	1.0	17.7
2:39:27 PM	606.6	500.0	1.0	17.1
2:39:28 PM	606.6	500.0	1.0	16.7
2:39:29 PM	606.5	499.0	1.0	16.2
2:39:30 PM	606.6	500.0	1.0	15.5
2:39:31 PM	606.5	499.0	1.0	14.8
2:39:32 PM	606.5	499.0	1.0	14.0
2:39:33 PM	606.4	499.0	1.0	13.5
2:39:34 PM	606.4	499.0	1.0	13.1
2:39:35 PM	606.4	499.0	1.0	12.6
2:39:36 PM	606.4	499.0	1.0	12.0
2:39:37 PM	606.4	499.0	1.0	11.5
2:39:38 PM	606.4	499.0	1.0	11.2
2:39:39 PM	606.2	498.0	1.0	10.8
2:39:40 PM	605.7	498.0	1.0	10.1
2:39:41 PM	605.3	498.0	1.0	9.5
2:39:42 PM	604.8	498.0	1.0	9.0
2:39:43 PM	604.4	498.0	1.0	8.6
2:39:44 PM	603.9	498.0	1.0	8.2
2:39:45 PM	603.5	498.0	1.0	7.8
2:39:46 PM	603.0	498.0	1.0	7.6
2:39:47 PM	602.6	498.0	1.0	7.4
2:39:48 PM	602.2	498.0	1.0	7.3
Averages ->	603.8	499.8	1.0	14.9
			Maximum ->	22.4

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4900

Date 11/12/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
4:59:10 PM	593.7	321.0	1.0	7.6
4:59:11 PM	593.7	321.0	1.0	7.8
4:59:12 PM	593.7	321.0	1.0	7.8
4:59:13 PM	593.7	321.0	1.0	7.9
4:59:14 PM	593.6	321.0	1.0	7.8
4:59:15 PM	593.7	321.0	1.0	7.8
4:59:16 PM	593.6	321.0	1.0	8.0
4:59:17 PM	593.7	321.0	1.0	8.1
4:59:18 PM	593.6	321.0	1.0	8.0
4:59:19 PM	593.6	321.0	1.0	8.2
4:59:20 PM	593.5	321.0	1.0	8.0
4:59:21 PM	593.6	321.0	1.0	7.8
4:59:22 PM	593.5	321.0	1.0	7.7
4:59:23 PM	593.6	321.0	1.0	7.4
4:59:24 PM	593.6	321.0	1.0	7.5
4:59:25 PM	593.6	321.0	1.0	7.5
4:59:26 PM	593.5	321.0	1.0	7.4
4:59:27 PM	593.6	321.0	1.0	7.2
4:59:28 PM	593.5	321.0	1.0	7.4
4:59:29 PM	593.4	321.0	1.0	7.6
4:59:30 PM	593.5	321.0	1.0	7.6
4:59:31 PM	593.5	321.0	1.0	7.6
4:59:32 PM	593.4	321.0	1.0	7.5
4:59:33 PM	593.5	321.0	1.0	7.3
4:59:34 PM	593.4	321.0	1.0	7.1
4:59:35 PM	593.5	321.0	1.0	7.0
4:59:36 PM	593.5	321.0	1.0	7.1
4:59:37 PM	593.4	321.0	1.0	7.2
4:59:38 PM	593.5	321.0	1.0	7.0
4:59:39 PM	593.4	321.0	1.0	7.1
4:59:40 PM	593.4	321.0	1.0	6.9
4:59:41 PM	593.4	321.0	1.0	6.8
4:59:42 PM	593.4	321.0	1.0	6.8
4:59:43 PM	593.4	321.0	1.0	6.8
4:59:44 PM	593.4	321.0	1.0	6.8
4:59:45 PM	593.4	321.0	1.0	7.0
4:59:46 PM	593.4	321.0	1.0	7.0
4:59:47 PM	593.4	321.0	1.0	7.0
4:59:47 PM	593.2	320.0	1.0	7.1
4:59:48 PM	593.3	321.0	1.0	7.1
4:59:49 PM	593.3	321.0	1.0	7.3
4:59:50 PM	593.3	321.0	1.0	7.2
4:59:51 PM	593.2	321.0	1.0	7.2
4:59:52 PM	593.3	320.0	1.0	7.2
4:59:53 PM	593.3	321.0	1.0	7.1
4:59:54 PM	593.2	320.0	1.0	7.0
4:59:55 PM	593.3	321.0	1.0	6.7
4:59:56 PM	593.3	320.0	1.0	6.6
4:59:57 PM	593.2	320.0	1.0	6.4
4:59:58 PM	593.3	320.0	1.0	6.3
4:59:59 PM	593.2	320.0	1.0	6.1
5:00:00 PM	593.1	320.0	1.0	6.1
5:00:01 PM	593.1	320.0	1.0	6.2
5:00:02 PM	593.1	320.0	1.0	6.2
5:00:03 PM	593.1	320.0	1.0	6.1
5:00:04 PM	593.1	320.0	1.0	6.1
5:00:05 PM	593.1	320.0	1.0	6.2
5:00:06 PM	593.1	320.0	1.0	6.2
5:00:07 PM	593.1	320.0	1.0	6.1
5:00:08 PM	593.1	320.0	1.0	6.0
Averages ->	593.4	320.7	1.0	7.1
			Maximum ->	8.2

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 4900

Date 11/12/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
5:01:04 PM	597.0	319.0	1.0	5.3
5:01:05 PM	596.9	320.0	1.0	4.8
5:01:06 PM	596.9	320.0	1.0	4.1
5:01:07 PM	596.9	320.0	1.0	3.4
5:01:08 PM	596.8	320.0	1.0	2.9
5:01:09 PM	596.8	320.0	1.0	2.5
5:01:10 PM	596.9	320.0	1.0	2.2
5:01:11 PM	596.9	320.0	1.0	2.0
5:01:12 PM	596.8	320.0	1.0	1.8
5:01:13 PM	592.8	320.0	1.0	1.6
5:01:14 PM	596.5	320.0	1.0	1.5
5:01:15 PM	596.0	320.0	1.0	1.4
5:01:16 PM	595.7	320.0	1.0	1.4
5:01:17 PM	595.2	320.0	1.0	1.4
5:01:18 PM	594.8	320.0	1.0	1.3
5:01:19 PM	594.3	320.0	1.0	1.2
5:01:20 PM	593.9	320.0	1.0	1.2
5:01:21 PM	593.5	320.0	1.0	1.2
5:01:22 PM	593.1	320.0	1.0	1.2
5:01:23 PM	592.7	320.0	1.0	1.2
5:01:24 PM	592.4	320.0	1.0	1.2
5:01:25 PM	592.3	320.0	1.0	1.3
5:01:25 PM	592.3	320.0	1.0	1.4
5:01:26 PM	592.3	320.0	1.0	1.5
5:01:27 PM	592.3	320.0	1.0	1.7
5:01:28 PM	592.4	320.0	1.0	2.2
5:01:29 PM	592.4	320.0	1.0	2.7
5:01:30 PM	592.3	320.0	1.0	3.3
5:01:31 PM	592.3	321.0	1.0	4.2
5:01:32 PM	592.4	320.0	1.0	5.6
5:01:33 PM	592.4	320.0	1.0	7.0
5:01:34 PM	592.4	321.0	1.0	8.0
5:01:35 PM	592.5	321.0	1.0	9.4
5:01:36 PM	592.5	321.0	1.0	10.7
5:01:37 PM	592.5	321.0	1.0	11.4
5:01:38 PM	592.5	321.0	1.0	11.8
5:01:39 PM	592.6	321.0	1.0	12.1
5:01:40 PM	592.5	321.0	1.0	12.0
5:01:41 PM	589.9	321.0	1.0	11.7
5:01:42 PM	589.9	321.0	1.0	11.7
5:01:43 PM	592.8	321.0	1.0	11.3
5:01:44 PM	593.2	321.0	1.0	10.7
5:01:45 PM	593.6	321.0	1.0	10.8
5:01:46 PM	594.1	321.0	1.0	10.8
5:01:47 PM	594.4	321.0	1.0	10.8
5:01:48 PM	594.9	321.0	1.0	10.7
5:01:49 PM	595.4	321.0	1.0	10.5
5:01:50 PM	595.7	321.0	1.0	10.3
5:01:51 PM	596.1	321.0	1.0	9.9
5:01:52 PM	596.5	321.0	1.0	9.6
5:01:53 PM	597.0	321.0	1.0	9.6
5:01:54 PM	597.1	321.0	1.0	9.5
5:01:55 PM	597.2	321.0	1.0	9.5
5:01:56 PM	597.1	321.0	1.0	9.3
5:01:57 PM	596.9	321.0	1.0	9.1
5:01:58 PM	596.9	322.0	1.0	8.8
5:01:59 PM	597.0	321.0	1.0	8.2
5:02:00 PM	596.9	321.0	1.0	7.5
5:02:01 PM	596.9	322.0	1.0	6.7
5:02:02 PM	596.8	321.0	1.0	6.1
Averages ->	594.5	320.5	1.0	6.1
			Maximum ->	12.1

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 5000

Date 11/13/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:30:51 AM	598.1	90.0	1.0	3.9
10:30:52 AM	598.1	90.0	1.0	4.0
10:30:53 AM	598.1	90.0	1.0	4.3
10:30:54 AM	598.1	90.0	1.0	4.7
10:30:55 AM	598.1	90.0	1.0	4.9
10:30:56 AM	598.1	90.0	1.0	4.9
10:30:57 AM	598.1	90.0	1.0	4.9
10:30:58 AM	598.1	90.0	1.0	4.8
10:30:59 AM	598.1	90.0	1.0	4.8
10:31:00 AM	598.1	90.0	1.0	4.7
10:31:01 AM	598.1	90.0	1.0	4.7
10:31:02 AM	598.0	90.0	1.0	4.6
10:31:03 AM	598.1	90.0	1.0	4.7
10:31:04 AM	598.1	90.0	1.0	5.0
10:31:05 AM	598.1	90.0	1.0	5.0
10:31:06 AM	598.1	90.0	1.0	5.2
10:31:07 AM	598.1	90.0	1.0	5.2
10:31:08 AM	598.1	90.0	1.0	5.4
10:31:09 AM	598.1	90.0	1.0	5.6
10:31:10 AM	598.1	90.0	1.0	5.7
10:31:11 AM	598.1	90.0	1.0	5.8
10:31:12 AM	598.1	90.0	1.0	5.6
10:31:13 AM	598.1	90.0	1.0	5.3
10:31:13 AM	598.1	90.0	1.0	5.0
10:31:14 AM	598.1	90.0	1.0	4.8
10:31:15 AM	598.1	90.0	1.0	4.5
10:31:16 AM	598.1	90.0	1.0	4.3
10:31:17 AM	598.1	90.0	1.0	4.1
10:31:18 AM	598.1	90.0	1.0	3.9
10:31:19 AM	598.1	90.0	1.0	3.8
10:31:20 AM	598.1	90.0	1.0	3.7
10:31:21 AM	598.1	90.0	1.0	3.6
10:31:22 AM	598.1	90.0	1.0	3.6
10:31:23 AM	598.1	90.0	1.0	3.6
10:31:24 AM	598.1	90.0	1.0	3.5
10:31:25 AM	598.1	90.0	1.0	3.6
10:31:26 AM	598.1	90.0	1.0	3.7
10:31:27 AM	598.1	90.0	1.0	3.7
10:31:28 AM	598.1	90.0	1.0	3.8
10:31:29 AM	598.1	90.0	1.0	3.7
10:31:30 AM	598.1	90.0	1.0	3.7
10:31:31 AM	598.1	90.0	1.0	3.7
10:31:32 AM	598.1	90.0	1.0	3.6
10:31:33 AM	598.1	90.0	1.0	3.6
10:31:34 AM	598.1	90.0	1.0	3.6
10:31:35 AM	598.1	90.0	1.0	3.6
10:31:36 AM	598.1	90.0	1.0	3.6
10:31:37 AM	598.1	90.0	1.0	3.7
10:31:38 AM	598.1	90.0	1.0	3.6
10:31:39 AM	598.1	90.0	1.0	3.7
10:31:40 AM	598.1	90.0	1.0	3.6
10:31:41 AM	598.0	90.0	1.0	3.7
10:31:42 AM	598.1	90.0	1.0	3.7
10:31:43 AM	598.1	90.0	1.0	3.7
10:31:44 AM	598.1	90.0	1.0	3.8
10:31:45 AM	598.1	90.0	1.0	3.8
10:31:46 AM	598.1	90.0	1.0	3.7
10:31:47 AM	598.1	90.0	1.0	3.7
10:31:48 AM	598.1	90.0	1.0	3.7
10:31:49 AM	598.1	90.0	1.0	3.6
Averages ->	598.1	90.0	1.0	4.2
			Maximum ->	5.8

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 5000

Date 11/13/2010

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
10:33:11 AM	593.2	90.0	1.0	12.4
10:33:12 AM	593.2	90.0	1.0	14.6
10:33:13 AM	593.3	90.0	1.0	14.9
10:33:14 AM	593.3	90.0	1.0	13.0
10:33:15 AM	593.3	90.0	1.0	10.7
10:33:16 AM	593.4	90.0	1.0	8.9
10:33:17 AM	593.4	90.0	1.0	8.0
10:33:18 AM	593.4	90.0	1.0	7.4
10:33:19 AM	593.4	90.0	1.0	7.5
10:33:20 AM	593.5	90.0	1.0	8.0
10:33:21 AM	593.5	90.0	1.0	9.4
10:33:22 AM	593.5	90.0	1.0	11.1
10:33:23 AM	593.6	90.0	1.0	12.2
10:33:24 AM	593.5	90.0	1.0	12.7
10:33:25 AM	593.6	90.0	1.0	12.4
10:33:26 AM	593.9	90.0	1.0	12.1
10:33:27 AM	594.4	90.0	1.0	11.6
10:33:28 AM	594.9	90.0	1.0	11.3
10:33:29 AM	595.3	90.0	1.0	10.5
10:33:30 AM	595.3	90.0	1.0	10.5
10:33:31 AM	595.8	90.0	1.0	9.8
10:33:32 AM	596.3	90.0	1.0	9.3
10:33:33 AM	596.7	90.0	1.0	9.3
10:33:34 AM	597.2	90.0	1.0	9.5
10:33:35 AM	597.6	90.0	1.0	9.5
10:33:36 AM	598.1	90.0	1.0	9.3
10:33:36 AM	598.6	90.0	1.0	8.9
10:33:37 AM	598.6	90.0	1.0	8.5
10:33:38 AM	598.6	90.0	1.0	8.0
10:33:39 AM	598.5	90.0	1.0	7.6
10:33:40 AM	598.5	90.0	1.0	7.3
10:33:41 AM	598.5	90.0	1.0	7.0
10:33:42 AM	598.5	90.0	1.0	6.4
10:33:43 AM	598.5	90.0	1.0	5.9
10:33:44 AM	598.4	90.0	1.0	5.6
10:33:45 AM	598.4	90.0	1.0	5.4
10:33:46 AM	598.4	90.0	1.0	5.3
10:33:47 AM	598.4	90.0	1.0	5.2
10:33:48 AM	598.4	90.0	1.0	5.1
10:33:49 AM	598.4	90.0	1.0	5.1
10:33:50 AM	598.3	90.0	1.0	5.1
10:33:51 AM	598.3	90.0	1.0	5.1
10:33:52 AM	598.3	90.0	1.0	5.1
10:33:53 AM	598.3	90.0	1.0	5.1
10:33:54 AM	598.3	90.0	1.0	5.1
10:33:55 AM	598.3	90.0	1.0	5.2
10:33:56 AM	598.3	90.0	1.0	5.2
10:33:57 AM	598.2	90.0	1.0	5.0
10:33:58 AM	598.3	90.0	1.0	4.9
10:33:59 AM	598.2	90.0	1.0	5.0
10:34:00 AM	598.2	90.0	1.0	5.2
10:34:01 AM	598.2	90.0	1.0	5.4
10:34:02 AM	598.2	90.0	1.0	5.3
10:34:03 AM	598.2	90.0	1.0	5.2
10:34:04 AM	598.2	90.0	1.0	5.1
10:34:05 AM	598.2	90.0	1.0	5.2
10:34:06 AM	598.2	90.0	1.0	5.1
10:34:07 AM	598.2	90.0	1.0	5.1
10:34:08 AM	598.1	90.0	1.0	5.0
10:34:09 AM	598.2	90.0	1.0	4.8
Averages ->	596.7	90.0	1.0	7.8
			Maximum ->	14.9

Yarmouth Research and Technology, LLC

Packing Description: Teadit GAX 2236

Cycle Number: 0

Date 11/1/2010

Bonnet Gasket Test

Time	Pressure (psig)	Temp. (deg. F)	Sampling Rate (l/m)	PPMv Reading
9:14:03 AM	599.1	72.0	1.0	0.2
9:14:04 AM	599.2	72.0	1.0	0.2
9:14:05 AM	599.2	72.0	1.0	0.2
9:14:06 AM	599.2	72.0	1.0	0.2
9:14:07 AM	599.3	72.0	1.0	0.2
9:14:08 AM	599.3	72.0	1.0	0.2
9:14:09 AM	599.2	72.0	1.0	0.2
9:14:10 AM	599.3	72.0	1.0	0.3
9:14:11 AM	599.3	72.0	1.0	0.3
9:14:12 AM	599.3	72.0	1.0	0.3
9:14:13 AM	599.3	72.0	1.0	0.3
9:14:14 AM	599.3	72.0	1.0	0.3
9:14:15 AM	599.4	72.0	1.0	0.4
9:14:16 AM	599.3	72.0	1.0	0.4
9:14:17 AM	599.4	72.0	1.0	0.4
9:14:18 AM	599.4	71.0	1.0	0.4
9:14:19 AM	599.4	72.0	1.0	0.4
9:14:20 AM	599.4	72.0	1.0	0.4
9:14:21 AM	599.4	72.0	1.0	0.4
9:14:22 AM	599.4	72.0	1.0	0.4
9:14:23 AM	599.4	72.0	1.0	0.3
9:14:24 AM	599.4	72.0	1.0	0.3
9:14:25 AM	599.4	72.0	1.0	0.3
9:14:26 AM	599.4	72.0	1.0	0.3
9:14:27 AM	599.4	72.0	1.0	0.3
9:14:28 AM	599.5	72.0	1.0	0.3
9:14:29 AM	599.5	72.0	1.0	0.3
9:14:30 AM	599.5	72.0	1.0	0.3
9:14:31 AM	599.6	72.0	1.0	0.3
9:14:32 AM	599.5	72.0	1.0	0.3
9:14:33 AM	599.6	71.0	1.0	0.3
9:14:34 AM	599.5	72.0	1.0	0.3
9:14:35 AM	599.6	72.0	1.0	0.3
9:14:36 AM	599.6	72.0	1.0	0.3
9:14:37 AM	599.6	72.0	1.0	0.3
9:14:38 AM	599.6	72.0	1.0	0.3
9:14:39 AM	599.6	72.0	1.0	0.3
9:14:40 AM	599.6	71.0	1.0	0.3
9:14:41 AM	599.6	72.0	1.0	0.3
9:14:41 AM	599.6	72.0	1.0	0.3
9:14:42 AM	599.6	72.0	1.0	0.3
9:14:43 AM	599.6	72.0	1.0	0.3
9:14:44 AM	599.7	72.0	1.0	0.3
9:14:45 AM	599.7	72.0	1.0	0.3
9:14:46 AM	599.7	72.0	1.0	0.3
9:14:47 AM	599.6	72.0	1.0	0.3
9:14:48 AM	599.7	72.0	1.0	0.3
9:14:49 AM	599.7	72.0	1.0	0.3
9:14:50 AM	599.7	72.0	1.0	0.3
9:14:51 AM	599.8	72.0	1.0	0.2
9:14:52 AM	599.8	72.0	1.0	0.2
9:14:53 AM	599.8	72.0	1.0	0.3
9:14:54 AM	599.8	72.0	1.0	0.3
9:14:55 AM	599.8	72.0	1.0	0.3
9:14:56 AM	599.8	72.0	1.0	0.3
9:14:57 AM	599.8	72.0	1.0	0.3
9:14:58 AM	599.8	72.0	1.0	0.3
9:14:59 AM	599.9	72.0	1.0	0.2
9:15:00 AM	599.8	72.0	1.0	0.3
9:15:01 AM	599.9	72.0	1.0	0.2
Averages ->	599.5	72.0	1.0	0.3
			Maximum ->	0.4